



MUNICIPAL SEPERATE STORM SEWER SYSTEM

ANNUAL MS4 STATUS REPORT 2026

NEW HANOVER TOWNSHIP,
Montgomery County

2943 N. Charlotte Street
Gilbertsville, PA 19525

**CENTER FOR
WATERSHED
PROTECTION**

Center for Watershed Protection, Inc.
11711 East Market Place, Suite 200,
Fulton, MD 20759
www.cwp.org

MUNICIPAL SEPERATE STORM SEWER SYSTEM ANNUAL MS4 STATUS REPORT



TABLE OF CONTENTS

Annual Municipal Separate Storm Sewer System (MS4) Status Report Form

MCM #1 Attachments- Public Education and Outreach Program (PEOP)

- Public Education and Outreach Documentation
- Township Newsletters

MCM #2 Attachments- Public Involvement and Participation Program (PIPP)

- Social Media Post Documentation
- Board of Supervisors (BOS) Meeting Minutes
- Environmental Advisory Board (EAB) Meeting Minutes
- Perkiomen Watershed Conservancy Stormwater Reduction Statistics Package

MCM #3 Attachments- Illicit Discharge Detection and Elimination (IDDE)

- Dry Weather Priority Outfall Field Screening Summary Table
- Dry Weather Priority Outfall Field Screening Reports

MCM #6 Attachments- Pollution Prevention/Good Housekeeping (PPGH)

- Clean Water Academy Training Sign-In Sheet

**2026 Annual MS4 Report - General Information**Report Status: **Submitted**Permittee: **NEW HANOVER TWP MONTGOMERY CNTY** | NPDES Permit No.: **PAG130020**

Facility Name: **NEW HANOVER TWP MS4**
Facility Address: **2943 N CHARLOTTE ST, GILBERTSVILLE, PA, 19525-9718**
Facility ID: **640293**
County: **Montgomery**
Municipality: **New Hanover Twp**
Effective Date: **01/15/2019**
Expiration Date:
Renewal Due Date:

MS4 Contact: **JAMIE GWYNN**
Title: **TOWNSHIP MGR**
Phone: **610-323-1008**
Email: **jgwynn@newhanover-pa.org**

MS4 Report (Current Version)**Water Quality Information Module** Are there any discharges to waters within the Chesapeake Bay Watershed? **No**

Identify all surface waters that receive stormwater discharges from the permittee's MS4 and provide the requested information.

Receiving Water Name	Ch. 93 Class	Impaired	Cause(s)	TMDL	WLA
Minister Creek	TSF	No		No	No
Scioto Creek	TSF	No		No	No
Swamp Creek (reach 02040203000487)	TSF	Yes	Cause Unknown, Siltation	No	No
UNTs to Minister Creek	TSF	No		No	No
UNTs to Swamp Creek (reach 02040203000488)	TSF	No		No	No
Swamp Creek (reach 02040203000488)	TSF	No		No	No
Middle Creek	TSF	No		No	No
Unnamed Tributary (UNT) to Sanatoga Creek	WWF	No		No	No

General Minimum Control Measure (MCM) Information Module Have you completed all MCM activities required by the permit for this reporting period? **Yes**

List the current entity responsible for implementing each MCM of your SWMP, along with contact names and phone numbers.

MCM	Entity Responsible	Contact Name	Phone Number
#1 Public Education and Outreach on Stormwater Impacts	New Hanover Township	Mark Donovan	610-323-1008
#2 Public Involvement / Participation	New Hanover Township	Mark Donovan	610-323-1008
#3 Illicit Discharge Detection and Elimination (IDD&E)	New Hanover Township	Jay Kowal	610-323-1008
#4 Construction Site Stormwater Runoff Control	New Hanover Township	Jamie Gwynn	610-323-1008
#5 Post-Construction Stormwater Management in New Development and Redevelopment	New Hanover Township	Mark Donovan	610-323-1008
#6 Pollution Prevention / Good Housekeeping	New Hanover Township	Jay Kowal	610-323-1008

MCM #1 – Public Education & Outreach on Stormwater Impacts Module 			
BMP #1: Develop, implement and maintain a written Public Education and Outreach Program.			
1. For new permittees only, has the written PEOP been developed and implemented within the first year of permit coverage?		Not Applicable	

2. Date of latest annual review of PEOP:	03/09/2026	Were updates made?	No

3. What were the plans and goals for public education and outreach for the reporting period?			
-Review the PEOP and update as necessary. -Review the target audience list and update as necessary. -Review the information and links on the stormwater page of the Township website and update as necessary. -Display and distribute stormwater educational information at the Township Building and parks. -Distribute stormwater information to new homeowners. -Include MS4 educational materials on stormwater in bills and once a year on employee paychecks. -Continue involvement with the Township Environmental Advisory Board (EAB). -Continue to educate PCSM BMP owners about stormwater, BMP maintenance & the BMP Inspection process to help ensure proper O&M. Letters of monitoring compliance of BMP inspections are mailed out to PCSM BMP owners. -Publish at least one article relating to stormwater in the Township newsletter.			

4. Did the MS4 achieve its goal(s) for the PEOP during the reporting period?		Yes	

5. Identify specific plans and goals for public education and outreach for the upcoming year:			
The Township plans to continue implementing the plans and goals outlined in #3 above.			
BMP #2: Develop and maintain lists of target audience groups present within the areas served by your MS4.			
1. For new permittees only, have the target audience lists been developed and implemented within the first year of permit coverage?		Not Applicable	

2. Date of latest annual review of target audience lists:	03/09/2026	Were updates made?	No

BMP #3: Annually publish at least one educational item on your Stormwater Management Program.			

1. For new permittees only, were stormwater educational and informational items produced and published in print and/or on the Internet within the first year of permit coverage?

Not Applicable

2. Date of latest annual review of educational materials:

03/09/2026

Were updates made?

No

3. Do you have a municipal website? Yes

URL: https://www.newhanover-pa.org/departments/planning/stormwater_management/index.php

· If **Yes**, what MS4-related material does it contain?

The website contains a stormwater web page under "Planning" which provides an overview of stormwater management, a link to an ArcGIS Online (AGOL) Story Map of the Township's stormwater infrastructure, NPDES MS4 permitting overview, information on the stormwater BMP inspection program, Stormwater Pollution Prevention Tips for Township residents and businesses, EPA Minimum Control Measure (MCM) forms, and numerous links to a wide variety of educational and government websites. Some of these links include the EPA Stormwater Basic Information, PA DEP Stormwater Management Program, Perkiomen Watershed Conservancy, Homeowner's Guide to Stormwater, Green Guide for Property Management, Quick Resource Guide for Winter Maintenance BMPs, etc. The Stormwater Management webpage includes a link to the Stormwater BMP Inspection Program webpage, which includes information on the program, step-by-step user guidance, a Story Map tool, and link to the ArcGIS Survey123 self inspection form.

4. Describe any other method(s) used during the reporting period to provide information on stormwater to the public:

Please refer to BMP #4 for additional methods used and MCM #1 Attachments for supporting documentation.

5. Identify specific plans for the publication of stormwater materials for the upcoming year:

-Review the information and links on the stormwater page of the Township website and update as necessary. -Display and distribute stormwater educational information at the Township Building and parks. -Distribute stormwater information to new homeowners. -Include MS4 educational materials on stormwater in bills and once a year on employee paychecks. -Continue involvement with the Township Environmental Advisory Board (EAB). -Educate PCSM BMP owners about stormwater and BMP maintenance to help ensure proper O&M by sending out a mailing and monitoring compliance of BMP inspections. -Publish at least one article relating to stormwater in the Township newsletter.

BMP #4: Identify the two additional methods of distributing stormwater educational materials during the previous reporting period (e.g., displays, posters, signs, pamphlets, booklets, brochures, radio, local cable TV, newspaper articles, other advertisements, bill stuffers, posters, presentations, conferences, meetings, fact sheets, giveaways, or storm drain stenciling).

Identify the two additional methods of distributing stormwater educational materials during the previous reporting period (e.g., displays, posters, signs, pamphlets, booklets, brochures, radio, local cable TV, newspaper articles, other advertisements, bill stuffers, posters, presentations, conferences, meetings, fact sheets, giveaways, or storm drain stenciling).

-The Township regularly posts on Facebook to inform and educate the public about stormwater and MS4-related topics. Posts include but are not limited to links to the MS4 Annual Report and PADEP MS4 Inspection report, information on stormwater projects for public land, and notifications regarding stormwater-related events such as community clean-ups, street sweeping, tree give-aways, recycling events, and volunteer events at local parks. -The Township also published two newsletters per year that are distributed digitally to residents and shared through links posted on the Township Facebook page. The Spring/Summer and Fall/Winter newsletters contain articles and information on stormwater and MS4-related topics. -Please refer to MCM #1 Attachments for details and additional documentation.

MCM #1 Comments:

Please refer to MCM #1 Attachments for additional supporting documentation.

MCM #1 Attachments:

File Name	Document Type	Short Description
A.1 MCM1 Attachments.pdf	Other	MCM #1 Attachments including Township website stormwater education information, social media educational posts, printed materials at the Township building and Newsletters

**BMP #1: Develop, implement and maintain a written Public Involvement and Participation Program (PIPP)**

1. For new permittees only, was the PIPP developed and implemented within one year of permit coverage?

Not Applicable

2. Date of latest annual review of PIPP:

03/09/2026

Were updates made?

No

BMP #2: Advertise to the public and solicit public input on ordinances, SOPs, Pollutant Reduction Plans (PRPs) (if applicable) and TMDL Plans (if applicable), including modifications thereto, prior to adoption or submission to DEP:

1. Was an MS4-related ordinance, SOP, PRP or TMDL Plan developed during the reporting period?

No

2. If **Yes**, describe how you advertised the draft document(s) and how you provided opportunities for public review, input and feedback:

3. If an ordinance, SOP or plan was developed or amended during the reporting period, provide the following information:

Ordinance/SOP/Plan Name	Date of Public Notice	Date of Public Hearing	Date Enacted or Submitted to DEP
No data available in table			

BMP #3: Regularly solicit public involvement and participation from the target audience groups using available distribution and outreach methods.

1. At least one public meeting or other MS4 event must be held during the 5-year permit coverage period to solicit participation and feedback from target audience groups. Was this meeting or event held during the reporting period?

Yes

If **Yes**, Date of Meeting or Event:

05/07/2026

2. Report instances of cooperation and participation in MS4 activities; presentations the permittee made to local watershed and conservation organizations; and similar instances of participation or coordination with organizations in the community.

-The Township Environmental Advisory Board (EAB) is an active participant in MS4 and stormwater-related topics within the community. The EAB regularly discuss topics including but not limited to planting wildflowers on parkland, providing trees to residents for tree give-away events, making calls for volunteers to help with stream and community clean-ups, and tabling for events such as the Fall Frolic Township event. -The EAB shared information on virtual education opportunities through Penn State Extension Master Watershed Stewards Program (MWSP) as well as an 8-week long Master Watershed Steward Program. -The EAB encourages participation in community events such as Rain Barrel workshops, invasive weed removal at Township parks, and Earth Day events. -At the December 8, 2026 EAB meeting, John Moran of the EAB was asked to attend a meeting at a neighboring Township on pollution and give a presentation on pollution and PFAS to the EAB. -Members of the EAB also share updates and make presentations to the Township Board of Supervisors (BOS) which include, but are not limited to a stream bank erosion study, aquifer recharge challenges, concerns for the function of BMPs at proposed and existing development sites, and progress of ongoing park and streambank planting projects. -The EAB also works with schools to foster community relationships with local teachers and students to help familiarize students with EAB programs and projects and encourage building a volunteer base while providing educational credit to students. At the May 11, 2026 EAB meeting, Boyertown Area High School students and their Environmental Science teacher presented results of a rainfall study. -The Township Engineer also presents MS4-related information at BOS meetings, sharing updates on stormwater inspection reports and BMP self-inspections. -The Director of Planning and Zoning provided an update on code enforcement of the Stormwater Inspection Program at the February 9, 2026 BOS meeting. -At the March 9, 2026 EAB meeting, Beth Uhler of the Center for Watershed Protection (CWP) presented on the Township's Basin Retrofit project. The presentation was made available to interested parties throughout the Township.

3. Report activities in which members of the public assisted or participated in the meetings and in the implementation of the SWMP, including education activities or efforts such as cleanups, monitoring, storm drain stenciling, or others.

-The Township partnered with the Perkiomen Watershed Conservancy (PWC) to host a Rain Barrel Workshop on September 30, 2025. 8 participants were present and 24 native plants were given out to residents. -The Township also partnered with PWC to

conduct stream clean-ups at 3 sites, with 26 volunteers contributing 78 hours to removing 17 bags of trash and a tire from local waterways. -Other events in the Township included a Fall Tree Give-Away event which occurred on October 2, 2025 and 1,900 trees were given out. -The Board of Supervisors (BOS) voted to send a letter to state and local officials and organizations regarding stormwater management conflicts at their October 6, 2025 meeting. -A local company, 2 Sons Window Cleaning and Powerwashing hosted a Community Park Cleanup event on April 19, 2026. -A cleanup crew of volunteers and Boy Scouts were credited with a clean-up event at Moyer Road during the April 13, 2026 EAB meeting. -On May 27, 2026 the Township shared the Community Impact Recap of the Electronics Recycling Day to their Facebook page. The Township reported that a total of 171 vehicles came through the event, dropping off 527 electronic items for safe, environmentally responsible recycling. This marks a 54% increase in total items collected from the Township from the past year. -On June 27, 2026 volunteers collected and removed invasive weeds at Swamp Creek Park.

MCM #2 Comments:

The Township continues to partner with Perkiomen Watershed Conservancy through their Municipal Membership Program at the Benefactor level to share stormwater-related information and organize community engagement activities. Please refer to MCM #2 Attachments for additional supporting documentation.

MCM #2 Attachments:

File Name	Document Type	Short Description
B.1 MCM 2 Attachments.pdf	Other	MCM 2 Attachments including public involvement and participation through social media posts, BOS and EAB meeting minutes, and PWC Stormwater Reduction Statistics Package

MCM #3 – Illicit Discharge Detection and Elimination (IDD&E)

BMP #1: Develop and implement a written program for the detection, elimination, and prevention of illicit discharges into the regulated small MS4.

1. For new permittees only, was the written IDD&E program developed within one year of permit coverage? **Not Applicable**

2. Date of latest annual review of IDD&E program: **03/10/2025** Were updates made? **No**

BMP #2: Develop and maintain map(s) that show permittee and urbanized area boundaries, the location of all outfalls and, if applicable, observation points, and the locations and names of all surface waters that receive discharges from those outfalls. Outfalls and observation points shall be numbered on the map(s).

1. Have you completed a map(s) that includes all components of BMP #2? **Yes**

If **Yes** and you are a new permittee and have not submitted the map(s) previously, attach the map(s) to this report.

If **No**, date by which permittee expects map(s) to be completed:

2. Date of last update or revision to map(s): **04/28/2026**

3. Total No. of Outfalls in MS4: **189** Total No. of Outfalls Mapped: **189**

4. Total No. of Observation Points: **88** Total No. of Observation Points Mapped: **88**

5. During the reporting period, have you identified any existing outfalls that have not been previously reported to DEP in an NOI, application or annual report, or are any new MS4 outfalls proposed for the next reporting period? **No**

If **Yes**, select: Existing Outfall(s) Identified New Outfall(s) Proposed

BMP #3: In conjunction with the map(s) created under BMP #2 (either on the same map or on a different map), the permittee shall develop and maintain map(s) that show the entire storm sewer collection system within the permittee's jurisdiction that are owned

or operated by the permittee (including roads, inlets, piping, swales, catch basins, channels, and any other components of the storm sewer collection system), including privately-owned components of the collection system where conveyances or BMPs on private property receive stormwater flows from upstream publicly-owned components.

1. Have you completed a map(s) that includes all components of BMP #3? **Yes**

If **Yes** and you are a new permittee and have not submitted the map(s) previously, attach the map(s) to this report.

If **No**, date by which permittee expects map(s) to be completed:

2. If **Yes** to #1, is the map(s) on the same map(s) as for outfalls and receiving waters?

Yes

3. Date of last update or revision to map(s):

05/05/2026

BMP #4: Conduct dry weather screenings of MS4 outfalls to evaluate the presence of illicit discharges. If any illicit discharges are present, the permittee shall identify the source(s) and take appropriate actions to remove or correct any illicit discharges. The permittee shall also respond to reports received from the public or other agencies of suspected or confirmed illicit discharges associated with the storm sewer system, as well as take enforcement action as necessary. The permittee shall immediately report to DEP illicit discharges that would endanger users downstream from the discharge, or would otherwise result in pollution or create a danger of pollution or would damage property.

For new permittees, all identified outfalls (and if applicable observation points) must be screened during dry weather at least twice within the 5-year period following permit coverage. For existing permittees, all identified outfalls (and if applicable observation points) must be screen during dry weather at least once within the 5-year period following permit coverage and, for areas where past problems have been reported or known sources of dry weather flows occur on a continual basis, outfalls must be screened annually during each year of permit coverage.

1. How many unique outfalls (and if applicable observation points) were screened during the reporting period?

8

2. Indicate the percentage of all outfalls screened in the past five years.

100 %

3. Indicate the percent of outfalls screened during the reporting period that revealed dry weather flows:

11 %

4. Did any dry weather flows reveal color, turbidity, sheen, odor, floating or submerged solids?

No

5. If **Yes** for #4, attach all sample results to this report with a map identifying the sample location. Explain the corrective action(s) taken in the attachment.

6. Do you use the MS4 Outfall Field Screening Report form (**3800-FM-BCW0521**) (<https://greenport.pa.gov/elibrary/GetFolder?FolderID=2740>), provided in the permit?

No

If **No**, attach a copy of your screening report form.

BMP #5: Enact a Stormwater Management Ordinance or SOP to implement and enforce a stormwater management program that includes prohibition of non-stormwater discharges to the regulated small MS4.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that prohibits non-stormwater discharges?

Yes

If **Yes**, indicate the date of the ordinance or SOP:

Date of the Ordinance

Borough/Township Name?

12/01/2022

New Hanover Township

2. If **Yes** to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PMBCW0100j) with respect to authorized non-stormwater discharges?

Yes

If **Yes** to #1 and the ordinance or SOP has not been submitted to DEP previously, attach the ordinance or SOP.

3. Were there any violations of the ordinance or SOP during the reporting period? **Yes**

If **Yes** to #3, complete the table below (attach additional sheets as necessary).

Violation Date	Nature of Violation	Responsible Party	Enforcement Taken
10/24/2025	Sediment discharge from construction activities at 914 Henning Road observed by PA Fish and Boat Commission. PADEP and Montgomery County Conservation District were notified. PADEP inspected the sediment discharge on 10/24/2025.	Property owner at 914 Henning Road- Josephine Vecchione.	The property owner was educated on proper erosion and sediment controls by PADEP and ordered to remediate the site. As of 9/28/2026 the violation is still open and remediation is in progress.

4. Did you approve any waiver or variance during the reporting period that allowed an exception to non-stormwater discharge provisions of an ordinance or SOP? **No**

If **Yes** to #4, identify the entity that received the waiver or variance and the type of non-stormwater discharge approved.

BMP #6: Provide educational outreach to public employees, business owners and employees, property owners, the general public and elected officials (i.e., target audiences) about the program to detect and eliminate illicit discharges.

1. Was IDD&E-related information distributed to public employees, businesses, and the general public during the reporting period? **Yes**

If **Yes**, what was distributed?

-Township public works employees attended a field training, "Outfall Field Screening Training" on May 7, 2026. See MCM #6 attachments for employee training documentation. -The Township website includes educational information about IDDE in a Story Map, including a number to call if an illicit discharge is suspected. The number is also provided on the Township's Stormwater Management webpage along with links to additional educational resources.

2. Is there a well-publicized method for employees, businesses and the public to report stormwater pollution incidents? **Yes**

3. Do you maintain documentation of all responses, action taken, and the time required to take action? **Yes**

MCM #3 Comments:

-The Township maintains a map with all stormwater infrastructure, outfalls, and BMPs by maintaining an interactive ArcGIS Online (AGOL) web map app. - There were no updates, additions or deletions to outfalls or observation points during the reporting period. -The web map app is publicly accessible via the stormwater page on the Township website at the link below: <https://arcg.is/0GT8HO3> -The Township uses a Survey123 form that contains the same information as the DEP MS4 Outfall Field Screening Form. Refer to MCM #3 Attachments for field screening inspection forms. -No illicit discharges were noted based on results of the dry weather outfall field screening inspections.

MCM #3 Attachments:

File Name	Document Type	Short Description
C.1 MCM3 Attachments.pdf	MS4 Outfall Field Screening Report	Dry Weather Outfall Field Screening Summary Table and Screening Reports

MCM #4 – Construction Site Stormwater Runoff Control

Are you relying on PA's statewide program for stormwater associated with construction activities to satisfy this MCM? **Yes**

(If **Yes**, respond to questions for BMP Nos. 1, 2 and 3 only in this section. If No, respond to questions for all BMPs in this section)

BMP #1: Develop, implement and maintain a written Public Involvement and Participation Program (PIPP)

During the reporting period, did you comply with 25 Pa. Code § 102.43 (relating to withholding building or other permits or approvals until DEP or a county conservation district (CCD) has approved NPDES permit coverage)? Note: If no building permit applications were received you may select Not Applicable. **Yes**

BMP #2: A municipality or county which issues building or other permits shall notify DEP or the applicable CCD within 5 days of the receipt of an application for a permit involving an earth disturbance activity consisting of one acre or more, in accordance with 25 Pa. Code § 102.42.

During the reporting period, did you comply with 25 Pa. Code § 102.42 (relating to notifying DEP/CCD within 5 days of receiving an application involving an earth disturbance activity of one acre or more)? Note: If no building permit applications were received you may select Not Applicable. **Yes**

BMP #3: Enact, implement and enforce an ordinance or SOP to require the implementation and maintenance of E&S control BMPs, including sanctions for non-compliance, as applicable.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that requires implementation and maintenance of E&S control BMPs? **Yes**

If **Yes**, indicate the date of the ordinance or SOP:

Date of the Ordinance	Borough/Township Name?
-----------------------	------------------------

12/01/2022	New Hanover Township
------------	----------------------

2. If **Yes** to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PMBCW0100j)? **Yes**

3. If **Yes** to #1 and the ordinance or SOP has not been submitted previously, attach a copy of the ordinance or SOP.

BMP #4: Review Erosion and Sediment (E&S) control plans to ensure that such plans adequately consider water quality impacts and meet regulatory requirements.

Specify the number of E&S Plans you reviewed during the reporting period:

Not Applicable

BMP #5: Conduct inspections regarding installation and maintenance of E&S control measures during earth disturbance activities. Maintain records of site inspections, including dates and inspection results, in accordance with the record retention requirements in this permit.

Specify the number of E&S inspections you completed during the reporting period:

Not Applicable

BMP #6: Conduct enforcement when installation and maintenance of E&S control measures during earth disturbance activities does not comply with permit and/or regulatory requirements.

Specify the number of enforcement actions you took during the reporting period for improper E&S:

Not Applicable

BMP #7: Develop and implement requirements for construction site operators to control waste at construction sites that may cause adverse impacts to water quality. The permittee shall provide education on these requirements to construction site operators.

Specify the method(s) by which you are educating construction site operators on controlling waste at construction sites:

Not Applicable

BMP #8: Develop and implement procedures for the receipt and consideration of public inquiries, concerns, and information submitted by the public to the permittee regarding local construction activities.

1. A tracking system has been established for receipt of public inquiries and complaints.

Not Applicable

2. Specify the number of inquiries and complaints received during the reporting period:

Not Applicable

MCM #4 Comments:

The Township relies on PA's statewide program for stormwater management associated with construction activities to satisfy this MCM. The Township Engineer (Knight Engineering, Inc.) conducts regular inspections on their active construction sites as part of the land development process. The Township requires E&S controls for projects that are less than one acre of earth disturbance through a plan review process and conducts inspections of these sites. This information is available upon request.

MCM #4 Attachments:

File Name	Document Type	Short Description
No attachments in the table.		

MCM #5 – Post-Construction Stormwater Management in New Development & Redevelopment Module

BMP #1: Enact, implement and enforce an ordinance or SOP to require post-construction stormwater management from new development and redevelopment projects, including sanctions for non-compliance.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that requires implementation and maintenance of post-construction stormwater management (PCSM) BMPs? **Yes**

If **Yes**, indicate the date of the ordinance or SOP:

Date of the Ordinance	Borough/Township Name?
12/01/2022	New Hanover Township

2. If **Yes** to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PM-BCW0100j)? **Yes**

3. If **Yes** to #1 and the ordinance or SOP has not been submitted previously, attach a copy of the ordinance or SOP.

BMP #2: Develop and implement measures to encourage and expand the use of Low Impact Development (LID) in new development and redevelopment. Measures should also be included to encourage retrofitting LID into existing development. Enact ordinances consistent with LID practices and repeal sections of ordinances that conflict with LID practices.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that encourages and expands the use of LID in new development and redevelopment? **Yes**

If **Yes**, indicate the date of the ordinance or SOP:

Date of the Ordinance	Borough/Township Name?
12/01/2022	New Hanover Township

2. If **Yes** to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PMBCW0100j)? **Yes**

3. If **Yes** to #1 and the ordinance or SOP has not been submitted previously, attach a copy of the ordinance or SOP.

BMP #3: Ensure adequate O&M of all post-construction stormwater management BMPs that have been installed at development or redevelopment projects that disturb greater than or equal to one acre, including projects less than one acre that are part of a larger

common plan of development or sale.

1. Do you have an inventory of all PCSM BMPs that were installed to meet requirements in NPDES Permits for Stormwater Discharges Associated with Construction Activities approved since March 10, 2003?

Yes

If **Yes** to #1, complete PCSM BMP Inventory Table below.

Table 1. To complete the information needed for MCM #5, BMP #3, list all existing structural BMPs that discharge stormwater to the permittee's MS4 that were installed to satisfy PCSM requirements for earth disturbance activities under Chapter 102, and provide the requested information.

Note: Any BMP data entered/uploaded will be prepopulated in the next reporting year.

You may enter your BMPs manually or upload them using our template. Click the File Upload bar to download the PCSM BMP template and upload your inventory.

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Action
1	Other	11/09/2018	05/31/2025	✗	Yes	
2	Other	11/09/2018	05/31/2025	✓	Yes	
3	Other	11/09/2018	05/31/2025	✓	Yes	
4	Other	07/05/2006	05/31/2025	✓	Yes	
5	Other	01/01/1900	05/31/2025	✗	Yes	
6	Other	07/05/2006	05/31/2025	✗	Yes	
7	Other	01/24/2007	05/31/2025	✓	Yes	
8	Other	07/03/2007	05/31/2025	✓	Yes	
9	Other	02/04/2011	05/31/2025	✓	Yes	
10	Other	02/04/2011	05/31/2025	✓	Yes	
11	Other	01/01/1900	05/31/2025	✓	Yes	
12	Other	01/01/1900	05/31/2025	✓	Yes	
13	Other	01/01/1900	05/31/2025	✓	Yes	
14	Other	01/01/1900	05/31/2025	✓	Yes	
15	Other	01/01/1900	05/31/2025	✓	Yes	
16	Other	01/01/1900	05/31/2025	✗	Yes	
17	Other	01/01/1900	05/31/2025	✓	Yes	
18	Other	01/01/1900	05/31/2025	✗	Yes	
19	Other	01/01/1900	05/31/2025	✗	Yes	
20	Other	01/01/1900	05/31/2025	✓	Yes	
21	Other	01/01/1900	05/31/2025	✓	Yes	
22	Other	09/21/2006	05/31/2025	✗	Yes	
23	Other	09/21/2006	05/31/2025	✗	Yes	
24	Other	09/21/2006	05/31/2025	✓	Yes	
25	Other	09/21/2006	05/31/2025	✓	Yes	
26	Other	09/21/2006	05/31/2025	✓	Yes	
27	Other	09/21/2006	05/31/2025	✓	Yes	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Action
28	Other	09/21/2006	05/31/2025	✓	Yes	
29	Other	09/21/2006	05/31/2025	✓	Yes	
30	Other	09/21/2006	05/31/2025	✓	Yes	
31	Other	09/21/2006	05/31/2025	✓	Yes	
32	Other	09/21/2006	05/31/2025	✓	Yes	
33	Other	09/21/2006	05/31/2025	✓	Yes	
34	Other	09/21/2006	05/31/2025	✓	Yes	
35	Other	09/21/2006	05/31/2025	✗	Yes	
36	Other	09/21/2006	05/31/2025	✓	Yes	
37	Other	09/21/2006	05/31/2025	✓	Yes	
38	Other	09/21/2006	05/31/2025	✓	Yes	
39	Other	09/21/2006	05/31/2025	✓	Yes	
40	Other	09/21/2006	05/31/2025	✓	Yes	
41	Other	09/21/2006	05/31/2025	✓	Yes	
42	Other	09/21/2006	05/31/2025	✓	Yes	
43	Other	09/21/2006	05/31/2025	✓	Yes	
44	Other	09/21/2006	05/31/2025	✓	Yes	
45	Other	09/21/2006	05/31/2025	✓	Yes	
46	Other	09/21/2006	05/31/2025	✓	Yes	
47	Other	09/21/2006	05/31/2025	✓	Yes	
48	Other	09/21/2006	05/31/2025	✓	Yes	
49	Other	09/21/2006	05/31/2025	✓	Yes	
50	Other	09/21/2006	05/31/2025	✓	Yes	
51	Other	09/21/2006	05/31/2025	✓	Yes	
52	Other	09/21/2006	05/31/2025	✓	Yes	
53	Other	09/21/2006	05/31/2025	✓	Yes	
54	Other	09/21/2006	05/31/2025	✓	Yes	
55	Other	09/21/2006	05/31/2025	✓	Yes	
56	Other	09/21/2006	05/31/2025	✓	Yes	
57	Other	09/21/2006	05/31/2025	✓	Yes	
58	Other	01/01/1900	05/31/2025	✓	Yes	
59	Other	01/01/1900	05/31/2025	✓	Yes	
60	Other	01/01/1900	05/31/2025	✓	Yes	
61	Other	01/01/1900	05/31/2025	✓	Yes	
62	Other	01/01/1900	05/31/2025	✓	Yes	
63	Other	01/01/1900	05/31/2025	✓	Yes	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Action
64	Other	01/01/1900	05/31/2025	✓	Yes	
65	Other	01/01/1900	05/31/2025	✓	Yes	
66	Other	01/01/1900	05/31/2025	✓	Yes	
67	Other	01/01/1900	05/31/2025	✓	Yes	
68	Other	01/01/1900	05/31/2025	✓	Yes	
69	Other	01/01/1900	05/31/2025	✓	Yes	
70	Other	01/01/1900	05/31/2025	✓	Yes	
71	Other	04/27/2004	05/31/2025	✓	Yes	
72	Other	04/27/2004	05/31/2025	✗	Yes	
73	Other	04/27/2004	05/31/2025	✗	Yes	
74	Other	04/27/2004	05/31/2025	✓	Yes	
75	Other	04/27/2004	05/31/2025	✓	Yes	
76	Other	01/01/1900	05/31/2025	✓	Yes	
77	Other	01/01/1900	05/31/2025	✓	Yes	
78	Other	01/01/1900	05/31/2025	✓	Yes	
79	Other	01/01/1900	05/31/2025	✓	Yes	
80	Other	01/01/1900	05/31/2025	✓	Yes	
81	Other	01/01/1900	05/31/2025	✓	Yes	
82	Other	01/01/1900	05/31/2025	✓	Yes	
83	Other	01/01/1900	05/31/2025	✓	Yes	
84	Other	01/01/1900	05/31/2025	✓	Yes	
85	Other	01/01/1900	05/31/2025	✓	Yes	
86	Other	01/01/1900	05/31/2025	✓	Yes	
87	Other	01/01/1900	05/31/2025	✓	Yes	
88	Other	01/01/1900	05/31/2025	✓	Yes	
89	Other	01/01/1900	05/31/2025	✓	Yes	
90	Other	01/01/1900	05/31/2025	✓	Yes	
91	Other	01/01/1900	05/31/2025	✓	Yes	
92	Other	01/01/1900	05/31/2025	✓	Yes	
93	Other	01/01/1900	05/31/2025	✓	Yes	
94	Other	01/01/1900	05/31/2025	✓	Yes	
95	Other	01/01/1900	05/31/2025	✓	Yes	
96	Other	01/01/1900	05/31/2025	✓	Yes	
97	Other	01/01/1900	05/31/2025	✓	Yes	
98	Other	01/01/1900	05/31/2025	✓	Yes	
99	Other	01/01/1900	05/31/2025	✓	Yes	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Action
100	Other	01/01/1900	05/31/2025	✓	Yes	
101	Other	01/01/1900	05/31/2025	✓	Yes	
102	Other	01/01/1900	05/31/2025	✓	Yes	
103	Other	01/23/2008	05/31/2025	✓	Yes	
104	Other	01/23/2008	05/31/2025	✓	Yes	
105	Other	01/01/1900	05/31/2025	✗	Yes	
106	Other	01/01/1900	05/31/2025	✓	Yes	
107	Other	01/01/1900	05/31/2025	✓	Yes	
108	Other	01/01/1900	05/31/2025	✗	Yes	
109	Other	01/01/1900	05/31/2025	✓	Yes	
110	Other	01/01/1900	05/31/2025	✓	Yes	
111	Other	01/01/1900	05/31/2025	✓	Yes	
112	Other	01/01/1900	05/31/2025	✗	Yes	
113	Other	01/01/1900	05/31/2025	✓	Yes	
114	Other	01/01/1900	05/31/2025	✗	Yes	
115	Other	01/01/1900	05/31/2025	✗	Yes	
116	Other	01/01/1900	05/31/2025	✗	Yes	
117	Other	01/01/1900	05/31/2025	✓	Yes	
118	Other	01/01/1900	05/31/2025	✓	Yes	
119	Other	01/01/1900	05/31/2025	✓	Yes	
120	Other	07/07/2010	05/31/2025	✓	Yes	
121	Other	07/07/2010	05/31/2025	✓	Yes	
122	Other	07/07/2010	05/31/2025	✗	Yes	
123	Other	01/01/1900	05/31/2025	✓	Yes	
124	Other	01/01/1900	05/31/2025	✓	Yes	
125	Other	01/01/1900	05/31/2025	✗	Yes	
126	Other	01/01/1900	05/31/2025	✓	Yes	
127	Other	11/09/2018	05/31/2025	✓	Yes	
128	Other	11/09/2018	05/31/2025	✓	Yes	
129	Other	11/09/2018	05/31/2025	✗	Yes	
130	Other	11/09/2018	05/31/2025	✓	Yes	
131	Other	11/09/2018	05/31/2025	✓	Yes	
132	Other	11/09/2018	05/31/2025	✓	Yes	
133	Other	11/09/2018	05/31/2025	✓	Yes	
134	Other	11/09/2018	05/31/2025	✓	Yes	
135	Other	11/09/2018	05/31/2025	✓	Yes	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Action
136	Other	11/09/2018	05/31/2025	✓	Yes	
137	Other	11/09/2018	05/31/2025	✓	Yes	
138	Other	11/09/2018	05/31/2025	✓	Yes	
139	Other	07/05/2006	05/31/2025	✓	Yes	
140	Other	07/05/2006	05/31/2025	✓	Yes	
141	Other	07/05/2006	05/31/2025	✓	Yes	
142	Other	07/05/2006	05/31/2025	✓	Yes	
143	Other	07/05/2006	05/31/2025	✓	Yes	
144	Other	07/05/2006	05/31/2025	✓	Yes	
145	Other	07/05/2006	05/31/2025	✓	Yes	
146	Other	07/05/2006	05/31/2025	✓	Yes	
147	Other	07/05/2006	05/31/2025	✓	Yes	
148	Other	07/05/2006	05/31/2025	✓	Yes	
149	Other	07/05/2006	05/31/2025	✓	Yes	
150	Other	07/05/2006	05/31/2025	✓	Yes	
151	Other	07/05/2006	05/31/2025	✓	Yes	
152	Other	07/05/2006	05/31/2025	✓	Yes	
153	Other	07/05/2006	05/31/2025	✓	Yes	
154	Other	07/05/2006	05/31/2025	✓	Yes	
155	Other	07/05/2006	05/31/2025	✓	Yes	
156	Other	07/05/2006	05/31/2025	✓	Yes	
157	Other	07/05/2006	05/31/2025	✓	Yes	
158	Other	07/05/2006	05/31/2025	✓	Yes	
159	Other	07/05/2006	05/31/2025	✓	Yes	
160	Other	07/05/2006	05/31/2025	✓	Yes	
161	Other	07/05/2006	05/31/2025	✓	Yes	
162	Other	07/05/2006	05/31/2025	✓	Yes	
163	Other	07/05/2006	05/31/2025	✓	Yes	
164	Other	07/05/2006	05/31/2025	✓	Yes	
165	Other	07/05/2006	05/31/2025	✓	Yes	
166	Other	07/05/2006	05/31/2025	✓	Yes	
167	Other	07/05/2006	05/31/2025	✓	Yes	
168	Other	07/05/2006	05/31/2025	✓	Yes	
169	Other	07/05/2006	05/31/2025	✓	Yes	
170	Other	07/05/2006	05/31/2025	✓	Yes	
171	Other	07/05/2006	05/31/2025	✓	Yes	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Action
172	Other	07/05/2006	05/31/2025	✓	Yes	
173	Other	07/05/2006	05/31/2025	✓	Yes	
174	Other	07/05/2006	05/31/2025	✓	Yes	
175	Other	07/05/2006	05/31/2025	✓	Yes	
176	Other	07/05/2006	05/31/2025	✓	Yes	
177	Other	07/05/2006	05/31/2025	✓	Yes	
178	Other	07/05/2006	05/31/2025	✓	Yes	
179	Other	07/05/2006	05/31/2025	✓	Yes	
180	Other	07/05/2006	05/31/2025	✓	Yes	
181	Other	07/05/2006	05/31/2025	✓	Yes	
182	Other	07/05/2006	05/31/2025	✓	Yes	
183	Other	07/05/2006	05/31/2025	✓	Yes	
184	Other	07/05/2006	05/31/2025	✓	Yes	
185	Other	07/05/2006	05/31/2025	✓	Yes	
186	Other	07/05/2006	05/31/2025	✓	Yes	
187	Other	07/05/2006	05/31/2025	✓	Yes	
188	Other	07/05/2006	05/31/2025	✓	Yes	
189	Other	07/05/2006	05/31/2025	✓	Yes	
190	Other	07/05/2006	05/31/2025	✓	Yes	
191	Other	07/05/2006	05/31/2025	✓	Yes	
192	Other	07/05/2006	05/31/2025	✓	Yes	
193	Other	07/05/2006	05/31/2025	✓	Yes	
194	Other	07/05/2006	05/31/2025	✓	Yes	
195	Other	07/05/2006	05/31/2025	✓	Yes	
196	Other	07/05/2006	05/31/2025	✓	Yes	
197	Other	07/05/2006	05/31/2025	✓	Yes	
198	Other	07/05/2006	05/31/2025	✓	Yes	
199	Other	07/05/2006	05/31/2025	✓	Yes	
200	Other	07/05/2006	05/31/2025	✓	Yes	
201	Other	07/05/2006	05/31/2025	✓	Yes	
202	Other	07/05/2006	05/31/2025	✓	Yes	
203	Other	07/05/2006	05/31/2025	✓	Yes	
204	Other	07/05/2006	05/31/2025	✓	Yes	
205	Other	07/05/2006	05/31/2025	✓	Yes	
206	Other	07/05/2006	05/31/2025	✓	Yes	
207	Other	07/05/2006	05/31/2025	✓	Yes	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Action
208	Other	07/05/2006	05/31/2025	✓	Yes	
209	Other	07/05/2006	05/31/2025	✓	Yes	
210	Other	11/25/2019	05/31/2025	✓	Yes	
211	Other	11/25/2019	05/31/2025	✓	Yes	
212	Other	11/25/2019	05/31/2025	✓	Yes	
213	Other	11/25/2019	05/31/2025	✓	Yes	
214	Other	11/25/2019	05/31/2025	✓	Yes	
215	Other	11/25/2019	05/31/2025	✓	Yes	
216	Other	11/25/2019	05/31/2025	✓	Yes	
217	Other	11/25/2019	05/31/2025	✓	Yes	
218	Other	11/25/2019	05/31/2025	✓	Yes	
219	Other	11/25/2019	05/31/2025	✓	Yes	
220	Other	11/25/2019	05/31/2025	✓	Yes	
221	Other	11/25/2019	05/31/2025	✓	Yes	
222	Other	11/25/2019	05/31/2025	✓	Yes	
223	Other	11/25/2019	05/31/2025	✓	Yes	
224	Other	11/25/2019	05/31/2025	✓	Yes	
225	Other	11/25/2019	05/31/2025	✓	Yes	
226	Other	11/25/2019	05/31/2025	✓	Yes	
227	Other	11/25/2019	05/31/2025	✓	Yes	
228	Other	11/25/2019	05/31/2025	✓	Yes	
229	Other	11/25/2019	05/31/2025	✓	Yes	
230	Other	11/25/2019	05/31/2025	✓	Yes	
231	Other	11/25/2019	05/31/2025	✓	Yes	
232	Other	11/25/2019	05/31/2025	✓	Yes	
233	Other	11/25/2019	05/31/2025	✓	Yes	
234	Other	11/25/2019	05/31/2025	✓	Yes	
235	Other	11/25/2019	05/31/2025	✓	Yes	
236	Other	11/25/2019	05/31/2025	✓	Yes	
237	Other	11/25/2019	05/31/2025	✓	Yes	
238	Other	11/25/2019	05/31/2025	✓	Yes	
239	Other	11/25/2019	05/31/2025	✓	Yes	
240	Other	11/25/2019	05/31/2025	✓	Yes	
241	Other	11/25/2019	05/31/2025	✓	Yes	
242	Other	05/21/2007	05/31/2025	✗	Yes	
243	Other	05/21/2007	05/31/2025	✗	Yes	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Action
244	Other	05/21/2007	05/31/2025	✗	Yes	
245	Other	06/21/2004	05/31/2025	✗	Yes	
246	Other	07/30/2014	05/31/2025	✓	Yes	
247	Other	07/30/2014	05/31/2025	✓	Yes	
248	Other	07/30/2014	05/31/2025	✓	Yes	
249	Other	07/30/2014	05/31/2025	✓	Yes	
250	Other	07/30/2014	05/31/2025	✓	Yes	
251	Other	07/30/2014	05/31/2025	✓	Yes	
252	Other	07/30/2014	05/31/2025	✓	Yes	
253	Other	07/30/2014	05/31/2025	✓	Yes	
254	Other	07/30/2014	05/31/2025	✓	Yes	
255	Other	07/30/2014	05/31/2025	✓	Yes	
256	Other	07/30/2014	05/31/2025	✓	Yes	
257	Other	07/30/2014	05/31/2025	✓	Yes	
258	Other	07/30/2014	05/31/2025	✓	Yes	
259	Other	07/30/2014	05/31/2025	✓	Yes	
260	Other	07/30/2014	05/31/2025	✓	Yes	
261	Other	06/15/2006	05/31/2025	✗	Yes	
262	Other	02/25/2003	05/31/2025	✗	Yes	
263	Other	09/13/2012	05/31/2025	✓	Yes	
264	Other	09/13/2012	05/31/2025	✓	Yes	
265	Other	09/13/2012	05/31/2025	✗	Yes	
266	Other	09/13/2012	05/31/2025	✓	Yes	
267	Other	09/13/2012	05/31/2025	✓	Yes	
268	Other	09/13/2012	05/31/2025	✗	Yes	
269	Other	09/13/2012	05/31/2025	✓	Yes	
270	Other	01/01/1900	05/31/2025	✓	Yes	
271	Other	01/01/1900	05/31/2025	✓	Yes	
272	Other	01/01/1900	05/31/2025	✓	Yes	
273	Other	01/01/1900	05/31/2025	✓	Yes	
274	Other	01/01/1900	05/31/2025	✓	Yes	
275	Other	01/01/1900	05/31/2025	✓	Yes	
276	Other	01/01/1900	05/31/2025	✓	Yes	
277	Other	01/01/1900	05/31/2025	✓	Yes	
278	Other	01/01/1900	05/31/2025	✓	Yes	
279	Other	01/01/1900	05/31/2025	✓	Yes	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Action
280	Other	01/01/1900	05/31/2025	✓	Yes	
281	Other	01/01/1900	05/31/2025	✓	Yes	
282	Other	01/01/1900	05/31/2025	✓	Yes	
283	Other	06/15/2006	05/31/2025	✓	Yes	
284	Other	01/01/2005	05/31/2025	✓	Yes	
285	Other	06/15/2006	05/31/2025	✗	Yes	
286	Other	11/25/2019	05/31/2025	✓	Yes	
287	Other	11/25/2019	05/31/2025	✓	Yes	
288	Other	06/15/2006	05/31/2025	✗	Yes	
289	Other	06/15/2006	05/31/2025	✗	Yes	
290	Other	06/15/2006	05/31/2025	✗	Yes	
291	Other	06/15/2006	05/31/2025	✗	Yes	
292	Other	06/15/2006	05/31/2025	✗	Yes	
293	Other	01/01/1900	05/31/2025	✗	Yes	
294	Other	01/01/1900	05/31/2025	✗	Yes	
295	Other	01/01/1900	05/31/2025	✗	Yes	
296	Other	01/01/1900	05/31/2025	✗	Yes	
297	Other	01/01/1900	05/31/2025	✗	Yes	
298	Other	01/01/1900	05/31/2025	✗	Yes	
299	Other	01/01/1900	05/31/2025	✗	Yes	
300	Other	01/01/1900	05/31/2025	✗	Yes	
301	Other	01/01/1900	05/31/2025	✗	Yes	
302	Other	01/01/1900	05/31/2025	✗	Yes	
303	Other	01/01/1900	05/31/2025	✗	Yes	
304	Other	01/01/1900	05/31/2025	✗	Yes	
305	Other	01/01/1900	05/31/2025	✗	Yes	
306	Other	01/01/1900	05/31/2025	✗	Yes	
307	Other	01/01/1900	05/31/2025	✗	Yes	
308	Other	01/01/1900	05/31/2025	✗	Yes	
309	Other	01/01/1900	05/31/2025	✗	Yes	
310	Other	01/01/1900	05/31/2025	✗	Yes	
311	Other	01/01/1900	05/31/2025	✗	Yes	
312	Other	01/01/1900	05/31/2025	✗	Yes	
313	Other	01/01/1900	05/31/2025	✗	Yes	
314	Other	01/01/1900	05/31/2025	✗	Yes	
315	Other	01/01/1900	05/31/2025	✗	Yes	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Action
316	Other	01/01/1900	05/31/2025	✗	Yes	
317	Other	01/01/1900	05/31/2025	✗	Yes	
318	Other	01/01/1900	05/31/2025	✗	Yes	
319	Other	01/01/1900	05/31/2025	✗	Yes	
320	Other	01/01/1900	05/31/2025	✗	Yes	
321	Other	01/01/1900	05/31/2025	✗	Yes	
322	Other	01/01/1900	05/31/2025	✓	Yes	
323	Other	01/01/1900	05/31/2025	✓	Yes	
324	Other	01/01/1900	05/31/2025	✓	Yes	
325	Other	01/01/1900	05/31/2025	✓	Yes	
326	Other	01/01/1900	05/31/2025	✓	Yes	
327	Other	01/01/1900	05/31/2025	✓	Yes	
328	Other	01/01/1900	05/31/2025	✓	Yes	
329	Other	01/01/1900	05/31/2025	✓	Yes	
330	Other	01/01/1900	05/31/2025	✓	Yes	
331	Other	06/15/2006	05/31/2025	✗	Yes	
332	Other	06/15/2006	05/31/2025	✓	Yes	
333	Other	07/06/2006	05/31/2025	✓	Yes	
334	Other	07/06/2006	05/31/2025	✓	Yes	
335	Other	12/14/2006	05/31/2025	✓	Yes	
336	Other	12/14/2006	05/31/2025	✓	Yes	
337	Other	01/01/1900	05/31/2025	✗	Yes	
338	Other	01/01/1900	05/31/2025	✗	Yes	
339	Other	01/01/1900	05/31/2025	✗	Yes	
340	Other	07/20/2023	05/31/2025	✓	Yes	
341	Other	07/20/2023	05/31/2025	✓	Yes	
342	Other	07/20/2023	05/31/2025	✓	Yes	
343	Other	07/20/2023	05/31/2025	✓	Yes	
344	Other	07/20/2023	05/31/2025	✓	Yes	
345	Other	07/20/2023	05/31/2025	✓	Yes	
346	Other	07/20/2023	05/31/2025	✓	Yes	
347	Other	01/01/1900	05/31/2025	✓	Yes	
348	Other	01/01/1900	05/31/2025	✓	Yes	
349	Other	01/01/1900	05/31/2025	✓	Yes	
350	Other	01/01/1900	05/31/2025	✓	Yes	

2. Has proper O&M occurred during the reporting period for all PCSM BMPs?

No

3. If **No** to #2, explain what action(s) the permittee has taken or plans to take to ensure proper O&M.

The Township continued implementation of its Post-Construction Stormwater Management (PCSM) BMP inspection program during the 2025 inspection cycle. Responsible parties were required to complete a self-inspection of their BMPs and submit the required inspection information and photographs through the Township's online inspection portal. The self-inspection period for the 2025 cycle ran through May 29, 2025. The Township reviewed the submitted self-inspection information and associated photographs and observations to evaluate the condition, operation, and maintenance of the BMPs. Where a responsible party did not complete the required self-inspection by the May 29, 2025 deadline, the Township Engineer conducted an inspection on the Township's behalf. Results of self-inspections are saved in the Township's ArcGIS online account. Based on the results of the self-inspection and Township Engineer review, the Township issued correspondence notifying responsible parties of their inspection status and any required follow-up in letters issued January 29, 2026. For BMPs determined to be compliant, the responsible party was notified that no further action was necessary at that time. Where deficiencies (noncompliance, misc or violation) were identified, correspondence was issued advising the responsible party to perform corrective action and provide proof of corrective action to the Township by March 15, 2026. The Township will continue its BMP self-inspection program and conduct follow-up inspections for non-compliant BMPs during the next reporting period. BMPs will continue to be subject to recurring inspection requirements, with additional inspections and follow-up as needed to address non-compliance and verify corrective actions. Additional information regarding the Township's PCSM BMP inspection program is available on the Township website at https://www.newhanoverpa.gov/information/stormwater_bmp_inspection_program.php#acc_0_panel_9

(If you are relying on PA's statewide program for stormwater associated with construction activities, you may skip to MCM #6, otherwise complete all questions for BMPs #4 - #6 in this section.)

BMP #4: Require the implementation of a combination of structural and/or non-structural BMPs that are appropriate to the local community, that minimize water quality impacts, and that are designed to maintain pre-development runoff conditions.

1. Specify the number of PCSM Plans reviewed during the reporting period for projects disturbing greater than or equal to one acre (including projects less than one acre that are part of a larger common plan of development or sale).

Not Applicable

2. Has a tracking system been established and maintained to record qualifying projects and their associated BMPs?

Not Applicable

BMP #5: Ensure that controls are installed that shall prevent or minimize water quality impacts. The permittee shall inspect all qualifying development or redevelopment projects during the construction phase to ensure proper installation of the approved structural PCSM BMPs. A tracking system (e.g., database, spreadsheet, or written list) shall be implemented to track the inspections conducted and to track the results of the inspections (e.g., BMPs were, or were not, installed properly).

1. During the reporting period have you inspected all qualifying development and redevelopment projects during the construction phase to ensure proper installation of approved structural BMPs?

Not Applicable

2. Has a tracking system been established and maintained to record results of inspections?

Not Applicable

BMP #6: Develop a written procedure that describes how the permittee shall address all required components of this MCM.

Have you developed a written plan that addresses: 1) minimum requirements for use of structural and/or non-structural BMPs in plans for development and redevelopment; 2) criteria for selecting and standards for sizing stormwater BMPs; and 3) implementation of an inspection program to ensure that BMPs are properly installed?

Not Applicable

MCM #5 Comments:

The Township will continue to maintain and update both the PCSM BMP Inventory and the inventory of BMPs that are less than one acre (LTIA) installed to meet Township stormwater ordinance requirements. The LTIA BMP Inventory is available upon request. Existing Township-managed BMP Inventory was reformatted to match requirements of the PADEP PCSM BMP Inventory provided for online submission purposes. Updates/changes made to the existing inventory include the following: -Additional/temporary BMP numbers were assigned to all BMPs to convert existing alpha-numeric BMP ID numbers to PADEP spreadsheet-approved BMP numbers. Both numbering systems will be maintained by the Township. -To utilize existing BMP names assigned by the Township, "Other" was entered as the BMP name in the PADEP PCSM BMP Inventory. The BMP name assigned by the Township has been entered into the "Description" column of the PADEP spreadsheet. The Township plans to consider establishing standards for naming/re-naming BMPs to align with the PADEP spreadsheet during the next reporting period. -Where date installed could not be determined, the Township utilized the NPDES permitted date to fulfill the "Installed Date" column of the PADEP spreadsheet. Where no installed date, or NPDES permit date could be determined, the date used was 01/01/1990. The Township plans to update these dates as applicable during the next reporting period.

MCM #5 Attachments:

File Name

Document Type

Short Description

No attachments in the table.

MCM #6 – Pollution Prevention / Good Housekeeping Module

BMP #1: Identify and document all operations that are owned or operated by the permittee and have the potential for generating pollution in stormwater runoff to the MS4. This includes activities conducted by contractors for the permittee.

1. Have you identified all facilities and activities owned and operated by the permittee that have the potential to generate stormwater runoff into the MS4?

Yes

2. When was the inventory last reviewed?

06/08/2026

3. When was it last updated?

09/14/2022

BMP #2: Develop, implement and maintain a written O&M program for all operations that could contribute to the discharge of pollutants from the MS4, as identified under BMP #1. This program shall address stormwater collection or conveyance systems within the regulated MS4.

1. Have you developed a written O&M program for the operations identified in BMP #1?

Yes

2. Date of last review or update to written O&M program:

06/08/2026

BMP #3: Develop and implement an employee training program that addresses appropriate topics to further the goal of preventing or reducing the discharge of pollutants from operations to the regulated small MS4. All relevant employees and contractors shall receive training.

1. Have you developed an employee training program?

Yes

2. Date of last review or update to training program:

06/08/2026

Date of latest training:

06/16/2026

3. Training topics covered:

Clean Water Academy: MCM #3 Training- Dry Weather Outfall Field Screenings and Illicit Discharge Detection and Elimination.

4. Name(s) of training presenter(s):

Virtual, PADEP Clean Water Academy

5. Names of training attendees:

Jay Kowal, Public Works Department Owen Dykie, Public Works Department Kevin Fulmer, Public Works Department Chris Vanaman, Public Works Department Tom Miskiewicz, Public Works Department Brad Holloway, Public Works Department Mark Donovan, Public Works Department John McGrath, Public Works Department

MCM #6 Comments:

An additional field training was attended by Kevin Fulmer, Chris Vanaman, Randy Miller and John McGrath of the Public Works Department on May 6, 2026. Topics included Conducting Dry Weather Outfall Field Screenings. The training was conducted by Julie

Schneider and Paige Buzard of the Center for Watershed Protection. Mark Donovan also attended the Perkiomen Stormwater Symposium on March 20, 2026, hosted by the Perkiomen Watershed Conservancy. Please refer to MCM #6 Attachments for supporting documentation.

MCM #6 Attachments:

File Name	Document Type	Short Description
E.1 MCM6 Attachments.pdf	Other	MS4 Employee Training- Sign in Sheet 06/16/2026

Appendix Selection

Review and select the appropriate appendices below. If none of the appendices apply, select None.

- ☐ Appendix A ☐ Appendix B ☒ Appendix C ☐ Appendix D ☒ Appendix E ☐ Appendix F
- ☐ None

Pollutant Control Measures (PCMs) Module

Indicate the status of implementing PCMs in Appendices A, B and/or C by completing the table below. Skip this section if PCMs are not applicable.

Task	Attached	Date Completed	Anticipated Completion Date
Storm Sewershed Map(s)	☐	09/30/2019	
Source Inventory	☐	08/19/2020	
Investigation of Suspected Sources	☐	08/19/2020	
Ordinance/SOP for Controlling Animal Wastes	☐		

PCM Comments:

The Township is required to implement Pollutant Control Measures for Priority Organic Compounds (App C) for discharges to the Schuylkill River which is impaired by polychlorinated biphenyls (PCBs). The Storm Sewershed Map and Source Inventory were submitted with previous Annual MS4 Status Reports. Because no suspected sources of PCBs were identified in the Source Inventory, an investigation of suspected sources is not applicable. In addition, the Ordinance/SOP for Controlling Animal Wastes is only applicable for Appendix B. New Hanover does not have this requirement.

PCM Attachments:

File Name	Document Type	Short Description
No attachments in the table.		

Pollutant Reduction Plans (PRPs) and TMDL Plans Module

1. Complete this section if the development and submission of a PRP and/or TMDL Plan was required as an attachment to the latest NOI or application or was required by the permit, regardless of whether DEP has approved the plan(s).

Type of Plan	Pending Approval	Submission Date	DEP Approval Date	Surface Waters Addressed by Plan
Chesapeake Bay PRP (Appendix D)				

Type of Plan	Pending Approval	Submission Date	DEP Approval Date	Surface Waters Addressed by Plan
Impaired Waters PRP (Appendix E)		10/01/2018	01/11/2019	Swamp Creek
TMDL Plan (Appendix F)				
Combined Chesapeake Bay / Impaired Waters PRP (include Chesapeake Bay in your entry)				
Combined PRP / TMDL Plan				
Joint Plan	☐	(if checked, list the name of the MS4 group or names of all entities participating in the joint plan below)		
Joint Plan Participants:				
2. Identify the pollutants of concern and pollutant load reduction requirements under the permit.				
Type of Plan	Select	TSS Load Reduction (lbs/yr)	TP Load Reduction (lbs/yr)	TN Load Reduction (lbs/yr)
Chesapeake Bay PRP (Appendix D)	☐			
Impaired Waters PRP (Appendix E)	☒	3,645		
TMDL Plan (Appendix F)	☐			
Combined Chesapeake Bay / Impaired Waters PRP	☐			
Combined PRP / TMDL Plan	☐			
3. Date Final Report Demonstrating Achievement of Pollutant Load Reductions Due:				
09/30/2024				
4. Have any modifications to the plan(s) occurred since DEP approval?				
No				
- If Yes to #4, was the updated plan(s) submitted to DEP? - If Yes to #4, did you comply with the public participation requirements of the applicable appendix? - If Yes to #4, describe the plan modifications.				
5. Summary of progress achieved during reporting period.				
The Swamp Creek Stream Restoration project was completed in September 2023. Monitoring continued throughout this reporting period to ensure vegetation was being established and proper maintenance was taking place. The PRP Final Report was submitted in the 2024 reporting period. The Township identified new project opportunities in anticipation of the next permit, and began developing Phase I of a Basin Retrofit Program in which all stormwater basins with the potential for retrofit were identified, assessed through desktop analysis, and prioritized for field assessment. This work was completed in Summer 2025. The Township is progressing the Basin Retrofit Program by developing concept plans for the top 3 projects.				
6. Anticipated activities for next reporting period.				
The Township will continue to conduct routine inspections and ongoing O&M for the Swamp Creek Stream Restoration project and additional retrofit projects will be considered for design and implementation in the next permit cycle.				
PRP/TMDL Comments:				

The PRP Final Report was submitted with the 2024 Annual MS4 Status Report. The Township is in the process of developing concept plans and funding strategies for the top 3 Basin Retrofit Projects. Concept plans for the top 3 prioritized basins by the end of 2026.

PRP/TMDL Plan Attachments:

File Name	Document Type	Short Description
No attachments in the table.		

BMPs For PRP/TMDL Plan Implementation Module Tables

New BMPs For PRP/TMDL Plan Implementation Table

Table 2. List all new structural BMPs installed and ongoing non-structural BMPs implemented during the reporting period that are being used toward achieving load reductions in the permittee's PRP and/or TMDL Plan.

If you are a member of a regional PRP, report only those BMPs implemented within your municipal boundary. If you are reporting a joint BMP in which credit is shared with another permittee(s), report only your portion of the BMP credit.

Note: Any new BMP data entered will be prepopulated in the next reporting year.

BMP No.	BMP Name	Date Installed/ Implemented	Annual Sediment Load Reduction (lbs/year)	Satis factory	Active	Action
1	Stream Restoration - Default Rate	09/01/2023	4,488	✓	Yes	

BMP Inventory For PRP/TMDL Plan Implementation Table

Table 3. All existing structural BMPs that have been installed in prior reporting periods and are eligible to use toward achieving load reductions in the permittee's PRP and/or TMDL Plan

BMP No.	BMP Name	Date Installed/ Implemented	Annual Sediment Load Reduction (lbs/year)	Satis factory	Active	Action
No data available in table						

Reviewer Comment(s) & User Response(s)

Reviewer/User Name	Date Added	Comment/Response
No data available in table		

Certification

- 1 Login to GreenPort and go to launch the MS4 Annual Reporting System.
- 2 Review this MS4 Report.
- 3 Sign the Report.

After the report is signed by all responsible officials, you will be able to submit the report.

For PAG-13 Permittees: I have read the latest PAG-13 General Permit issued by DEP and agree and certify that (1) the permittee continues to be eligible for coverage under the PAG-13 General Permit and (2) the permittee will continue to comply with the conditions of that permit, including any modifications thereto. I understand that if I do not agree to the terms and conditions of the PAG-13 General Permit, I will apply for an individual permit within 90 days of publication of the General Permit. I also acknowledge that any facility construction needed to comply with the General Permit requirements shall be designed, built, operated, and maintained in accordance with operative laws and regulations.

For All Permittees: I certify under penalty of law that this report was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. See 18 Pa. C.S. § 4904 (relating to unsworn falsification).

NEW HANOVER TWP MONTGOMERY CNTY - Signature

Name of Responsible Official:

Jamie Gwynn

Telephone No.:

6103231008

Signature:



Document Signed

Date Signed:

09/29/2026 04:42 PM

MUNICIPAL SEPERATE STORM SEWER SYSTEM ANNUAL MS4 STATUS REPORT



MCM #1 Attachments

MCM#1 PUBLIC EDUCATION AND OUTREACH PROGRAM

- Township Website
- Social Media Education and Outreach
- Printed Material Available at Municipal Building
- Township Newsletters

Township Website

Township Stormwater Management webpage screenshots



Government Directory | Accessibility | Translate

Home Government Departments Information Resources

Enter search terms... Q

Home → Departments → Planning → Stormwater Management

Stormwater Management

OVERVIEW

Stormwater runoff is generated when precipitation from rain and snow flow over land and impervious surfaces and does not infiltrate into the ground. The runoff from streets, lawns, farms, and construction and industrial sites pick up fertilizers, dirt, pesticides, oil, grease, and many other pollutants and discharge into our lakes, streams and rivers. This untreated discharge is detrimental to our water quality as it can adversely affect our drinking water supply and environment. Many detention, retention, and infiltration basins are already in place to help keep our water clean.

STORMWATER MANAGEMENT, SIMPLIFIED:

Have you ever wondered where all that water that gushes into a storm drain ends up? The journey does not end there... This story map provides a summary of the stormwater journey, including what stormwater contains, how it is managed, and its impacts on New Hanover Township streams and the community.

[Click here for a link to the story map.](#)

STORMWATER BMP INSPECTION PROGRAM

All properties with a stormwater management facility, or a "BMP" (Best Management Practice) are responsible for inspecting the facility on a regular basis. Please [click here](#) to learn about the requirements for this program, as well as the options for property owners to either complete the required inspection through an Engineer Inspection or a Self-Inspection.

STORMWATER POLLUTION PREVENTIONS TIPS

[Click here](#) for winter Stormwater Management tips for reducing stormwater runoff.

Related Pages

Annual MS4 Reports

MS4 INFRASTRUCTURE

If you are interested in where our stormwater is located, [check out this attached link.](#)

Stormwater from my neighbor's property is causing erosion and flooding problems on my property. What can I do?

A landowner has the right to have stormwater flow onto and over their property and discharge it through a natural water course onto a neighboring property. In addition, a landowner may make proper and profitable use of his land even though this use may result in some change in the quality or quantity of the water flowing to the property below.

Generally, any damage to the property below caused by surface water as a result of this use is not actionable. However, there are two exceptions to this general rule. The first exception is when the stormwater is diverted from its natural channel, and the second exception is when stormwater is unreasonably or unnecessarily changed in quantity or quality.

If you believe that either or both of the above-noted exceptions are applicable to your case, you should contact an attorney with experience in these matters. If your neighbor is not willing to fix the problem, you may need to file suit in the Court of Common Pleas in order to seek a resolution. Since the stormwater is flowing from a private property, the Township will not become involved. The Township is not a party to private disputes between neighbors.

The Township regulates its stormwater management through a permit that is obtained from the [Pennsylvania Department of Environmental Protection \(PA DEP\)](#) through the National Pollution and Discharge Elimination System Phase II (NPDES)/Municipal Separate Storm Sewer System (MS4). This is a federal requirement from the [United States Environmental Protection Agency \(USEPA\)](#) that is administered by the state. This NPDES permit is broken up into six minimum control measures to be regulated and enforced by the Township. These minimum control measures include:

- Public Education and Outreach
- Public Participation/Involvement
- Illicit Discharge, Detection and Elimination
- Construction Site Runoff Control
- Post-Construction Runoff Control
- Pollution Prevention/Good Housekeeping

The Township is monitoring and testing storm sewer outfalls that have flow during dry periods. We request that all residents cooperate with our inspectors, as some outfalls are located on private properties.

For any questions or concerns regarding stormwater or to report illicit discharges to the storm sewer system, contact the Township at 610 323-1008.

[The Montgomery County Conservation District presented on this topic. [Click here - especially if you are considering developing in our municipality.](#)]

More Information

There are many ways you can help the Township with its stormwater program, such as participating in volunteer programs that help keep trash, debris and other pollutants out of the storm sewer system. For more information on ways to get involved with your community, visit:

Quick Resource Guide For Winter Maintenance BMPs
[Winter Maintenance BMPs](#)

Stormwater Brochure
[Be Stormwater Smart Brochure](#)

PennDOT: Adopt-A-Highway
<https://www.pa.gov/agencies/penndot/programs-and-doing-business/roadside-beautification>

United State Environmental Protection Agency
<https://www.epa.gov/npdes/stormwater-discharges-municipal-sources/>

Stormwater Basic Information
<https://www.epa.gov/npdes/npdes-stormwater-program>

EPA – Evaluating the Effectiveness of Municipal Stormwater Programs
<https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P1001QY0.txt>

EPA – Water Pollution Prevention and Control
<https://www.epa.gov/p2/learn-about-pollution-prevention>

Miscellaneous

Perkiomen Watershed Conservancy
<https://www.perkiomenwatershed.org/>

Rain Garden Basics
<https://extension.psu.edu/rain-gardens-the-basics>

Homeowner's Guide to Stormwater
<https://www.stormwaterguide.org/static/HomeownersGuide.pdf>

Q Search...

26 found in 3 section(s)

Documents & Forms

6 ▾

Tips for Contractors


4 ▾

Tips for Residents


16 ▾

Social Media Education & Outreach

July 15, 2025 – The Township posted to their Facebook page that they were hosting a tree and shrub giveaway event in conjunction with the Keystone 10 Million Tree Project and Montgomery County Master Watershed Stewards. The event was scheduled to take place on September 20, 2025 at the New Hanover Municipal Building.




September 22, 2025 – The Township posted to their Facebook page that the Free Tree Giveaway was extended to include an additional date of September 27, 2025.




September 25, 2025 – The Township posted to their Facebook page that the 2025 Final Annual MS4 Status Report was complete and available on the Township website. A link to the final report was shared along with the post.



October 6, 2025 – The Township posted to their Facebook page that “No violations were found during the DEP MS4 Inspection”. The post shares information on the routine DEP Inspection and a link to the full inspection report which is posted on the Township website.



January 13, 2026 – The Township posted to their Facebook page that the Township was awarded a grant to support the continued development of the Wassmer Tract, including construction of stormwater management measures, landscaping, project signage, and other improvements.



March 3, 2026 – The Township posted to their Facebook page about a Household Hazardous Waste 2026 Residential event taking place on various dates throughout April, June and September. The flyer shared in the Facebook post outlines acceptable materials for disposal and drop off guidelines.



New Hanover Township
March 3 • 🌐



Acceptable	Chemicals	Compressed Gases	Flammable Liquids	Flammable Solids
Paint Thinners	Wood Glues	Pool Acid/Alkaline	Body Creams	Flammable
Grout & Sealers	Sealant Degreasers	Carburetor Cleaners	Household Cleaners	Carburetor Cleaners
Oil Based Polishes	Adhesive Sealers	Thermistor/Glue Hold	Household Paints	Acetone
Stains, Varnish	Caulking Compounds	Grout Sealers	Auto Radiator Fluids	Antifreeze (Propylene Glycol & Ethylene Glycol)
Etcher	Seal Compounds	Carburetor Cleaners, Throttle, Motor Oil, Valve, & Grease	Auto Radiator Fluids, Antifreeze, Motor Oil, Grease, & Sealers	Household Paints and Coatings
Other Solvent Based Products	Roof Coatings	Car, Oil, Grease & Fluids	Auto Radiator Fluids, Antifreeze, Motor Oil, Grease, & Sealers	Household Paints and Coatings
Waterproof Coatings	Auto Radiator Fluids, Antifreeze, Motor Oil, Grease, & Sealers	Auto Radiator Fluids, Antifreeze, Motor Oil, Grease, & Sealers	Auto Radiator Fluids, Antifreeze, Motor Oil, Grease, & Sealers	Auto Radiator Fluids, Antifreeze, Motor Oil, Grease, & Sealers
Drop Off	Prohibited	Prohibited	Prohibited	Prohibited

Household Hazardous Waste 2026 Residential Event Dates

By Appointment Only, Pre-registration is Required.

Free residential collection events are held outdoors. There are no permanent drop off locations, only these collection events. Most residents may also attend any Household Hazardous Waste event held by Bucks, Chester, Delaware, or Philadelphia Counties.

Please do not contact the host sites, as they are not affiliated with the events.

In case of severe weather, call 610.278.3618, or prior 5 for event status.

Contact us at:
Recycling@MontgomeryCountyPA.gov

Register at
www.MontcoPARecycles.org

Dates

Saturday, April 25
Indian Valley Middle School
130 Maple Avenue
Hartsville

Saturday, June 6
Temple University-Anytime Campus
Enter at 1431 E. Butler Pike
Jumbor

Saturday, June 20
Northwestern Area High School
1900 Eagle Drive
Northtown

Saturday, June 27
Arlington Middle School
Enter at:
2255 Sutterlin Road
Arlington

Saturday, September 26
Berkley Ford 2nd Grade Center
400 South Lewis Road
Berkley

Unacceptable Materials

20 or More Gallons of Oil or Grease	Alkaline Batteries (Flammable)	Automotive Air Conditioning	Refrigerators
Refrigerators/Air Conditioning	Refrigerators/Air Conditioning	Refrigerators/Air Conditioning	Refrigerators/Air Conditioning
Refrigerators/Air Conditioning	Refrigerators/Air Conditioning	Refrigerators/Air Conditioning	Refrigerators/Air Conditioning
Refrigerators/Air Conditioning	Refrigerators/Air Conditioning	Refrigerators/Air Conditioning	Refrigerators/Air Conditioning

Drop off guidelines:

- Leave items at home that are not for the event so that they are not removed accidentally.
- If you need your vehicle or container returned, please leave a note to the staff that you want to keep it.
- You may arrive anytime with your registration appointment.
- Please print out your ticket or write your name and appointment time on a piece of paper, and place it on your dash-board where it is visible to event staff.
- If you cannot attend the event, please cancel your appointment through your ticket or by emailing Recycling@MontgomeryCountyPA.gov, at least 72 hours before the event.
- NO TVs, electronics, or appliances will be accepted.
- Event workers will assist your materials in placing them in your vehicle.
- BUSINESS AND CONTRACTORS WILL BE TURNED AWAY, no commercial/industrial waste accepted.
- Bring all substances in original containers with labels. Items must be identifiable. Do not mix materials.

Drop off guidelines

- Leave items at home that are not for the event so that they are not removed accidentally.
- If you need your vehicle or container returned, please leave a note to the staff that you want to keep it.
- You may arrive anytime with your registration appointment.
- Please print out your ticket or write your name and appointment time on a piece of paper, and place it on your dash-board where it is visible to event staff.
- If you cannot attend the event, please cancel your appointment through your ticket or by emailing Recycling@MontgomeryCountyPA.gov, at least 72 hours before the event.
- NO TVs, electronics, or appliances will be accepted.
- Event workers will assist your materials in placing them in your vehicle.
- BUSINESS AND CONTRACTORS WILL BE TURNED AWAY, no commercial/industrial waste accepted.
- Bring all substances in original containers with labels. Items must be identifiable. Do not mix materials.

👍 24 💬 ➡ 13

👍


March 11, 2026 – The Township posted to their Facebook page that a Community Cleanup organized by the Environmental Advisory Board would take place on Saturday, April 4.



April 7, 2026 – The Township posted a notice to their Facebook page informing residents that street sweeping would take place on April 15, 16, 20 and 21. The post also informed residents on what they could do to ensure a thorough and effective sweep.



April 7, 2026 – The Township posted to their Facebook page that the Spring/Summer Newsletter was available on their website. A link to view the newsletter was shared through the Facebook post.



April 13, 2026 – The Township posted a reminder to their Facebook page informing residents that street sweeping would take place on April 15, 16, 20 and 21. The post also informed residents on what they could do to ensure a thorough and effective sweep.



April 15, 2026 – The Township posted an updated notice to their Facebook page informing residents that street sweeping would take place on April 20 through April 23. The post also informed residents on what they could do to ensure a thorough and effective sweep.



May 7, 2026 – The Township shared a flyer for an Electronics Recycling Event to their Facebook page. The event was open to New Hanover residents and took place on Saturday, May 16. The flyer outlined acceptable materials and drop off guidelines.

 **New Hanover Township**
May 7 · 🌐

🌐 E-Waste Recycling Event! Don't miss out on our FREE Electronics Recycling Event! We're teaming up with Whitetail Disposal to help you clear out those unwanted gadgets in a responsible way. 🌱

🕒 When? May 16th, 2025: 8AM-1PM
📍 Where? NHT Community Park (2798 Gail Drive)
👤 Who? New Hanover Township Residents ONLY

Drop off up to 5 electronic items (including up to 2 TVs) and we'll take care of the rest- completely free!

👉 Check out the flyer below for a list of acceptable items. No household hazardous waste, please! [See less](#)

Electronics Recycling Event

Event open to New Hanover Township residents only
No non-resident or commercial services



Saturday, May 16th Rain Date: May 17	NHT Community Park 2798 Gail Drive, Gilbertsville, PA	8:00 am -1:00 pm
---	---	-----------------------------

GUIDELINES FOR DROPPING OFF ITEMS:

- Residents visiting the site shall show the attendant their identification signifying that they are a township resident.
- Residents will be able to drop off a maximum of five electronic devices at no charge (two televisions maximum included in the five items).
- Residents are to have items accessible from the backseat or the trunk of their vehicle; please remain in your vehicle and attendants will remove these items from the vehicle.

 **Acceptable Materials**

Audio/visual equipment, copiers, peripherals, bar coding equipment, fax machines, PlayStations, BlackBerrys, floppy drives, plotters, cable TV boxes, Game Boys, power supplies, calculators, hard drives and memory, printers, cameras, laptops, telephone systems, CD ROM drives, mainframes and servers, telescopes, cell phones, microfiche readers, televisions, circuit boards, microscopes, test equipment, communication systems, modems, X-Boxes, computer equipment, MP3 players, computer scrap (copper, metal, plastic), Nintendos, and oscilloscopes.

 **Unacceptable Materials**

Hazardous materials, items containing freon, refrigerants like dehumidifiers, air conditioners, refrigerators, or freezers, acids, paints or liquids of any kind, radioactive materials such as ion scanners, oils or polychlorinated biphenyls (PCBs), and large appliances.




June 17, 2026 – The Township posted to their Facebook page that an invasive weed removal event organized by the Environmental Advisory Board would take place on Saturday, June 27 at Swamp Creek Park.



Public Education & Outreach Documentation- Printed Materials

New Hanover Township provides printed educational material at the Municipal Building. Materials include a Perkiomen Watershed Conservancy Flyer advertising the “Rain Garden Workshop” and Penn State Extension pamphlets on protecting waterways. Image taken September 2025.





RICH
HERITAGE & CHARM

NEW HANOVER TOWNSHIP



ESTABLISHED 1741



FALL/WINTER 2025

INSIDE THIS ISSUE

Township Directory.....	3
Upcoming Public Meetings	4
Finance Department.....	4
Police Department.....	5
Public Works.....	6
Sewer Authority.....	7
Electronics Recycling Day – Community Impact Recap	7
Understanding Subdivision and Land Development.....	8,9
Stormwater News	10,11
Parks and Recreation	12
Volunteer Fire & Rescue Services ...	13
Pool Projects	14

Dear Residents,

As the lovely autumn arrives, we hope you've enjoyed countless memories and experiences with those close to you. While the seasons change and new adventures line the horizon, we are delighted to share our latest newsletter and invite you and your families to enjoy all that New Hanover Township has to offer.

- **Land Development Overview** - We know land development is a topic that many residents care deeply about, and we care deeply too. In this issue, we're sharing a comprehensive summary of recent development requests, explanation of the process, and insight on what's currently happening in our Township.
- **Answering the Call** - Learn how New Hanover's volunteer firefighters train, respond, and support the community behind the scenes and on the front lines. From grant writing to fire rescues, there's a role for everyone to make a difference.
- **Fall and Winter Events** - You can always find something fun to do in New Hanover! Mark your calendar for Fall Frolic on September 20, the Halloween Haunt on October 25, and Pictures with Santa on Saturday, December 6. (You can even bring your pet for the last 30 minutes!)

We hope this new season greets you with positive opportunities and exciting moments to cherish now and always. So thankful that you are a part of our very special community. Please stay connected with us - we hope you enjoy all the beauty and fun of New Hanover Township.

Best Regards,

Marie Livelsberger, Chair, Board of Supervisors

BOARD OF SUPERVISORS




Marie Livelsberger
Chair




Kurt Zebrowski
Vice Chair



W. Ross Snook
Supervisor



D. W. Boone Flint
Supervisor



Keith Youse
Supervisor

610.323.1008

2943 North Charlotte Street , Gilbertsville, PA 19525-9718

PUBLIC WORKS

During the summer, you'll see our Public Works team maintaining township parks and properties – mowing grass, tree trimming, repairing play equipment, and maintaining the pool at Hickory Park. Our team also provides road repair and paving of roads.

2025 Road Paving

- Colflesh Road – 663 to Church Road
- Ludwig Road – Middle Creek to Sassmansville Road
- Wagner Road – Faust to Fagleysville Road
- North Schaffer Road
- New Hanover Square Road – Orchard Road to Bridge
- Buchert Road – Romig Road to North Charlotte

Stormwater Maintenance:

- Checking and monitoring all storm drains and ditches before and during storms
- Handling inlet repairs and replacement
- Roadside mowing of township roads to provide sight clearance for driver safety

IMPORTANT - Never dump anything into storm drains and never mow grass into the streets as it will clog drains and fill road drainage swales.

Public Works Fun Facts:

- The first paved roads were built in Mesopotamia, "modern day Iraq," in 4000 BCE and Corduroy Roads "wooden roads" were built Glastonbury, England dating back to 3300 BCE.
- The first municipal water treatment plant opened in Paisley, Scotland in 1832.

State Roads maintained by Penn-Dot in the Township:


- North Charlotte Street
- Big Road "Route 73"
- Layfield Road "Route 663"

County Roads maintained by the County Roads and Bridges department in the Township:


- Swamp Pike
- Deep Creek from Kulp Road to the township line at Fisher Road
- Kulp Road from Deep Creek to Hill Road
- Henning Road from Deep Creek to Snyder Road
- Snyder Road



Road Repairs



Pool Opening



Stormwater Ditch Cleaning



Road Paving

MUNICIPAL AUTHORITY

If you smell sewage outside your home in New Hanover Township, it's important to act promptly. This odor may signal an issue such as a broken or leaking sewer lateral, a clogged main, or a problem with your property's plumbing ventilation. Left unaddressed, these issues can lead to property damage, environmental concerns, and potential health risks due to exposure to sewer gases like hydrogen sulfide.

First, look for visible signs such as soggy patches in your yard or unusually lush grass near your sewer line. However, do not attempt to dig or fix anything yourself; sewer systems require professional handling. Homeowners should contact a licensed plumber to inspect their private lateral. If the problem appears to be affecting more than one property or is near a manhole or sewer easement, please notify the Municipal Authority immediately at (610) 323-1008 ext. 407 so we can investigate and address any potential issues in the public system.

While waiting for professional assistance, limit water use to prevent further stress on your system. To help avoid future problems, we recommend periodic sewer lateral inspections, especially in older homes. The New Hanover Township Municipal Authority is committed to maintaining a safe and healthy environment for all residents — your prompt attention and cooperation help us serve you better.



Staff explore the affected area of the pipe break with equipment late at night.



Damage to the pipe called for immediate action. Here you can see the leak.



All patched up and good as new! Big thanks to our Municipal Authority staff for their hard work.

ELECTRONICS RECYCLING DAY – COMMUNITY IMPACT RECAP

Thanks to our residents, this year's Electronics Recycling Day was a great success!

A total of 123 vehicles came through, dropping off 343 electronic items for safe, environmentally responsible recycling.

Our busiest time was 8:00–9:30 a.m., showing just how dedicated our early birds are!



Most commonly collected items:

Televisions – **118 units**

Desktop Computers – **46**

Laptops – **31**

Printers – **27**

Phones – **23**

Tablets/iPads – **16**



We also collected a range of older and specialty electronics — including VCRs, DVD players, fax machines, stereos, speakers, and cable boxes — helping keep hazardous components out of our landfill.

A big thank you to all who participated and helped promote sustainability in our community! Stay tuned for future events and help us continue building a greener New Hanover Township!

THANK YOU!

This publication is made available through the generous advertising sponsorship of the businesses listed throughout our newsletter. We wish to encourage your patronage of these establishments; they play a substantial role in the economic vitality of our community.

Stormwater News

Fall Edition: Bringing Biodiversity Back to Your Yard!



The Environmental Cost of Lawns



Despite looking lush and green, traditional turf grass lawns provide little to no environmental benefits. In fact, they often have detrimental effects on the quality of local waterways, wildlife habitat, and the air that we breathe. Here are some of the ways that lawns can harm the environment:

- **Lack of Biodiversity** - lawns are typically made up of a single, non-native grass species that does not provide shelter or food for wildlife.
- **Increased Water Usage** - lawns consume more water than native landscapes leading to water waste and increased runoff.
- **Increased Carbon Footprint** - the maintenance of lawns requires the use of gas powered lawn equipment that contributes to air pollution and greenhouse gas emissions.
- **Use of Harmful Pesticides / Fertilizer** - these chemicals can harm local wildlife, contaminate water resources, and lead to the growth of algae that can be harmful to humans and pets.

learn more at: www.perkiomenwatershed.org



Swapping Turf Grass for Native Gardens

Want to swap your high maintenance lawn for something more colorful, environmentally friendly, and easy to manage? Here are some ways to add biodiversity back into your yard:

- **Decrease your lawn area** - smothering grass with cardboard is an easy way to kill turf and add garden area to your yard. Late summer / fall is the perfect time to remove turf and add native plants!
- **Reduce / eliminate your household pesticide / herbicide use** - use environmentally friendly alternatives or eliminate lawn care products all together!
- **Plant with a variety of native species** - native plants are vital to the survival of pollinators, birds and other wildlife. When planting your garden, aim to use species that bloom throughout the year as well as a mix of perennials, shrubs and trees!
- **Add a bird, bat or pollinator house** - providing safe areas for wildlife to rest and raise their young is a great way to increase the diversity of wildlife that call your yard home!



STORMWATER NEWS

Winter Edition: Snow is Stormwater Too!



PREVENTING STORMWATER POLLUTION

Winter is here, and with colder temps comes snow and ice that we need to remove from our sidewalks and driveways. To make this chore easier, many of us use deicers, like salt, at our homes. However, these chemical deicers often have harmful impacts on aquatic life and the water quality of local streams and creeks. Here are some tips to reduce salt use and prevent pollution this winter:

- **Reduce your salt use!** More salt does not mean less ice. Use deicing products sparingly and follow the label instructions. Sweep up any remaining salt before it is washed away.
- **Shovel first.** Shoveling early will prevent ice from forming, reducing the amount of salt you will need to use.
- **Plant natives that are salt tolerant!** This spring, plant salt tolerant, native perennials where stormwater runoff from your driveway or sidewalks accumulates. Butterfly milkweed is a great example of a salt tolerant PA native plant!



LEARN MORE AT:

www.perkiomenwatershed.org

SUPPORTING WILDLIFE THROUGH THE WINTER MONTHS

Colder temps and shorter days can make a lot of wildlife less active and harder for us to spot. However, many of our local critters will appreciate a helping hand during the chilly months. Here are some ways to help wildlife this winter:

- **Leave seedheads standing.** Seeds provide food for birds and small mammals and hollow stems are valuable shelter for insects. Wait until early spring to cut back seedheads and perennial tops.
- **Provide a water source.** During freezing temps, make sure to thaw bird baths and other water sources for wildlife to utilize.
- **Feed the birds.** Food can become difficult to find in the winter months, keep bird feeders clean and full to provide important energy sources during temperature extremes and migration periods.
- **Build a bird, bat or pollinator house.** Prep for spring by building and installing safe places for wildlife to raise their young. Cleanout existing houses to make way for incoming residents!



POOL PROJECTS

Dreaming of relaxing by a pool, spa, or hot tub next summer? If that's on your project list, now is the perfect time to start planning for the 2026 season. Submitting your permit applications this fall or winter (up to six months in advance of anticipated construction) helps you beat the spring permitting rush and keeps your project on track for warm-weather enjoyment.

What Permits Will You Need?

To get started, you'll need to apply for permits for **building and electrical work**. A **mechanical** permit is required if the structure is heated with natural gas. Depending on the size of the project and the extent of prior work on the property (since 2007), a **grading and stormwater permit** may also be required.

You can find all applications online at the "Documents and Forms" page on our website or stop by the township office for printed copies. Whether you or your contractor submits the application, be sure to include all necessary supporting documents—such as drawings, equipment specifications, and contractor details. Residential permit review may take up to 15 business days.

Important Regulations to Know

These structures are currently regulated under the 2018 International Swimming Pool and Spa Code (ISPSC) and the New Hanover Township Zoning Ordinance (ZO). Key requirements include:

- Minimum fence or barrier height of 48 inches
- Self-latching gate mechanisms
- Alarms for windows (sills under 48 inches) or doors that lead directly to the pool
- 36-inch clear zone between pool equipment and the fence/barrier
- 10-foot setback from other on-site structures
- 12-foot setback from side and rear property lines (including equipment)
- Additional spacing and dimensional requirements per ISPSC

You can read the full 2018 ISPSC at <https://codes.iccsafe.org/content/ISPSC2018>; see Section 305 for barrier details. Before submitting your application, we recommend contacting the Zoning Officer to discuss grading and stormwater management requirements as well as zoning for your specific property.



FALL FROLIC 2025

September 20, 2025 | Noon - 5 p.m.
Hickory Park (Rain Date September 21)

ROCK WALL 🎃 LIVE MUSIC 🎃 ZIP LINE 🎃 FOOD 🎃
MINI GOLF 🎃 PONY RIDES 🎃 PETTING ZOO 🎃
TRAIN 🎃 MOON BOUNCES 🎃 INFLATABLE SLIDE
OBSTACLE COURSE 🎃 VENDORS 🎃 LOCAL
BUSINESSES 🎃 SO MUCH MORE

\$1.00 OFF!

Save \$1 on Fall Frolic Wristbands!

Prepay for your Fall Frolic Wristband at the Township Building and Save \$1 per Band!

9/8/25 - 9/18/25, Monday - Thursday, 8 a.m. - 5 p.m.

BEAT THE LINE!!

Purchase wristbands at the New Hanover Township Building
2943 North Charlotte St.,
Gilbertsville, PA
from 8 a.m. to 5 p.m.
Monday - Thursday
9/8/25-9/18/25.



FACILITY RENTAL FOR EVENTS

Get more info about facility rental for our outdoor pavilions and seasonal indoor barn (available May - early Autumn).



 Follow New Hanover Township Parks & Rec on Facebook!





RICH
HERITAGE & CHARM

NEW HANOVER TOWNSHIP

ESTABLISHED 1741

SPRING/SUMMER 2026



INSIDE THIS ISSUE

Township Directory.....	3
Upcoming Public Meetings	4
Finance Department.....	4
Police Department.....	5
Public Works.....	6
Historical Society.....	8
Construction And Safety	9
Good Will Steam Fire Engine Company #1	9
Stormwater News	10,11
Parks and Recreation	12,13
Pool and Program Registration Simplified.....	13
New Hanover Volunteer Fire And Rescue	13
Grant Award Announcement	14
Office Of The Tax Collector	14

Dear Residents,

As spring arrives, we welcome a season of renewal, growth, and community connection here in New Hanover Township. Inside, you will find important Township updates, upcoming events, and helpful information designed to keep you informed and connected. Some of our highlights:

- **Grant News Worth Celebrating** – New Hanover Township has secured over **\$1.1 million** in grant funding to enhance public safety, expand trails, and improve our parks. Turn to page 14 to learn more about these exciting investments in our community's future!
- **Pool & Program Registration Simplified** - The Township is now using RecDesk, a new software system for program registrations, facility rentals, and pool memberships.
- **America 250** - The New Hanover Township Historical Society shares how our community is commemorating the Nation's Semiquincentennial. Learn about local Revolutionary-era history, the Society's preservation efforts, educational programs, and opportunities for residents to explore and connect with the Township's rich historical heritage.

We encourage you to take advantage of the many opportunities highlighted in this newsletter and to stay engaged with Township initiatives throughout the year. On behalf of the Board of Supervisors, thank you for your continued support and commitment to our community.

Wishing you a safe, healthy, and enjoyable spring season.

Best Regards,

Marie Livelsberger, Chair, Board of Supervisors

BOARD OF SUPERVISORS



Marie Livelsberger
Chair




W. Ross Snook
Vice Chair



Kurt Zebrowski
Supervisor



Keith Youse
Supervisor



Russel Oister
Supervisor

610.323.1008

2943 North Charlotte Street, Gilbertsville, PA 19525-9718

PUBLIC WORKS

Road Maintenance: Staff will be out cleaning and making repairs to drainage ditches, patch paving, pothole repairs, crack sealing, roadside mowing, and inlet repairs throughout the township.

Parks: Staff will be out cleaning up playgrounds & re-surfacing the areas with a certified playground mulch & preparing Hickory Park Pool for the summer.

Streetlights: If you have a streetlight out in your area, please visit www.firstenergy.com and use the Service Request link on the homepage

Capital Road Projects 2026

- Scheduled for paving: New Hanover Square Road from Swamp Pike to Heather Lane. New Hanover Square Road from Swamp Pike to Orchard Lane
- Ultra-Thin Wearing Course: Kleman Road, Gail Drive, Stacie Drive, Bow Lane, St. Anthony Way, Sunny Ridge Drive, Woodland Way
- Moyer Road Paving Project by Aqua

All Capital Road Projects are based upon the Board of Supervisors' approval and scheduling can change.

Keep an eye on Swamp Creek Park & Community Park for the installation of additional playground equipment this summer.

Keep your curb lines clean and do not blow grass clippings into the street.

State Roads in New Hanover Township

- North Charlotte Street, Route 73 "Big Road", Route 663 "Layfield Road"
- Any issues or concerns with State Roads, contact PennDOT @ 1-800-FIX ROAD or www.pa.gov to submit concerns online.

Montgomery County Roads in New Hanover Township

- Swamp Pike, Snyder, Kulp from Deep Creek to Hill Road, Deep Creek from Kulp to Township Line Fisher Road, Henning from Deep Creek to Snyder Road.
- Any issues or concerns with County Roads, contact Montgomery County Roads and Bridges 610-278-3613

For information on streams, outfall, inlet and sewer line locations, go to our website: newhanoverpa.gov and check out our GIS mapping system of the township.



Road Repairs



Road Paving



Pool Opening

MUNICIPAL AUTHORITY

An automatic bar screen is one of the first and most important tools used in wastewater treatment. Installed at the headworks of a plant, it acts like a giant mechanical filter, capturing large debris such as plastics, rags, and sticks from incoming wastewater. Unlike manual screens, it uses motorized rakes or arms to automatically remove and dispose of the collected waste - keeping the system clean without the need for constant human oversight.

This early-stage filtration is crucial for protecting pumps and other treatment equipment from damage or clogging. By removing solids at the start, the bar screen also helps improve the overall efficiency of downstream processes like sedimentation and biological treatment. Less debris means fewer maintenance issues, lower operating costs, and more reliable performance across the entire system.

Automatic bar screens are widely used in both municipal and industrial facilities. They're especially valuable in areas prone to heavy inflow, such as during storms or in older sewer systems. By quietly handling the dirty work up front, these machines play a key role in keeping our wastewater treatment systems running smoothly - and our environment cleaner.



Electronics Recycling Event

Event open to New Hanover Township residents only

No non-resident or commercial services

**Saturday,
May 16th**

Rain Date: May 17

NHT Community Park
2798 Gail Drive, Gilbertsville, PA

8:00 am
-1:00 pm

GUIDELINES FOR DROPPING OFF ITEMS:

- Residents visiting the site shall show the attendant their identification signifying that they are a township resident.
- Residents will be able to drop off a maximum of five electronic devices at no charge (two televisions maximum included in the five items).
- Residents are to have items accessible from the backseat or the trunk of their vehicle; please remain in your vehicle and attendants will remove these items from the vehicle.

✓ Acceptable Materials

Audio/visual equipment, copiers, peripherals, bar coding equipment, fax machines, PlayStations, BlackBerrys, floppy drives, plotters, cable TV boxes, Game Boys, power supplies, calculators, hard drives and memory, printers, cameras, laptops, telephone systems, CD ROM drives, mainframes and servers, telescopes, cell phones, microfiche readers, televisions, circuit boards, microscopes, test equipment, communication systems, modems, X-Boxes, computer equipment, MP3 players, computer scrap (copper, metal, plastic), Nintendos, and oscilloscopes.

⊘ Unacceptable Materials

Hazardous materials, items containing freon, refrigerants like dehumidifiers, air conditioners, refrigerators, or freezers, acids, paints or liquids of any kind, radioactive materials such as ion scanners, oils or polychlorinated biphenyls (PCBs), and large appliances.



SPRING STORMWATER SOLUTIONS



SPRING 2026

In addition to flowers, spring showers can also bring stormwater runoff! As rain flows over lawns, driveways and streets, it carries pollutants like fertilizers, soil, oil and litter into our waterways. See below for simple steps you can take this spring to protect clean water and reduce flooding.

SPRING STORMWATER TIPS FOR YOUR PROPERTY

- **Clean Gutters & Downspouts:** Remove leaves and debris so rainwater can flow freely. Direct downspouts to grassy areas or gardens instead of driveways.
- **Plant Natives:** Add native trees, shrubs and perennials to help soak up spring rains. Consider planting a rain garden in low spots of your yard where water naturally collects.
- **Mulch Garden Beds:** Mulch helps to prevent weed growth, reduce erosion, keep soil moist and reduce runoff. Make sure to use un-dyed mulch!
- **Install a Rain Barrel:** Rain barrels are designed to capture stormwater from your roof. You can use the collected water for gardens and landscaping!

SIMPLE STEPS YOU CAN TAKE AT HOME TO PROTECT LOCAL STREAMS & CREEKS!



Learn more at:

www.perkiomenwatershed.org

SUMMER STORMWATER SOLUTIONS



SUMMER 2026

Stormwater runoff is rainwater that flows over lawns, driveways and streets, picking up pollutants along the way and carrying them straight into our waterways. This summer you can help to reduce stormwater runoff by following the tips below!

SUMMER STORMWATER TIPS FOR YOUR PROPERTY

- **Water Wisely:** Water lawns early in the morning or late evening to reduce water loss through evaporation. Avoid overwatering which can lead to runoff.
- **Use Fertilizers & Pesticides Sparingly:** Only apply when necessary and follow label instructions. Never apply before rain is expected!
- **Mow Smart:** Keep grass longer (3") to absorb more water. Leave clippings on the lawn as a natural fertilizer - never blow into streets or storm drains!
- **Wash Cars the Right Way:** Take your car to a commercial car wash where water is treated. If washing at home, do it on grass or gravel so water can soak in.
- **Try a Summer-Friendly Project:** Plant native flowers, shrubs or trees that soak up rain. Install a rain barrel to collect and reuse stormwater!

SIMPLE STEPS YOU CAN TAKE AT HOME TO PROTECT LOCAL STREAMS & CREEKS!



Learn more at:

www.perkiomenwatershed.org

MUNICIPAL SEPERATE STORM SEWER SYSTEM ANNUAL MS4 STATUS REPORT




MCM #2 Attachments

MCM#2 PUBLIC INVOLVEMENT AND PARTICIPATION PROGRAM

- Township Social Media Posts
- Board of Supervisors (BOS) Meeting Minutes
- Environmental Advisory Board (EAB) Meeting Minutes
- Perkiomen Watershed Conservancy Stormwater Reduction Statistics Package

Township Social Media Posts

On August 27, 2025 the Township shared a flyer to their Facebook page advertising a Rain Garden Workshop hosted by the Perkiomen Watershed Conservancy that took place on Tuesday, September 30th at 6:30pm at the New Hanover Township Building. The post received 22 likes, 1 comment, and six shares.



New Hanover Township
August 27, 2025 · 🌐

**NEW HANOVER TOWNSHIP
RAIN GARDEN
WORKSHOP**

ABOUT THE WORKSHOP
Join the Perkiomen Watershed Conservancy to discover the many benefits of native plants and rain gardens!
Participants will learn practical strategies to manage stormwater runoff on their property and get step-by-step guidance for installing and maintaining a backyard rain garden.

Choose from two different registration options:

- **Registration w/ Plant Package: \$30** (Includes 3 native perennials)
- **Registration w/ out Plant Package: FREE**

REGISTER HERE:
<https://tinyurl.com/4pkaf4zd>



DATE & TIME
Tuesday, September 30th
6:30 pm - 7:30 pm

LOCATION:
New Hanover Township Building
2943 North Charlotte St.
Gilbertsville, PA 19525

COST:
\$30 - Registration w/ Plant Package
FREE - Registration w/out Plant Package

WWW.PERKIOMENWATERSHED.ORG

👍 22 💬 1 ➦ 6

On October 6, 2025 the Township Facebook page shared information that at the October 2, 2025 Board of Supervisors (the Board) meeting, the Board voted to send a letter regarding stormwater management conflicts to state elected officials, the Montgomery County Conservation District, the Pennsylvania Department of Environmental Protection (PADEP), and the Montgomery County and Pennsylvania State Associations of Township Officials to request legislative consideration to allow Township stormwater ordinances to remain aligned with current DEP standards. The letter was shared in this post. The post received 24 likes and 2 shares.



New Hanover Township
 October 6, 2025 · 🌐

Board of Supervisors Acts to Protect Our Community from Stormwater Conflicts

At its October 2 meeting, the New Hanover Township Board of Supervisors voted to send a letter regarding stormwater management conflicts to state elected officials, the Montgomery County Conservation District, the Pennsylvania Department of Environmental Protection, and the Montgomery County and Pennsylvania State Associations of Township Officials.

The letter explains a challenge under the Municipalities Planning Code (MPC) where large development projects are "vested" under Township ordinances in effect at the time of application. While vesting provides predictability for developers, it can create conflicts with updated DEP stormwater standards. These conflicts may affect open space, community layout, and the Township's ability to enforce modern, science-based stormwater practices.

The Board's action requests legislative consideration to allow Township stormwater ordinances to remain aligned with current DEP standards. This approach ensures developments are safe, environmentally responsible, and in the best interest of the community.

New Hanover Township is committed to protecting our neighborhoods and natural resources through responsible planning and modern stormwater management practices. [See less](#)



Township of New Hanover
 Planning Department

October 6, 2025

Planning Department of Environmental Protection
 Division of Stormwater
 400 Market St.
 Harrisburg, PA 17101

RE: Protecting Municipalities and Communities from MPC Stormwater Conflicts

Dear Secretary Shibley:

On behalf of the Board of Supervisors, I am writing to bring to your attention a significant issue affecting municipalities and communities across Pennsylvania. We believe that this matter merits your timely consideration, as it negatively impacts municipalities, municipalities and developers.

The Pennsylvania Municipalities Planning Code (MPC) currently vests large additional development projects under all Township ordinances and regulations in effect at the time of their application. This would include municipal stormwater management ordinances. The concern is designed to provide certainty to developers in obtaining and submitting applications for their projects, which is understandable. However, as it relates to stormwater management regulations, the vesting provision creates confusion for developers, as they later attempt to comply with the Pennsylvania Department of Environmental Protection (PADEP) regulations and forces the community in providing the application of the most current science and best practice for stormwater protection.

To explain under Section 505(b)(1) of the MPC, "ordinances to amendments of the existing ordinances or other governing ordinance or plan" may be applied as a pending application. In practice, when an application is submitted, the project is effectively frozen under the Township ordinance in effect at the time. The Township is correct with its interpretation of the law, as it does offer another stormwater standard being applied by the Pennsylvania Department of Environmental Protection. At the same time, DEP/MPC regulations enacted in later date may apply to a project, creating dual obligations for developers: one between complying with DEP standards and Township standards. Because municipalities that rely on their stormwater standards as a developer are violating a DEP/MPC permit, a dual permit agency approval, developers are discouraged to secure funding. Township requests, fees and other stormwater facilities have to comply with DEP/MPC requirements.

These dual standards create a critical challenge for the Township and its green community.

developmental. After a Township approves, the plan is frozen and may only be modified according to the plan's conditions. Because the Township cannot then potentially approved the project and the project is frozen, the DEP/MPC standards are not applied when the project is approved. This creates a conflict with the DEP/MPC standards, which then conflict with the DEP/MPC standards.

Impacts on Open Space and Community Planning. Large projects under current Township stormwater regulations may require that the project comply with DEP/MPC standards. These standards are current but require compliance by open space, public utility, and other stormwater projects, leaving the ability to enforce modern, science-based stormwater practices and standards during the community development process and planning.

Administrative Burden and Conflicting Standards. Because DEP/MPC standards change with time, Township officials are unable to enforce administrative and engineering standards that may require current DEP standards, engineering standards, and design standards. This creates a complex and conflicting standards for developers, as it forces municipalities to manage management and planning practices.

This conflict creates a barrier to the development of the community and projects within New Hanover Township. The community is unable to comply with current DEP/MPC standards, which creates a barrier to the development of the community. This creates a barrier to the development of the community, as it forces municipalities to manage management and planning practices.

Because of this conflict, New Hanover Township requests a legislative amendment to the DEP/MPC standards to allow municipalities to apply the most current DEP/MPC standards, ensuring compliance with DEP/MPC standards and effective stormwater management. This will ensure a fair and equitable planning process. I strongly encourage you to consider the importance of this issue and request the opportunity to discuss potential legislative action. Addressing this issue will ensure that municipalities can provide better stormwater management for the community, staff, and the broader community.

Please feel free to contact me for any additional information.

Sincerely,
 [Signature]
 [Name], [Title]



24



2




2

On March 24, 2026 the Township posted a thank you to the company, 2 Sons Window Cleaning and Powerwashing, on their Facebook page. The company hosted a Community Park Cleanup event on April 19, 2026. Volunteers were encouraged to join 2 Sons Window Cleaning and Powerwashing to help maintain public shared spaces.



On April 7, 2025, the Township Facebook page posted a thank you to the Cleanup Crew that participated in removing trash at the Moyer Road Tract. The picture accompanying the post shows students with the bags of trash they collected during the event.




On May 27, 2026 the Township shared the Community Impact Recap of the Electronics Recycling Day to their Facebook page. The Township reported that a total of 171 vehicles came through the event, dropping off 527 electronic items for safe, environmentally responsible recycling. This marks a 54% increase in total items collected from the Township. The post received 39 likes, 6 comments and was shared once.



On June 25, 2026 the Township posted to their Facebook page calling for volunteers to help with invasive weed removal at Swamp Creek Park on Saturday, June 27, 2026. The post received 10 likes, 4 comments, and was shared once.



On June 29, 2026 the Township Facebook page posted a thank you to volunteers that helped to remove invasive weeds at Swamp Creek Park. They collected five full trash bags of invasive weeds. A picture of volunteers accompanied the post. The post received 106 likes, 5 comments and was shared twice. The event took place the weekend prior, on Saturday June 27, 2026.





Board of Supervisors Meeting
August 7, 2025

MEETING MINUTES

A meeting of the New Hanover Township Board of Supervisors was held at the New Hanover Township Municipal Building, 2943 N. Charlotte Street, Gilbertsville, PA 19525 on August 7, 2025. Present were Supervisors Marie Livelsberger, Kurt Zebrowski, Keith Youse, and Ross Snook. Supervisor Boone Flint was absent. Also present were Township Engineer Dan Gray, Township Solicitor fill-in Rob Jefferson, Township Director of Planning and Zoning Mark Donovan, Township Manager Jamie Gwynn, and Administrative Assistant Kate Kline. Township Solicitor Pat McKenna was absent. The meeting was called to order and opened with a pledge of allegiance to the Flag at 6:30 PM.

1. ANNOUNCEMENTS

Chairperson Marie Livelsberger announced the following items are on the information table: attendance sign-in forms for the official record of who is in attendance, agendas for the public, a notebook containing approved minutes from prior meetings and a notebook containing prior meeting bill lists. Chair Livelsberger thanked the audience for taking the time to attend tonight's meeting and stated the goal is to end the business portion of the meeting by 9:30 PM and the rest of the meeting by 10:00 PM. She continued saying that residents will have the opportunity to provide public comments related to agenda items before official action is taken and non-agenda related items after the business portion of the meeting has been completed. She stated that the chair reserves the right to impose a time limit on public comment if needed. Chair Livelsberger mentioned that if one is unable to remain at the meeting until the appropriate time for public comment, they should write their name, address, and comments on a sheet of paper and place it on the table at the back of the room. The chair would then read the comments into the record during public comment.

UPCOMING TOWNSHIP MEETINGS

Please note that all meetings are held at the Township's Municipal Building and begin at 6:30 PM unless otherwise noted below.

August 11 – Environmental Advisory Board

August 13 – Planning Commission

August 19 – New Hanover Township Authority

September 3 – Recreation Committee

September 4 – Board of Supervisors

2. SPECIAL PRESENTATIONS

Chris Herm, a partner with Mailie, completed the Township's December 2024 audit. He highlighted the major points of the audit. There were no findings and no instances of noncompliance. He mentioned the Township has finished spending the Coronavirus Recovery Funds, on the Sanatoga Road Culvert Project. He reported on the fund balances and stated that the Township can operate normally for about four months, without generating any revenue.

3. REPORTS

A) Authorities, Boards, and Commissions

Rusty Oister provided an update on the Ad-Hoc Deer Management Committee, noting that they received 46 hunting applications, and 27 were from residents. From the lottery drawing, all 27 residents were awarded a spot, with 5 non-resident applications filling in the remaining five spots. They also chose a few alternates. He added that "permit only hunting" signage is beginning to be posted. Kurt Zebrowski commented that he was present for the lottery drawing and it ran flawlessly. Ms. Livelsberger thanked Mr. Oister for the committee's hard work.

Mr. Snook provided an update on the Environmental Advisory Board, noting that soybeans have been planted at Swamp Creek Park. Mr. Snook has been in discussion with the Bee and Butterfly Foundation, stating that we should be receiving a contract soon that will give us enough seed to plant wildflowers in the entire 17-acre park. He continued that Moyer Park is approved to be planted in 2026, and Hunter's Run will hopefully be planted in 2027. He mentioned two upcoming events- the Goshenhoppen Festival and the Conservation District in partnership with the Montgomery County Planning Commission is hosting a Fun-E-Farm presentation on August 17 from 5:00-7:30pm.

B) Assistant to the Manager

Ashlee Frey provided a report on June and July activities, which included creating an injury and illness prevention program that will be reviewed by the Safety Committee, to satisfy the risk control survey result recommendation from DVT. Ms. Frey is working with Revise to transition our website domain from .org to .gov and creating new business cards for Township employees with the new email addresses. Lastly, she reported she plans on applying for funding for Wassmer Tract through TASA (Federal Transportation Alternative Set Aside Program). Projects are funded at 100% of construction costs with no application match required. The deadline for submitting applications is October 31 with award announcement set for spring 2026.

C) Finance Department

Michele Smith provided the finance report for July, which included \$846,268.27 paid out in expenses. \$163,402 was paid out in payroll and the second of two payments for EMS contributions went out. Mr. Gwynn clarified that the Board of Supervisors authorized \$100,000 to assist the local ambulance companies. Additionally, Ms. Smith and Mr. Gwynn presented on the 2024 budget to actual profit loss review.

I) Township Engineer

Dan Gray provided an update including the BMP Inspections, conservation easement inspections, the 2025 Road Program and subdivision/land development applications. He also reported on construction activities from the developments of Woodfield, Hanover Pointe, Montgomery View and Rolling Meadows. Rusty Oister, New Hanover Square Road, expressed concern about the sewer easement on Tallowood Drive, stating that metal T-posts were left behind and the area is overgrown. Mr. Gray clarified that this is on the list of things to do before closing out.

J) Township Solicitor

Attorney Rob Jefferson, filing in for Attorney Patrick McKenna, reported that the Board met in executive session prior to the meeting to discuss police, personnel and real estate matters. He highlighted a few points from Mr. McKenna's report- field license agreements were drafted for the Optimist Club, Pine Forge Athletic Association and the Boyertown Soccer Club. He continued to report that they reviewed and assisted the Right to Know Officer with several Right to Know responses, as well as obtained, assembled and organized deeds from Township Open Space parcels. Additionally, they finalized drafts of Chapter 27 ordinance amendments in preparation of tonight's meeting.

K) Township Manager

Mr. Gwynn reported that Aqua's water main extension project on Moyer Road is continuing, and the hope is it will be completed by the start of the new school year. Ms. Livelsberger asked Mr. Gwynn to alert the school district of the road project for the first week of school. Mr. Gwynn reported on the Hickory Park Project, stating that instead of bidding, the Township is going to first leverage COSTARS to request three proposals, saving time and costs associated with the typical bidding process. Mr. Gwynn continued by thanking Bill Moyer for all he does with the partnership with the local ambulance companies. Additionally, Mr. Gwynn recognized Officer Justin Lathrop for 10 years of dedicated service to our community. Lastly, Mr. Gwynn presented Administrative Assistant Kaitlyn Kline with the August Community Champion belt.

4. CONSENT ITEMS

A) Consider a motion regarding the minutes of the meeting on June 5, 2025

Motion to approve the minutes of the meeting on June 5, 2025, was **made by** Ross Snook, **seconded by** Kurt Zebrowski and it **carried 4-0**.

B) Consider a motion regarding the minutes of the meeting on June 19, 2025

Motion to approve the minutes of the meeting on June 19, 2025, was **made by** Keith Youse, **seconded by** Kurt Zebrowski and it **carried 3-0** with Ms. Livelsberger abstaining.

C) Consider a motion regarding Bills List #8 in the amount of \$846,268.27

Motion to approve Bills List #8 in the amount of \$846,268.27 was **made by** Ross Snook, **seconded by** Kurt Zebrowski and it **carried 4-0**.

Livelsberger stated that the Township has already spent money on counsel for this, and there comes a time when it's not worth spending more money on counsel. The Board agreed to put this item on the next agenda.

7. PUBLIC COMMENT

Bill Moyer, Fire Marshal, asked Mr. Gwynn if there was a date for the fire company to present an annual report of the finances and logistics of the company in front of the Board. Mr. Gwynn stated that meeting will be on October 2 after the regular meeting.

Jim Butler, Colflesh Road, had a follow-up question regarding the Deer Hunting program- are other municipalities allowing hunting in park areas. Mr. Oister stated there are numerous other municipalities including North Coventry and Plymouth Meeting. Mr. Butler also inquired about who the enforcing body is for the program. Mr. Oister clarified that if it is a game law violation, it would be covered by the Game Commission. If it is a violation of Township ordinances or rules and regulations of the program, it would be a police matter and Deer Committee member's matter. Mr. Butler asked who the local Game Warden who would be responsible for our program and Mr. Oister said his name is Alex Cook. Mr. Moyer clarified that he is on the committee, and they are holding a safety meeting that is mandatory for all participants and Chief Ciarllo will be there as well. Ms. Livelsberger clarified that everyone has to sign an agreement that they are aware of boundaries, they are aware of all regulations and pass a proficiency test.

Michael Conner, Church Road, stated that he has a well that went dry and asked if Mr. Snook has an update on the Aquifer. Mr. Snook stated that it is just starting to rebound.

John Kane, Worthington Drive in Woodfield, expressed frustration that he has had a 10-foot swamp in his backyard since he moved in six years ago. He also expressed concern that when he attempts to sell his house, the Township will tell him he can't sell until he fixes the issue. Mr. Gwynn explained the background of this situation, stating he is in communication with the developer and Ryan Homes. Mr. Gwynn clarified that there's no current resale ordinance. Mr. Gwynn stated that he does know a few homeowners have extended their sump pump connections, which is technically a violation of the ordinance, but he is allowing it for now until the problem can be resolved. Mr. Zebrowski stated that the development was designed over ten years ago, and the Township has amended many of the ordinances to help out with the development.

Neil McKieffer, Melrose Drive, spoke as an HOA representative of Woodfield and expressed concern because they are waiting for things like engineering changes and updated tree plans and nothing is happening. He expressed frustration that they keep having to wait for Rick Mast to submit plans. Mr. McKieffer also spoke as a resident, presenting pictures to the Board of his home and lot. He expressed concern about a tree that is obviously larger than other trees, which means it's getting more water and also an open pipe that is a safety hazard. Mr. Gray clarified that the manhole in the picture is not a water or sewer manhole, it is likely for electric.

Munya Choga, Longview Terrace, expressed frustration because he moved in two years ago and had the dream of building a space his daughter can enjoy, and Ryan Homes has not been back to fix the water issues or been in communication. He is asking for whoever is responsible for resolving the issue to communicate with the residents impacted. Mr. Gwynn stated he will get the timeline and then share

it with the HOA, and he can also share it with him directly if desired. Mr. Gwynn will be meeting with the developer soon. Mr. Youse asked whether the HOA is emailing the developer or if individuals are emailing, and Mr. McKieffer responded that the HOA has been asked not to get involved and the HOA does not desire to be involved.

Ashley Thompson, Longview Terrace, commented that her backyard is also always wet and she can't utilize her backyard due to piping and the wetness.

Dennis Stauffer, Hoffmansville Road, thanked Mr. Donovan and Mr. Gwynn for assisting him through the permit process for the Sassamansville Fire Company fireworks show.

8. BOARD ANNOUNCEMENTS


Mr. Youse opined that maybe instead of ten resident emails, they should send one email from the HOA for the Woodfield Development issues.

Mr. Snook read the water impact report for groundwater. 650,000 gallons are available for public usage, and the Township is over that level, so any new developments have to be really looked at and thought over. He continued that there will be a fall tree giveaway with 1,500 trees ordered. Mr. Snook mentioned that John Canale, a member of the EAB, would like to document daily rainfall and give a presentation to the Board quarterly.

Ms. Livelsberger is glad to see the LST discussion regarding the budget is hopefully coming to fruition. She also wished everyone a Happy Labor Day.

9. ADJOURNMENT

Motion to adjourn was **made by** Ross Snook, **seconded by** Kurt Zebrowski. The meeting was **adjourned** at 9:32 PM.



Jamie L. Gwynn, Township Manager/Secretary



Board of Supervisors Meeting
September 4, 2025

MEETING MINUTES

A meeting of the New Hanover Township Board of Supervisors was held at the New Hanover Township Municipal Building, 2943 N. Charlotte Street, Gilbertsville, PA 19525 on September 4, 2025. Present were Supervisors Marie Livelsberger, Kurt Zebrowski, Keith Youse, Ross Snook, and Boone Flint. Also present were Township Engineer Dan Gray, Township Solicitor fill-in Stacy L. Fuller, Township Manager Jamie Gwynn, and Administrative Assistant Sharon DelPorte. Township Director of Planning and Zoning Mark Donovan and Solicitor Pat McKenna were absent. State Representative Donna Scheuren and Lisa Walter, Chief of Staff to Senator Pennycuick, were in attendance for a portion of the meeting. The meeting was video recorded by Zach Cloyd of Aperture Alley on behalf of R.P. Wynstone. The meeting was called to order and opened with a Pledge of Allegiance to the Flag at 6:30 PM.

ANNOUNCEMENTS

Chairperson Marie Livelsberger announced the following items were on the information table: attendance sign-in forms for the official record of who was in attendance, agendas for the public, a notebook containing approved minutes from prior meetings and a notebook containing prior meeting bill lists. Chair Livelsberger thanked the audience for taking the time to attend the meeting and stated the goal was to end the business portion of the meeting by 9:30 PM and the rest of the meeting by 10:00 PM. She continued, saying that residents would have the opportunity to provide public comments related to agenda items before official action was taken and to non-agenda items after the business portion of the meeting had been completed. She stated that the chair reserved the right to impose a time limit on public comment if needed. Chair Livelsberger mentioned that if one is unable to remain at the meeting until the appropriate time for public comment, they should write their name, address, and comments on a sheet of paper and place it on the table at the back of the room. The chair would then read the comments into the record during public comment.

UPCOMING TOWNSHIP MEETINGS

Please note that all meetings are held at the Township's Municipal Building and begin at 6:30 PM unless otherwise noted below.

September 8 – Environmental Advisory Board

September 10 – Planning Commission

September 16 – New Hanover Township Authority

September 18 – Board of Supervisors

SPECIAL PRESENTATIONS

A) Commendation Award

Ms. Livelsberger presented Sandy Freed and Karen Freed of Freed's Markets with a special award in recognition of a remarkable century of dedicated service, resilience, and commitment to the community. State Representative Donna Scheuren presented a citation celebrating the Freed family's enduring contributions to the growth of the state economy across five generations. Chief of Staff for Senator Tracy Pennycuik, Lisa Walter, extended heartfelt congratulations and presented a Senate commendation, acknowledging the family's lasting impact and commitment to the community. The Freed family expressed their appreciation and extended an open invitation to their upcoming anniversary picnic.

B) Boards and Commissions Interview

Johanna Troelsch introduced herself and her family and expressed interest in serving on the Recreation Committee, reporting on her prior attendance at Committee meetings. Jamie Gwynn confirmed a vacancy exists, and the Board recommended placing her appointment on the agenda for the next meeting.

REPORTS

A) Authorities, Boards, and Commissions

Rusty Oister of the Deer Management Committee reported that proficiency testing is complete. He indicated that a committee vacancy has been filled with the selection of an alternate. The pre-hunt safety meeting is scheduled for September 29. Four of seven properties have been posted with "Permit Only Hunting" signs. The remaining properties will be posted before the hunt.

Mr. Snook of the Environmental Advisory Board reported that a contract with the Bee and Butterfly Foundation has been secured for the Swamp Creek Park project. On August 21, sixteen (16) monarch caterpillars, donated by the Board of Supervisors, were released. The meadow at the public tract on Moyer Road is being prepared for planting, with Hunter's Run Park scheduled for planting the following year. A tree giveaway is planned for September 20 from 8:00 a.m. to 12:00 p.m., with 800 trees to be distributed. Any remaining trees will be distributed on September 27 during the same hours. Mr. Snook noted that several Master Watershed Stewards may donate additional trees. He also observed that, despite recent rainfall, the aquifer has not fully recharged and encouraged residents to monitor water usage.

B) Assistant to the Manager

Ashlee Frey reported that she prepared the 2026 CIP presentation for the police, public works, and NHTA. She is working with the Township's website provider on ADA compliance (must be in place by 2028) and gathering information for the Local Share Account Grant Program, with applications due November 30. The Township plans to submit two applications: \$300,000 for a Public Works dump truck and funding for New Hanover Volunteer Fire and Rescue site and



Board of Supervisors Meeting
October 2, 2025

MEETING MINUTES

A meeting of the New Hanover Township Board of Supervisors was held at the New Hanover Township Municipal Building, 2943 N. Charlotte Street, Gilbertsville, PA 19525 on October 2, 2025. Present were Supervisors Kurt Zebrowski, Keith Youse, Boone Flint and Ross Snook. Supervisor Marie Livelsberger was absent. Also present were Township Engineer Dan Gray, Township Solicitor Patrick McKenna, Township Director of Planning and Zoning Mark Donovan, Township Manager Jamie Gwynn, and Administrative Assistant Kate Kline. The meeting was video recorded by Nicholas of Local Focus Media. The meeting was called to order and opened with a pledge of allegiance to the Flag at 6:32 PM.

1. ANNOUNCEMENTS

Vice Chairperson Kurt Zebrowski announced the following items are on the information table: attendance sign-in forms for the official record of who is in attendance, agendas for the public, a notebook containing approved minutes from prior meetings and a notebook containing prior meeting bill lists. Vice Chair Zebrowski thanked the audience for taking the time to attend tonight's meeting and stated the goal is to end the business portion of the meeting by 9:30 PM and the rest of the meeting by 10:00 PM. He continued saying that residents will have the opportunity to provide public comments related to agenda items before official action is taken and non-agenda related items after the business portion of the meeting has been completed. He stated that the chair reserves the right to impose a time limit on public comment if needed. Vice Chair Zebrowski mentioned that if one is unable to remain at the meeting until the appropriate time for public comment, they should write their name, address, and comments on a sheet of paper and place it on the table at the back of the room. The chair would then read the comments into the record during public comment.

UPCOMING TOWNSHIP MEETINGS

Please note that all meetings are held at the Township's Municipal Building and begin at 6:30 PM unless otherwise noted below.

October 8 – Planning Commission

October 13 – Environmental Advisory Board

October 21 – New Hanover Township Authority

November 5 – Recreation Committee

November 6 – Board of Supervisors

2. REPORTS

A) Authorities, Boards, and Commissions

Mr. Snook provided an update on the Environmental Advisory Board, noting that they are waiting on seed from the Bee & Butterfly Foundation to plant at Swamp Creek Park. He also noted that they plan to plant cereal rye and radishes at Moyer Road park in 2026 and will hopefully be approved to plant at Hunters Run Park in 2027. He reported the fall tree giveaway was a success and 1900 trees were given out. He mentioned that two caterpillars have turned into Monarch Butterflies at Swamp Creek Park. He introduced Land 3D website, which is topographical 3D maps that the EAB will recommend to the Planning Commission. Lastly, he expressed gratitude for his Community Champion belt nominations and passed on the Community Champion belt to Kurt Zebrowski.

Rusty Oister provided an update on the Deer Management Committee, noting that the hunting season started on September 20. He stated it's been too warm, and he believes that's the reason why the hunters haven't been out much yet. He shared seven hunters have been out fifteen times for a total of 53 hours and they spotted twenty-eight deer so far. Three deer have been harvested, all out of the two smallest hunting zones. He reported that one hunter fell off his tree stand while setting it up and sustained an injury, resulting in dropping out of the early and instead participating in the late season. Mr. Oister shared that three alternates qualified, and all three have been given a spot now.

B) Assistant to the Manager

Ashlee Frey reported on September activities, noting she created a master spreadsheet for the Deer Management Committee to be able to track and sort data, which can then be used to create reports. She also has been receiving quotes for LSA grants for the Public Works Department and the Fire Department.

C) Finance Department

Michele Smith reported on September financials. She noted that expenses were \$490,000 with \$158,484 being paid out in payroll. The state aid for the New Hanover Township Volunteer Fire Relief Association in the amount of \$102,828 was received. Lastly, she reported the Pension state aid was received in the amount of \$293,289.

D) New Hanover Township Authority

Kirt Michaels reported that the delivery date for the blower motor has been pushed back to the end of October, but the rental blower was received. Additionally, the WET test results have not come back yet. TRS Welding is going to weld a screw shaft for the press that is rotted through.

E) Planning and Zoning Department

Mark Donovan reported on unpermitted solicitation, a default judgement awarded in favor of the Township for an illegal contracting business on Briana Drive, and the recent DEP MS4 program inspection- no violations.

F) Police Department

Chief Jay Ciarllo reported on August calls of service with 832 calls. Part 1 and Part 2 crimes are down compared to August last year. He provided an update on an incident that occurred on Colflesh Road in February 2024 where a resident was using night vision and had a handgun. He was found guilty and will likely serve about 20 years in prison. This incident occurred shortly after the Board made a commitment to ensure officers are not out on patrol by themselves, which allowed the multiple officers to overcome the resistance and get the handgun away before tragedy struck. Additionally, he reported that Detective Lawlor has completed certified accident reconstructionist. The accreditation process is wrapping up, with the final inspection occurring the week of November 10. He mentioned the upcoming drug take back event happening on October 25 at the Police Department.

Mr. Zebrowski inquired about how many reconstructionists New Hanover currently has. Chief Ciarllo indicated that New Hanover currently only has Detective Lawlor, but two more officers are in the process of earning the credential and other local municipalities are available to help out if needed.

G) Public Works Department

Jay Kowal reported that paving and line painting have been completed on Colflesh Road. On October 20, paving will begin on New Hanover Square Road, the final paving of the year. He mentioned the recent DEP inspection and that final bids have been received for salt prices, which is \$63.41 per ton.

Mr. Zebrowski commented that the Township was originally going to pave Moyer Road in 2026, but now Aqua will be paving Moyer Road in 2026 as part of their project. Residents should hook up to public water prior to Aqua paving.

H) Recreation Department

No report given.

I) Township Engineer

Dan Gray reported on construction activity, noting that paving and curb work are underway in Woodfield as well as concrete repairs and landscape replacements in Rolling Meadows. He mentioned that Aqua is completing trench restoration on Moyer Road at the end of October. Finally, Town Center will be on the agenda at the upcoming Planning Commission meeting on October 8.

Mr. Snook commented about Land 3D, noting that it is a great training tool. He also mentioned that Montgomery View has 885 trees to plant and amended soils are lacking. There's no storage capacity for the BMPs. At Woodfield, there's issues with grading and sump pumps, similar to Montgomery View. At Hanover Point, there are issues with BMPs and amended soils and downspouts are running off the properties. Mr. Snook also commented that he's been looking into water impact studies, and he's only been able to locate one study that was from 1985, which is well before most of the development begun in the Township. He commented there is no available water for new developments.

Mr. Zebrowski commented about a handicap ramp on the corner of Melrose Drive and Evergreen Drive in the Woodfield development and asked how the design was going to work. Mr. Gray clarified that one side has been completed, and they are working on finishing it.



Board of Supervisors Meeting
November 6, 2025

MEETING MINUTES

A meeting of the New Hanover Township Board of Supervisors was held at the New Hanover Township Municipal Building, 2943 N. Charlotte Street, Gilbertsville, PA 19525 on November 6, 2025. Present were Supervisors Marie Livelsberger, Kurt Zebrowski, Keith Youse, and Ross Snook. Supervisor Boone Flint was absent. Also present were Township Engineer Dan Gray, Township Solicitor Patrick McKenna, Township Director of Planning and Zoning Mark Donovan, Township Manager Jamie Gwynn, and Administrative Assistant Kate Kline. The meeting was video recorded by Nicholas Pontski of Royal Court Reporting on behalf of Legal Focus Media. The meeting was called to order and opened with a pledge of allegiance to the Flag at 6:30 PM.

1. ANNOUNCEMENTS

Chairperson Marie Livelsberger announced the following items are on the information table: attendance sign-in forms for the official record of who is in attendance, agendas for the public, a notebook containing approved minutes from prior meetings and a notebook containing prior meeting bill lists. Chair Livelsberger thanked the audience for taking the time to attend tonight's meeting and stated the goal is to end the business portion of the meeting by 9:30 PM and the rest of the meeting by 10:00 PM. She continued saying that residents will have the opportunity to provide public comments related to agenda items before official action is taken and non-agenda related items after the business portion of the meeting has been completed. She stated that the chair reserves the right to impose a time limit on public comment if needed. Chair Livelsberger mentioned that if one is unable to remain at the meeting until the appropriate time for public comment, they should write their name, address, and comments on a sheet of paper and place it on the table at the back of the room. The chair would then read the comments into the record during public comment.

UPCOMING TOWNSHIP MEETINGS

Please note that all meetings are held at the Township's Municipal Building and begin at 6:30 PM unless otherwise noted below.

November 10 – Environmental Advisory Board

November 12 – Planning Commission

November 18 – New Hanover Township Authority

December 3 – Recreation Committee

2. REPORTS

A) Authorities, Boards, and Commissions

Ross Snook provided an update from the Environmental Advisory Board- they recommended LAND 3D to the Planning Commission and the Township Engineer and was inquiring about feedback. Cereal Rye and Tillish Radish are coming up nicely at Swamp Creek Park. The Girl Scouts are looking at endangered species. Members of the EAB will attend the Fall Gathering on November 15 at the Penn State Extension. EAB member John Canale will conduct a rainfall study. And lastly, Mr. Snook read the latest water impact study and advised that there is no more drinking water for new developments.

Rusty Oister provided an update from the Ad-Hoc Deer Management Committee- 16 hunters hunted a total of 73 times in the first season. Hunters logged 236 hours, seeing 195 deer total, with 11 deer harvested.

B) Assistant to the Manager

Ashlee Frey reported that she worked with finance to create the 2026 Budget PowerPoint presentation. Additionally, she applied for two grants, including a T-Mobile Hometown grant for playground equipment, and an Aqua Essential Foundation grant on behalf of the Fire Company for a drone. She is also working on submitting LSA grants, due by November 30, for Public Works and the Fire Company. Lastly, she is working with Revise on creating an updated Township website.

C) Finance Department

Jamie Gwynn presented the report on behalf of Michele Smith, who was absent. The expenses for October totaled \$521,940.09. \$229,064.80 was paid out in payroll. This amount was over the approved amount due to there being three pay periods in the month of October.

D) New Hanover Township Authority

Kirt Michaels reported that Excelsior Blower delivered all the blower motors on October 28 and Blooming Glen will be out to start installation. Passing W.E.T. test results were received from Suburban testing labs, and all paperwork has been submitted to DEP. Johnson Controls completed the annual fire alarm inspection. The technician found that two backup batteries needed to be replaced, as well as an alarm fixture in the garage. Staff saved the Township money by buying and installing batteries from Interstate Battery, about \$380 per battery.

E) Planning and Zoning Department

Mark Donovan provided code enforcement updates, stormwater management updates, and notified residents of an upcoming Zoning Hearing Board meeting for 606 Jay's Lane for an unpermitted shed in the front yard. He reported he attended the ICMA Conference in Tampa at the end of October.

F) Police Department

Chief Jay Ciarlrello reported the Police Department had 1,171 calls of service during the month of September. He provided updates on recent convictions- Andre Wilson received four to twelve months in county prison for threats made against Officer Fugelo on Facebook. Additionally, Keith



Board of Supervisors Meeting
December 4, 2025

MEETING MINUTES

A meeting of the New Hanover Township Board of Supervisors was held at the New Hanover Township Municipal Building, 2943 N. Charlotte Street, Gilbertsville, PA 19525 on December 4, 2025. Present were Supervisors Marie Livelsberger, Kurt Zebrowski, Keith Youse, and Ross Snook. Supervisor Boone Flint was absent. Also present were Township Engineer Dan Gray, Township Solicitor Theodore Speedy, Township Director of Planning and Zoning Mark Donovan, Township Manager Jamie Gwynn, and Administrative Assistant Kate Kline. The meeting was video recorded by Nicholas Pontski of Royal Court Reporting on behalf of Legal Focus Media. The meeting was called to order and opened with a pledge of allegiance to the Flag at 6:33 PM.

1. ANNOUNCEMENTS

Chairperson Marie Livelsberger announced the following items are on the information table: attendance sign-in forms for the official record of who is in attendance, agendas for the public, a notebook containing approved minutes from prior meetings and a notebook containing prior meeting bill lists. Chair Livelsberger thanked the audience for taking the time to attend tonight's meeting and stated the goal is to end the business portion of the meeting by 9:30 PM and the rest of the meeting by 10:00 PM. She continued saying that residents will have the opportunity to provide public comments related to agenda items before official action is taken and non-agenda related items after the business portion of the meeting has been completed. She stated that the chair reserves the right to impose a time limit on public comment if needed. Chair Livelsberger mentioned that if one is unable to remain at the meeting until the appropriate time for public comment, they should write their name, address, and comments on a sheet of paper and place it on the table at the back of the room. The chair would then read the comments into the record during public comment.

UPCOMING TOWNSHIP MEETINGS

Please note that all meetings are held at the Township's Municipal Building and begin at 6:30 PM unless otherwise noted below.

December 8 – Environmental Advisory Board

December 10 – Planning Commission

December 16 – New Hanover Township Authority

January 5 – Board of Supervisors

2. SPECIAL PRESENTATIONS

A) Police Officer Oath of Office

Chief Ciarllo spoke of William Manley and McKewan Funk's backgrounds. District Justice Maurice Saylor administered the Oath of Office to the two new police officers. The Board congratulated and welcomed the two new officers.

B) Commendation Award

Chair Livelsberger presented New Hanover Evangelical Lutheran Church with a commendation award for their 325th years anniversary. Pennsylvania State Representative Donna Scheuren also presented the church with a citation.

C) Montgomery County Prothonotary Office – Protection from Abuse Department

Noah Marlier, the Montgomery County Prothonotary, gave a brief presentation on domestic violence and protection from abuse (PFA). He shared the steps it takes for a victim of abuse to receive a PFA, showcasing the difficulties victims have with getting assistance. He reported on the Hope Card Program, which is a business card that is given with a final PFA and contains basic information regarding the PFA that can be given to police officers in the case of emergency. The card also contains contact information for local resources available to victims. Mr. Marlier shared that Montgomery County is the first county in the Commonwealth of Pennsylvania to utilize the Hope Card Program.

3. REPORTS

A) Authorities, Boards, and Commissions

Rusty Oister provided an update from the Ad-Hoc Deer Management Committee- three deer were harvested in the second season. Mr. Oister urges residents not to feed deer.

Ross Snook provided an update from the Environmental Advisory Board- Mr. Snook and John Moran attended the Fall Gathering. Stormwater management was a main discussion item, with volume control and basin retrofits emphasized. Mr. Snook attended a learning session from the Schuylkill Action Network, a follow-up to the Perkiomen Watershed study. They emphasize drainage systems that will accommodate three-inch rain events for new developments. Mr. Snook stated that Swamp Creek Park should be planted within the next month. Finally, he reported that the EAB is putting together another birdhouse builder workshop for next spring.

B) Assistant to the Manager

Ashlee Frey reported that the LSA grants for the fire company and Public Works have been submitted. Additionally, she reported that she has created the agendas for the Recreation Committee meetings and has been attending the meetings while the Recreation Coordinator role has been vacant. Lastly, she received quotes for a new inclusive playground to be installed at New Hanover Community Park and Swamp Creek Park.



Board of Supervisors Meeting
December 18, 2025

MEETING MINUTES

A meeting of the New Hanover Township Board of Supervisors was held at the New Hanover Township Municipal Building, 2943 N. Charlotte Street, Gilbertsville, PA 19525 on December 18, 2025. Present were Supervisors Marie Livelsberger, Kurt Zebrowski, Boone Flint, Keith Youse, and Ross Snook. Also present were Township Solicitor Theodore Speedy, Township Director of Planning and Zoning Mark Donovan, Township Manager Jamie Gwynn, and Administrative Assistant Kate Kline. The meeting was video recorded by Zachary Cloyd of Legal Focus Media on behalf of Royal Court Reporting. The meeting was called to order and opened with a pledge of allegiance to the Flag at 5:35 PM.

1. ANNOUNCEMENTS

Chairperson Marie Livelsberger announced the following items are on the information table: attendance sign-in forms for the official record of who is in attendance, agendas for the public, a notebook containing approved minutes from prior meetings and a notebook containing prior meeting bill lists. Chair Livelsberger thanked the audience for taking the time to attend tonight's meeting and stated the goal is to end the business portion of the meeting by 6:00 PM and the rest of the meeting by 6:15 PM. She continued saying that residents will have the opportunity to provide public comments related to agenda items before official action is taken and non-agenda related items after the business portion of the meeting has been completed. She stated that the chair reserves the right to impose a time limit on public comment if needed. Chair Livelsberger mentioned that if one is unable to remain at the meeting until the appropriate time for public comment, they should write their name, address, and comments on a sheet of paper and place it on the table at the back of the room. The chair would then read the comments into the record during public comment.

UPCOMING TOWNSHIP MEETINGS

Please note that all meetings are held at the Township's Municipal Building and begin at 6:30 PM unless otherwise noted below.

January 5 – Board of Supervisors

2. BUSINESS ITEMS

- A) Consider a motion regarding an ordinance amending provisions of the Police Pension Plan to incorporate changes agreed to through collective bargaining (**Public Hearing**)

Chair Livelsberger noted that the Public Hearing from the December 4 meeting remained opened and announced that public comments would be taken. Mr. Speedy noted four exhibits for the Board: Exhibit B1 – notice of hearing, B2 – proof of publication in the Town and Country newspaper on November 20, 2025, B3 – text of proposed ordinance, B4 – proof of publication of re-advertisement on December 11, 2025. Hearing no further comments, Chair Livelsberger closed the Public Hearing. Motion to approve an ordinance amending provisions of the Police Pension Plan to incorporate changes agreed to through collective bargaining was **made by** Kurt Zebrowski, **seconded by** Ross Snook and it **carried 5-0**.

- B) Consider a motion regarding a resolution to ratify and authorize the purchase of real property located at 2951 North Charlotte Street

Mr. Gwynn noted that the Township pursued the purchase of 2951 North Charlotte Street due to its strategic location adjacent to the municipal complex, representing the only practical opportunity for future expansion or relocation of Public Works operations. The 1.023-acre property includes a single-family home and detached garage and was listed for \$399,000. After an initial unsuccessful offer, the Township submitted a revised offer of \$399,000, contingent on appraisal, which was accepted on December 2. An independent appraisal valued the property at \$405,000, supporting the purchase price. Closing is scheduled for January 8 and will be funded through the Township General Fund. The Board approved a resolution in public session ratifying the acquisition. Following settlement on January 8, the Township may consider options including but not limited to a lot line change, sale or rental of the home, or long-term retention of the property to support future municipal needs.

Michael Bobek, 3041 Lutheran Road, expressed his concerns about the Board's intended use for the potential property acquisition at 2951 North Charlotte Street, suggesting that the Township would be taking a relatively affordable property off the market. He also noted general concerns about the proposed tax increase.

Motion to approve a resolution to ratify and authorize the purchase of real property located at 2951 North Charlotte Street was **made by** Ross Snook, **seconded by** Kurt Zebrowski and it **carried 5-0**.

- C) Consider a motion regarding authorizing PFM Financial Advisors, LLC, Curtin and Heefner, and the Township Solicitor to prepare an advertisement for a proposed ordinance for the purchase of real property located at 2951 North Charlotte Street

Jamie Schlesinger, Managing Director of PFM Financials Advisors, LLC, presented an overview of the financial and budget details, along with an explanation of the proposed loan structure.

Motion to authorize PFM Financial Advisors, LLC, Curtin and Heefner, and the Township Solicitor to prepare an advertisement for a proposed ordinance for the purchase of real property

located at 2951 North Charlotte Street was **made by** Ross Snook, **seconded by** Keith Youse and it **carried 5-0**.

3. PUBLIC COMMENT

Bill Moyer, 2910 Reifsnnyder Road, commended the Board for taking the opportunity to buy the real estate of the adjoining property at 2951 North Charlotte, for any future purposes. He also endorsed the Board incurring debt for something of value as opposed to irresponsible overspending.

Michael Bobek, 3041 Lutheran Road, opined that it would be an act of responsible governance for the Board to make it known now if they're not interested in owning real estate and share the specific reason for purchasing the property, especially if the intent is to return the property to the real estate market.

4. BOARD ANNOUNCEMENTS

Keith Youse asked how many years since a tax increase. Mr. Gwynn clarified that it's been twenty years since a municipal tax increase, and a tax decrease occurred in 2018. Additionally, he asked Bill Moyer if he remembered a day when the Township couldn't afford ammunition and the Police Department almost didn't qualify for firearms training, which meant that officers would be ineligible to be on patrol.

Ross Snook noted that he asked John Moran of the Environmental Advisory Board (EAB) to attend Douglass Township's meeting on pollution. Mr. Snook will ask Mr. Moran to give a presentation on pollution and PFAS. Additionally, Mr. Snook resigned from the EAB effective immediately but requested to serve as the Board's liaison to the EAB. Lastly, Mr. Snook welcomed Russel Oister, Jr., to the Board of Supervisors. He requested that Mr. Oister amend his original submission to the PA Ethics Commission to include information that was previously omitted to ensure no conflict exists when Mr. Oister joins the Board in January.


Kurt Zebrowski spoke to Mr. Bobek and stated that he is correct in thinking the Board is not interested in becoming a land bank, but it is good to get property for inevitable growth. Additionally, he wished everyone Happy Holidays.

Boone Flint noted that the six years he served on the Board went by quickly and he expressed his appreciation for the Board.

Marie Livelsberger thanked Boone for his six years of service. She wished everyone a Merry Christmas and a Happy New Year.

5. ADJOURNMENT

Motion to adjourn was **made by** Keith Youse, **seconded by** Kurt Zebrowski. The meeting was adjourned at 6:19 PM.



Jamie L. Gwynn, Township Manager/Secretary



Board of Supervisors Meeting
January 15, 2026

MEETING MINUTES

A meeting of the New Hanover Township Board of Supervisors was held at the New Hanover Township Municipal Building, 2943 N. Charlotte Street, Gilbertsville, PA 19525 on January 15, 2026. Present were Supervisors Marie Livelsberger, Kurt Zebrowski, Keith Youse, Ross Snook, and Russel Oister, Jr. Also present were Township Solicitor Patrick McKenna, Township Director of Planning and Zoning Mark Donovan, Township Manager Jamie Gwynn, and Administrative Assistant Kate Kline. The meeting was video recorded by Nicholas Pontski of Legal Focus Media on behalf of Royal Court Reporting. The meeting was called to order and opened with a pledge of allegiance to the Flag at 6:30 PM.

1. ANNOUNCEMENTS

Chairperson Marie Livelsberger announced the following items are on the information table: attendance sign-in forms for the official record of who is in attendance, agendas for the public, a notebook containing approved minutes from prior meetings and a notebook containing prior meeting bill lists. Chair Livelsberger thanked the audience for taking the time to attend tonight's meeting and stated the goal is to end the business portion of the meeting by 9:30 PM and the rest of the meeting by 10:00 PM. She continued saying that residents will have the opportunity to provide public comments related to agenda items before official action is taken and non-agenda related items after the business portion of the meeting has been completed. She stated that the chair reserves the right to impose a time limit on public comment if needed. Chair Livelsberger mentioned that if one is unable to remain at the meeting until the appropriate time for public comment, they should write their name, address, and comments on a sheet of paper and place it on the table at the back of the room. The chair would then read the comments into the record during public comment.

UPCOMING TOWNSHIP MEETINGS

Please note that all meetings are held at the Township's Municipal Building and begin at 6:30 PM unless otherwise noted below.

January 20 – New Hanover Township Authority

January 22 – Zoning Hearing Board (6:00PM)

February 4 – Recreation Committee

February 5 – Board of Supervisors

2. REPORTS

A) Authorities, Boards, and Commissions

Rusty Oister provided an update on behalf of the Ad-Hoc Deer Management Committee. Four deer were harvested in the second season. Two deer were donated to Hunter Harvest to be given out at food pantries.

Ross Snook provided an update on behalf of the Environmental Advisory Board (EAB). Mr. Snook introduced John Moran, Chair of the EAB, who gave a presentation on the Boyertown Landfill HSCA Site Informational Session held at the Gilbertsville Fire and Rescue on December 10, 2025. He highlighted the history of the landfill, per- and polyfluoroalkyl substances (PFAS) findings, and next steps. Mr. Zebrowski asked if DEP has looked into potential contamination in Minister Creek. Michael Conner, 3321 Church Road, noted that it was stated testing was done in Minister Creek. Sue Smith, 568 Buchert Road, asked Mr. Moran what people do with the water filters once they are used and Mr. Snook clarified that they are incinerated.

Mr. Gwynn presented Mr. Moran with the Community Champion belt. Mr. Gwynn expressed gratitude to Mr. Moran for everything he does for the Township volunteering and for serving on the EAB.

B) Assistant to the Manager

Ashlee Frey reported on recent activities, stating that the website re-design is in progress, she is working on developing the spring edition of the Township Newsletter, and grant submissions provided the Township with \$826,000 funding in total so far.

C) Finance Department

Mark Donovan presented the finance report on behalf of Michele Smith. He noted that the expenses for December totaled \$713,807.66 and \$173,748.51 was paid out for payroll. The MS-999 report was completed on December 29, 2025, and submitted to PennDOT for all road work completed in 2025 using Liquid Fuels funds.

D) New Hanover Township Authority

Kirt Michaels reported that Blooming Glen completed the installation of all five blower motors on December 23, 2025, however, on December 29, sludge holding blower #1 started leaking oil. All faulty parts were replaced, and the unit was re-installed on January 5, 2026. Mr. Michaels also reported that a jib crane was ordered from Reading Crane and PR Painting came out to repair several spots on the floor in the headworks building that were delaminating. Repairs have been completed, but the color match and finish is not correct and will be fixed at another date.

E) Planning and Zoning Department

Mark Donovan reported on enforcement issues and provided an update on stormwater inspection reports, noting that it will be strictly self-inspections for 2026, beginning in late March and due by May 28. He also reported that all building permit forms have been updated.

F) Police Department

Chief Jay Ciarllo reported there was 1316 calls for service in November. He highlighted notable successes and convictions- Detective Coyle recovered \$98,000 for a resident in a scam case,



Board of Supervisors Meeting
February 5, 2026

MEETING MINUTES

A meeting of the New Hanover Township Board of Supervisors was held at the New Hanover Township Municipal Building, 2943 N. Charlotte Street, Gilbertsville, PA 19525 on February 5, 2026. Present were Supervisors Marie Livelsberger, Kurt Zebrowski, Keith Youse, Ross Snook, and Russel Oister, Jr. Also present were Township Solicitor Patrick McKenna, Township Director of Planning and Zoning Mark Donovan, Township Manager Jamie Gwynn, and Administrative Assistant Kate Kline. The meeting was called to order and opened with a pledge of allegiance to the Flag at 6:30 PM.

1. ANNOUNCEMENTS

Chairperson Marie Livelsberger announced the following items are on the information table: attendance sign-in forms for the official record of who is in attendance, agendas for the public, a notebook containing approved minutes from prior meetings and a notebook containing prior meeting bill lists. Chair Livelsberger thanked the audience for taking the time to attend tonight's meeting and stated the goal is to end the business portion of the meeting by 9:30 PM and the rest of the meeting by 10:00 PM. She continued saying that residents will have the opportunity to provide public comments related to agenda items before official action is taken and non-agenda related items after the business portion of the meeting has been completed. She stated that the chair reserves the right to impose a time limit on public comment if needed. Chair Livelsberger mentioned that if one is unable to remain at the meeting until the appropriate time for public comment, they should write their name, address, and comments on a sheet of paper and place it on the table at the back of the room. The chair would then read the comments into the record during public comment.

UPCOMING TOWNSHIP MEETINGS

Please note that all meetings are held at the Township's Municipal Building and begin at 6:30 PM unless otherwise noted below.

February 9 – Planning Commission

February 9 – Environmental Advisory Board

February 11 – Planning Commission

February 17 – New Hanover Township Authority

E) Planning and Zoning Department

Mark Donovan reported on two recent Zoning Hearing Board decisions. Both were granted variances for setbacks on their side yards. Additionally, he reported that Aqua will have a Zoning Hearing on February 26 to discuss per- and polyfluoroalkyl substances (PFAS) treatment upgrades on Turnbury Road. Mr. Donovan noted that stormwater BMP inspection compliance letters have been issued and he is working with property owners to coordinate remediation. Lastly, he noted that he has been made aware of the issues on Henning Road where the homeowner has water running into the road and it is freezing. A representative from the DEP is coordinating a meeting between the property owner and various permitting agencies.

F) Police Department

Corporal Salvo presented the report on behalf of Chief Jay Ciarlrello. He noted there were 1,148 calls of service in December. He reported that the Police Department is officially accredited and will be receiving their certificate in March. Lastly, he spoke about the Veteran's Response Team, launched in 2022, which consists of police officers with prior military experience who assist veterans in crisis.

G) Public Works Department

Jay Kowal reported on activities in January including pipe replacement on North Charlotte Street, a snow event where crews spent 36 hours plowing, and collection of 200 Christmas trees to be turned into mulch. Chair Livelsberger presented the Community Champion belt to Mr. Kowal and the Public Works Department for a job well done in keeping the roads clear and community safe during the snow storm.

H) Recreation Department

Megan Haas reported that 47 people attended the Frosty Frolic event on January 31. She also reported that Green-Walk Hatchery will be providing the fish for the Fishing Derby event in May. The Township will pay \$2,990 for 300 fish and the Hatchery will be donating an additional \$500 worth of fish and offering free delivery. Additionally, Ms. Haas stated that the contract for the YMCA Summer Camp held at Community Park has been received and will be reviewed by the Township. There is an increase of \$180 in costs associated with holding the camp, which was discussed at the February 4 Recreation Committee meeting. Nonresident fees will be increased by \$10 to offset the additional costs. Lastly, Ms. Haas is reaching out to food truck vendors for the 2026 Fall Frolic.

I) Township Engineer

Dan Gray reported that the Road Program for the Ultra-Thin Bonded Wearing Course has been advertised, with bids due by February 24. He also provided development and construction updates, as outlined in his January 27 report to the Board. Sharon Hoffman of Windlestrae commented on Montgomery View's responsibility for paving Middle Creek Road to Swamp Pike and noted that the roadway is currently deteriorating. Mr. Gray clarified that Montgomery View is addressing stormwater management issues and landscaping, with the expectation that the roads will be paved later this year. Ms. Hoffman also expressed concern regarding non-compliance letters received regarding stormwater BMPs in Windlestrae. Mr. Gray clarified that the letters were issued as part of the 2025 BMP Inspection Program and that follow up action was noted on the inspection report included with the letter. Ms. Hoffman was invited to schedule a time with Township staff to discuss.



Board of Supervisors Meeting
March 5, 2026

MEETING MINUTES

A meeting of the New Hanover Township Board of Supervisors was held at the New Hanover Township Municipal Building, 2943 N. Charlotte Street, Gilbertsville, PA 19525 on March 5, 2026. Present were Supervisors Marie Livelsberger, Kurt Zebrowski, Keith Youse, Ross Snook, and Russel Oister, Jr. Also present were Township Solicitor Patrick McKenna, Township Engineer Dan Gray, Township Director of Planning and Zoning Mark Donovan, Township Manager Jamie Gwynn, and Administrative Assistant Kate Kline. The meeting was called to order and opened with a pledge of allegiance to the Flag at 6:30 PM.

1. ANNOUNCEMENTS

Chairperson Marie Livelsberger announced the following items are on the information table: attendance sign-in forms for the official record of who is in attendance, agendas for the public, a notebook containing approved minutes from prior meetings and a notebook containing prior meeting bill lists. Chair Livelsberger thanked the audience for taking the time to attend tonight's meeting and stated the goal is to end the business portion of the meeting by 9:30 PM and the rest of the meeting by 10:00 PM. She continued saying that residents will have the opportunity to provide public comments related to agenda items before official action is taken and non-agenda related items after the business portion of the meeting has been completed. She stated that the chair reserves the right to impose a time limit on public comment if needed. Chair Livelsberger mentioned that if one is unable to remain at the meeting until the appropriate time for public comment, they should write their name, address, and comments on a sheet of paper and place it on the table at the back of the room. The chair would then read the comments into the record during public comment.

UPCOMING TOWNSHIP MEETINGS

Please note that all meetings are held at the Township's Municipal Building and begin at 6:30 PM unless otherwise noted below.

March 9 – Environmental Advisory Board

March 11 – Planning Commission

March 17 – New Hanover Township Authority

March 26 – Zoning Hearing Board

April 1 – Recreation Committee

April 2 – Board of Supervisors

2. SPECIAL PRESENTATIONS

A) Police Department Accreditation

James Adams, Accreditation Program Coordinator, awarded the Police Department their accreditation from the Pennsylvania Law Enforcement Accreditation Commission (PLEAC). Chief Jay Ciarllo presented Police Specialist, Joanna Vanaman and Corporal Matt Dean with Commendation Awards for their hard work and dedication during the accreditation process. Chief Ciarllo also recognized Officer Tom Rosa with the first ever Police Officer of the Year Award.

B) Grant Award Check Presentation

State Senator Tracy Pennycuik and State Representative Donna Scheuren presented the Sewer Authority with a \$350,000 check to fund a bypass connection for the Swamp Creek Pump Station, creating an additional connection point the Authority can use to move and haul wastewater should an emergency occur. They also presented the New Hanover Township Police Department with a \$225,708 check to support the purchase of three new police vehicles over the next three years.

3. REPORTS

A) Authorities, Boards, and Commissions

Rusty Oister provided an update on behalf of the Ad-Hoc Deer Management Committee and highlighted details regarding the first year of the three year pilot program. Mr. Oister shared season stats, including that fifteen total deer were harvested and two of those fifteen deer were donated to “Hunters Sharing Their Harvest” benefiting local food pantries. He reported on proposed changes for next season, including lowering required hunting hours from fifteen hours to ten hours, flex alternates for areas not being adequately hunted, allowing hunting on Sundays, and a new app that will be utilized to track hours. He reported that 21 acres were located on the Sewer Authority property that could be used for next season. Supervisor Youse asked Rusty to speak with the Game Commission on the possibility of using a shotgun safely to hunt. Mr. Oister clarified that he has already done research on this and it would not be worth it to allow shotguns at the only site possibly feasible site, Parestis Park.

John Moran, Chairman of the Environmental Advisory Board (EAB), provided an update on planting at Swamp Creek Park and Moyer Road. Mr. Moran also noted that birdhouses will be fixed and placed within the parks this spring and that Sunni Barndt from the Perkiomen Watershed Stewards presented on invasive species at the EAB meeting on February 9.

B) Assistant to the Manager

Kate Kline provided the report on behalf of Ashlee Frey, noting that Ms. Frey had been working on updating the Township Safety Manuals, finalizing the Township newsletter, and completing a Montco 2040 grant application and a Pennsylvania Department of Conservation and Natural Resources (DCNR) Community Conservation Partnerships Program (C2P2) grant application for the Moyer Road Meadows and Trails Project.

C) Finance Department

Michele Smith provided the finance report, sharing that the total expenses for February were \$259,902.06 and \$185,296.92 was paid out in payroll. This amount exceeded the approved amount of \$175,000 due to Public Works overtime for snow events. Ms. Smith also shared that the Liquid Fuels 2026 payment was received in the amount of \$426,088.76.

D) New Hanover Township Authority

Kirt Michaels provided the Authority report, highlighting that Top Tech Integrators performed the annual fire alarm inspection at the administration building. The system passed inspection, with the exception of one strobe light in the garage area that needs replacement. The system was also updated to their call monitoring program. Keystone Engineering updated the SCADA alarm system. Adjustments were made to delay alarm call-out times and modify R.A.S. flow rate settings. Additionally, both electric heaters at the Swamp Creek Pump Station failed. Staff temporarily assembled one functioning unit using parts from both heaters. A replacement heater has been ordered and will be installed upon arrival.

E) Planning and Zoning Department

Mark Donovan provided an update on code enforcements and the Stormwater Inspection Program and shared that the Zoning Hearing Board granted variances to Aqua for the PFAS upgrades on Turnbury Road at the Zoning Hearing on February 26.

F) Police Department

Chief Ciarlallo provided the Police Department report, noting that there were 1,308 calls of service in January.

G) Public Works Department

Jay Kowal provided the Public Works report, noting that stop signs were repaired on Magnolia Drive, North Schaffer Road, and Little Road. Potholes were filled on Moyer Road, Romig Road, and Houseman Road. Mr. Kowal reported that truck #8 had new plow lights installed, truck #3 had a new plow blade installed, and the pressure washer was serviced and repaired.

H) Recreation Department

Ms. Kline provided the Recreation report on behalf of Megan Haas, noting that since the March 2 launch date, the Township has received 19 pool membership and five facility rental reservation through RecDesk. Ms. Kline also reported that fishing rods, a tackle box, and other supplies were donated as prizes for the Fishing Derby from Lower Pottsgrove Township. Additionally, she reported that the Recreation Committee decided to offer hot dogs, chips, and drinks at the upcoming Touch-A-Truck event and that the main entertainment providers have confirmed availability for the Fall Frolic.

I) Township Engineer

Dan Gray provided the Engineer report, noting that the 2026 Road Program went to bid with Asphalt Maintenance Solutions submitting the lowest responsible bid for the project. Additionally, he provided subdivision and land development and construction updates.



Board of Supervisors Meeting
April 2, 2026

MEETING MINUTES

A meeting of the New Hanover Township Board of Supervisors was held at the New Hanover Township Municipal Building, 2943 N. Charlotte Street, Gilbertsville, PA 19525 on April 2, 2026. Present were Supervisors Marie Livelsberger, Kurt Zebrowski, Ross Snook, and Russel Oister, Jr. Supervisor Keith Youse was absent. Also present were Township Solicitor Theodore Speedy, Township Engineer Dan Gray, Township Manager Jamie Gwynn, and Administrative Assistant Kate Kline. The meeting was called to order and opened with a pledge of allegiance to the Flag at 6:31 PM.

1. ANNOUNCEMENTS

Chairperson Marie Livelsberger announced the following items are on the information table: attendance sign-in forms for the official record of who is in attendance, agendas for the public, a notebook containing approved minutes from prior meetings and a notebook containing prior meeting bill lists. Chair Livelsberger thanked the audience for taking the time to attend tonight's meeting and stated the goal is to end the business portion of the meeting by 9:30 PM and the rest of the meeting by 10:00 PM. She continued saying that residents will have the opportunity to provide public comments related to agenda items before official action is taken and non-agenda related items after the business portion of the meeting has been completed. She stated that the chair reserves the right to impose a time limit on public comment if needed. Chair Livelsberger mentioned that if one is unable to remain at the meeting until the appropriate time for public comment, they should write their name, address, and comments on a sheet of paper and place it on the table at the back of the room. The chair would then read the comments into the record during public comment.

UPCOMING TOWNSHIP MEETINGS

Please note that all meetings are held at the Township's Municipal Building and begin at 6:30 PM unless otherwise noted below.

April 6 – Planning Commission

April 8 – Planning Commission

April 13 – Environmental Advisory Board

April 21 – New Hanover Township Authority

May 6 – Recreation Committee

2. REPORTS

A) Authorities, Boards, and Commissions

John Moran, Chairman of the Environmental Advisory Board (EAB), reported that Beth Uhler from the Pennsylvania Department of Environmental Protection (DEP), gave a presentation to the EAB at the meeting on March 9. He also reported that Swamp Creek Park has been planted with seeds donated by the Bee and Butterfly Foundation. Lastly, he reminded everyone of the East Moyer Road cleanup taking place on Saturday, April 4, and stated there will be a Birdhouse Builders Workshop on May 21. He also stated that the EAB is looking for volunteers to help remove invasive species from Township property.

B) Assistant to the Manager

Ashlee Frey reported that the new website is in the content phase and the new website will be launched on June 1. She stated the Township newsletter will be delivered this upcoming week. Lastly, she stated that she is working on the application for the Department of Conservation and Natural Resources (DCNR) Community Conservation Partnership Program (C2P2) grant and will submit before the April 30 deadline.

C) Finance Department

Michele Smith provided the Finance report, sharing that the total expenses for March were \$466,028.11 and \$170,297 was paid out in payroll. She shared that the Township would begin offering supplemental insurance to employees through Mutual of Omaha.

D) New Hanover Township Authority

Kirt Michaels provided the Authority report, highlighting that Drew Meixell, Mark Donovan, and he met to discuss Capital Improvement initiatives. He also shared that the plant passed the DEP annual inspection and all of the hoists at the plant were inspected and passed. Lastly, he shared that the UV system experienced a glitch and that the jib crane was installed and used.

E) Planning and Zoning Department

Jamie Gwynn gave the Planning and Zoning report, highlighting that the eviction process has begun and the shipping container issue on private property at 2079 Big Road will be addressed as soon as the property owner gains access to the property. Additionally, he reported that Mr. Donovan received quotes on high density storage solutions that is about \$32,000 and \$30,000 was budgeted for this expense in the 2026 Budget. Lastly, he reported that stormwater inspection letters have been mailed to property owners for the 2026 self-inspections.

F) Police Department

Chief Jay Ciarllo provided the Police Department report, noting there were 1,098 calls of service in February. He highlighted notable trainings the officers completed and shared his contact information with residents.

G) Public Works Department

Jay Kowal provided the Public Works report, highlighting that the inlet on Church Road was repaired and there was a tree down on Faust Road, causing the road to be closed until crews could remove the tree. Mr. Kowal shared that the existing playground equipment would be removed and



Board of Supervisors Meeting
May 7, 2026

MEETING MINUTES

A meeting of the New Hanover Township Board of Supervisors was held at the New Hanover Township Municipal Building, 2943 N. Charlotte Street, Gilbertsville, PA 19525 on May 7, 2026. Present were Supervisors Marie Livelsberger, Kurt Zebrowski, Ross Snook, Keith Youse and Russel Oister, Jr. Also present were Township Solicitor Patrick McKenna, Township Engineer Dan Gray, Township Director of Planning and Zoning Mark Donovan, Township Manager Jamie Gwynn, and Administrative Assistant Kate Kline. The meeting was called to order and opened with a pledge of allegiance to the Flag at 6:31 PM.

1. ANNOUNCEMENTS

Chairperson Marie Livelsberger announced the following items are on the information table: attendance sign-in forms for the official record of who is in attendance, agendas for the public, a notebook containing approved minutes from prior meetings and a notebook containing prior meeting bill lists. Chair Livelsberger thanked the audience for taking the time to attend tonight's meeting and stated the goal is to end the business portion of the meeting by 9:30 PM and the rest of the meeting by 10:00 PM. She continued saying that residents will have the opportunity to provide public comments related to agenda items before official action is taken and non-agenda related items after the business portion of the meeting has been completed. She stated that the chair reserves the right to impose a time limit on public comment if needed. Chair Livelsberger mentioned that if one is unable to remain at the meeting until the appropriate time for public comment, they should write their name, address, and comments on a sheet of paper and place it on the table at the back of the room. The chair would then read the comments into the record during public comment.

UPCOMING TOWNSHIP MEETINGS

Please note that all meetings are held at the Township's Municipal Building and begin at 6:30 PM unless otherwise noted below.

May 11 – Planning Commission

May 11 – Environmental Advisory Board

May 12 – Ad-Hoc Deer Management Committee (6:00 PM)

May 13 – Planning Commission

May 14 – Board of Supervisors

2. PRESENTATIONS

A) Basin Retrofit Program Update

Beth Uhler from the Center for Watershed Protection presented an update on her work to date regarding the Basin Retrofit Program. She stated the goals of the program are to improve water quality, enhance flood control, reduce maintenance costs, improve aesthetics, and provide habitat for wildlife. She highlighted the top three basins that should be focused on first for potential grant applications.

3. REPORTS

A) Authorities, Boards, and Commissions

John Moran, Chair of the Environmental Advisory Board, provided an update on ongoing projects including soybean planting on Moyer Road and the recent road cleanup on East Moyer Road. He reminded residents of the upcoming Birdhouse Builder Workshop on May 21 and asked for volunteers to assist with removing invasive weeds on June 26 and June 27.

B) Assistant to the Manager

Ashlee Frey reported that the website redesign is in the quality assurance phase. She stated that she received quotes from numerous different companies regarding the generators and compared costs. Lastly, she stated the Department of Conservation and Natural Resources (DCNR) Community Conservation Partnerships Program (C2P2) grant was submitted and award announcements are expected to be announced in the fall of 2026.

C) Finance Department

Jamie Gwynn provided the report on behalf of Michele Smith who was absent. Mr. Gwynn reported that There were \$697,800 in expenses for the month of April. \$312,840 of the total is the renovation loan payment. \$254,376.01 was paid out in payroll. This is over the approved amount of \$175,000 due to there being 3 pays in April. Mr. Gwynn also reported that the 2025 audit has been completed, and the report has been filed with the Pennsylvania Department of Community and Economic Development (DCED).

D) New Hanover Township Authority

Kirt Michaels reported that he attended meetings with MGK, Blooming Glen, Municipal Maintenance (General contractors) and Advanced Rehabilitation Technology (Wet well lining) at Swamp Creek pump station to let them see the work site and discuss any question they had about the bypass connection project. He also reported that Excelsior Blower Systems repaired the Sludge Holding and Digester Blowers. The Authority worked with Excelsior to secure an extension on the warranty for all the blowers. Additionally, he stated that Montco Fence removed the existing entry gate and installed a new electric gate in its place and Johnson Controls installed a camera facing the gate entrance area. The camera was integrated into the Township network and is monitored by the Police Department.

NEW HANOVER TOWNSHIP

Environmental Advisory Board Meeting

August 11, 2025 – 6:30 PM

MEETING MINUTES

The regular monthly meeting of the New Hanover Township Environmental Advisory Board was held on August 11, 2025, and was called to order at 6:30 pm. The present board members were John Canale, Jon Moran, Wendy Wadsworth, and William Snook.

After the Pledge of Allegiance, Mr. Snook read the announcements.

Consent items

A motion was made by Mr. Moran to approve the meeting minutes from the June 9, 2025, meeting. This motion was seconded by Ms. Wadsworth. Motion carried 4-0.

Discussion items

- A) The Swamp Creek Park Meadows project – Soybean planting was completed this afternoon, and the existing area is coming up good! The southeast corner (the first area to be planted) will be cut and bailed and planted with flowers. It may need to be disked.
- B) The new Meadow Project for Moyer Road - plans are in progress to include a walking trail and wildflower area.
- C) We are looking for volunteers to help with invasive weed management at our parks
- D) Bird House maintenance continues. Back-to-back birdhouses are not compatible with Bluebirds
- E) Ross has asked the board to look at LAND ID and MAPS3D.IO to help suggest a company for the 3D map
- F) Educational opportunities are available for the PSU MWSP
- G) The rainfall study is awaiting an update and Mr. Canale would like to get information from the Sewer Authority for the update.
- H) New Brunswick aquifer – monitoring our drinking water levels – (PA Dept. of Health Observation Wells – located in Montgomery Co.)- awaiting update
- I) The stream bank erosion study is ongoing. New rebar will be placed in erosion area.
- J) New Brunswick Aquifer just starting to rebound and accept water.
- K) A Fall give away for trees has been added, there are 1,500 trees ordered for 3 townships.
- L) “Build a birdhouse” workshop was a success, and we would like to plan another for Spring of 2026
- M) Some new ideas for the EAB in the coming season are stream and community clean ups, possible tent with table and info about “the goings on” of our board for the Fall Frolic. We could organize a yearly Earth Day event. Let’s learn more about water impact studies, how we can get current in our township and county, in what ways can our residents relate and

NEW HANOVER TOWNSHIP

Environmental Advisory Board Meeting

September 8, 2025 – 6:30 PM

MEETING MINUTES

The regular monthly meeting of the New Hanover Township Environmental Advisory Board was held on September 8, 2025, and was called to order at 6:30 pm. The present board members were John Canale, Jon Moran, Wendy Wadsworth, and William Snook.

After the Pledge of Allegiance, Mr. Snook read the announcements.

Consent items

A motion was made by Mr. Moran to approve the meeting minutes from the June 9, 2025, meeting. This motion was seconded by Ms. Wadsworth. Motion carried 4-0.

Discussion items


- A) The Swamp Creek Park Meadows project is going well – Soybean planting area is coming up good! The southeast corner (the first area to be planted) will be cut and bailed and planted with flowers.
- B) 10 Monarch Caterpillars were released in Swamp Creek Park on 8/21/25
- C) A suggestion has been made by Kate at Parks and Rec. to start a caterpillar campaign. To possibly include residents that are interested in purchasing a butterfly habitat for designated township parks.
- D) The new meadow project for Moyer Road should be ready for cereal rye this Fall and Soybeans in the Spring.
- E) We continue to look for volunteers to help with invasive weed management at our parks.
- F) Birdhouse maint. will likely occur this winter.
- G) Ross will recommend MAPS3D to the BOS at the next meeting. This could become a requirement for larger scale development in the township.
- H) There are still EAC (zoom) educational opportunities through PSU MWSP
- I) Mr. Canale was able to get information from the Sewer Authority for rainfall amounts and will continue to process and gather data.
- J) New Brunswick aquifer – monitoring our drinking water levels – (PA Dept. of Health Observation Wells – located in Montgomery Co.)- awaiting update on locations from Ross. These wells may be able to be tracked on-line through the counties web site.
- K) The stream bank erosion study is ongoing. New rebar will be placed in erosion area.
- L) New Brunswick Aquifer is exhibiting downward trend due to earlier drought. Please watch water use!!!
- M) A Fall give away for trees has been added, there are 1,500 trees ordered for 3 townships. Tree give away dates are 8/20 and 8/27 from 9-12am

- N) "Build a birdhouse" workshop was a success, and we would like to plan another for Spring of 2026
- O) Some new ideas for the EAB in the coming season are stream and community clean ups, possible tent with table and info about "the goings on" of our board for the Fall Frolic. We could organize a yearly Earth Day event. Let's learn more about water impact studies, how we can get current in our township and county, in what ways can our residents relate and understand how new development affects our water table and why sump pumps are not good for groundwater. Bee hives may be a good idea for our parks and pollination. Is there interest in another rain barrel workshop?

Public Comment – No public comment

Board Announcements – There was discussion about Aqua and water usage in the township. The board would like to know more about water impact studies, including how often they are done and if they are accounting for private permits or other well usages. How accurate are the studies in relation to the data used by new developers.

A motion was made by Ms. Wadsworth to adjourn the meeting and second was made by Mr. Canale; motion carried 4-0. The meeting was adjourned at 7:20 pm.



John Canale, Secretary

NEW HANOVER TOWNSHIP

Environmental Advisory Board Meeting

October 20, 2025 – 6:30 PM

MEETING MINUTES

The regular monthly meeting of the New Hanover Township Environmental Advisory Board was held on October 20, 2025, and was called to order at 6:30 pm. The present board members were John Canale, Jon Moran and William Snook.

After the Pledge of Allegiance, Mr. Snook read the announcements.

Consent items

A motion was made by Mr. Moran to approve the meeting minutes from the September 8, 2025, meeting. This motion was seconded by Mr. Canale. Motion carried 3-0.

Discussion items


- A) The Swamp Creek Park Meadows project is going well – Soybean planting area is coming up good! The southeast corner (the first area to be planted) will be cut and bailed and planted with flowers.
- B) 10 Monarch Caterpillars were released in Swamp Creek Park on 8/21/25
- C) Do we have interest in adopting a caterpillar campaign?
- D) The new meadow project for Moyer Road – progress application submitted Approved, next step is to discuss planting schedule, cereal rye and tillage radishes. Soybeans in the spring 2026.
- E) We continue to look for volunteers to help with invasive weed management at our parks.
- F) Birdhouse maint. will likely occur this winter.
- G) Ross will recommend MAPS3D to the BOS at the next meeting. This could become a requirement for larger scale development in the township.
- H) There are still EAC (zoom) educational opportunities through PSU MWSP
- I) Mr. Canale was able to get information from the Sewer Authority about rainfall amounts. He is now in touch with a teacher and students from BASH to help with the study.
- J) New Brunswick aquifer – monitoring our drinking water levels – (PA Dept. of Health Observation Wells – located in Montgomery Co.)- awaiting update on locations from Ross. These wells may be able to be tracked on-line through the county's web site.
- K) The stream bank erosion study is ongoing. New rebar will be placed in erosion area.
- L) New Brunswick Aquifer is exhibiting downward trend due to earlier drought. Please watch water use!!!
- M) We gave away 1,900 trees with the Fall tree give away!
- N) "Build a birdhouse" workshop was a success, and we would like to plan another for Spring of 2026

- O) Some new ideas for the EAB in the coming season are stream and community clean ups, possible tent with table and info about “the goings on” of our board for the Fall Frolic. We could organize a yearly Earth Day event. Let’s learn more about water impact studies, how we can get current in our township and county, in what ways can our residents relate and understand how new development affects our water table and why sump pumps are not good for groundwater. Bee hives may be a good idea for our parks and pollination. Is there interest in another rain barrel workshop?

Public Comment – No public comment

Board Announcements – Get out and vote!

A motion was made by Mr. Moran to adjourn the meeting and second was made by Mr. Canale; motion carried 3-0. The meeting was adjourned at 7:00 pm.



John Canale, Secretary

NEW HANOVER TOWNSHIP

Environmental Advisory Board Meeting

November 10, 2025 – 6:30 PM

MEETING MINUTES

The regular monthly meeting of the New Hanover Township Environmental Advisory Board was held on November 10, 2025, and was called to order at 6:30 pm. The present board members were John Canale, Jon Moran, William Snook, Wendy Wadsworth and Marcella Boettger.

After the Pledge of Allegiance, Mr. Snook read the announcements.

Consent items

A motion was made by Mr. Canale to approve the meeting minutes from the October 20, 2025, meeting. This motion was seconded by Mr. Moran. Wendy Wadsworth and Marcella Boettger abstained and motion carried 3-0.

Discussion items

- A) The Swamp Creek Park Meadows project is going well – Soybean planting area is coming up good! The seed arrived today from Bee and Butterfly.
- B) 10 Monarch Caterpillars were released in Swamp Creek Park on 8/21/25, we would like to release more next year.
- C) Do we have interest in adopting a caterpillar campaign?
- D) The new meadow project for Moyer Road – application submitted and approved; cereal rye has been planted.
- E) Soybeans will be planted in spring 2026.
- F) We continue to look for volunteers to help with invasive weed management at our parks.
- G) Birdhouse maint. continues this winter.
- H) Ross has recommended MAPS3D to the BOS and is awaiting a response. This could become a requirement for larger scale development in the township.
- I) There are still EAC (zoom) educational opportunities through PSU MWSP
- J) Mr. Canale was able to get information from the Sewer Authority about rainfall amounts. He is now in touch with a teacher and students from BASH to help with the study.
- K) New Brunswick aquifer – monitoring our drinking water levels – (PA Dept. of Health Observation Wells – located in Montgomery Co.)- awaiting update on locations from Ross. These wells may be able to be tracked on-line through the county's web site.
<https://pa-montgomerycounty2.civicplus.com/561/Groundwater-Monitoring>
- L) The stream bank erosion study is ongoing. New rebar will be placed in erosion area.
- M) New Brunswick Aquifer is exhibiting downward trend due to earlier drought. Please watch water use!!!
- N) The tree give away was a great success, we would like to do it again next year.

- O) "Build a birdhouse" workshop will be planned for Spring. Additional ideas for staining or painting birdhouses to help weatherproof are welcome.
- P) Some new ideas for the EAB in the coming season are stream and community clean ups, possible tent with table and info about "the goings on" of our board for the Fall Frolic. We could organize a yearly Earth Day event. Let's learn more about water impact studies, how we can get current in our township and county, in what ways can our residents relate and understand how new development affects our water table and why sump pumps are not good for groundwater. Bee hives may be a good idea for our parks and pollination. Is there interest in another rain barrel workshop?

Public Comment – Mike Conner would like to know how the township can approve more development if there is not enough water? Will residents be forced to buy water and if so, that could put local businesses like his out of business.

Board Announcements – Happy Veteran's Day tomorrow

A motion was made by Mr. Moran to adjourn the meeting and second was made by Ms. Wadsworth; motion carried 5-0. The meeting was adjourned at 7:02 pm.


John Canale, Secretary

NEW HANOVER TOWNSHIP

Environmental Advisory Board Meeting

December 8, 2025 – 6:30 PM

MEETING MINUTES

The regular monthly meeting of the New Hanover Township Environmental Advisory Board was held on December 8, 2025, and was called to order at 6:30 pm. The present board members were John Canale, Jon Moran, William Snook and Wendy Wadsworth.

After the Pledge of Allegiance, Mr. Snook read the announcements.

Consent items

A motion was made by Mr. Canale to approve the meeting minutes from the November 10, 2025, meeting. This motion was seconded by Mr. Moran. Motion carried 4-0.

Discussion items

- A) The Swamp Creek Park Meadows project is going well – Soybean planting area is coming up good! The seed has arrived from Bee and Butterfly, and we are waiting for good weather to plant.
- B) 10 Monarch Caterpillars were released in Swamp Creek Park on 8/21/25, we would like to release more next year and are in search of a new vendor.
- C) Do we have interest in adopting a caterpillar campaign? Follow up with Wendy about tagging butterflies.
- D) The new meadow project for Moyer Road – application submitted and approved; cereal rye has been planted. Consider next location for 2027, Hunters Run
- E) Soybeans will be planted in spring 2026.
- F) We continue to look for volunteers to help with invasive weed management at our parks.
- G) Birdhouse maint. continues this winter as we continue to look for new places to locate bird houses
- H) Ross has recommended MAPS3D to the BOS and is awaiting a response. This could become a requirement for larger scale development in the township.
- I) There are still EAC (zoom) educational opportunities through PSU MWSP
- J) Mr. Canale was able to get information from the Sewer Authority about rainfall amounts. He is now in touch with a teacher and students from BASH to help with the study and will try to update after the holidays.
- K) New Brunswick aquifer – monitoring our drinking water levels – (PA Dept. of Health Observation Wells – located in Montgomery Co.)- awaiting update on locations from Ross. These wells may be able to be tracked on-line through the county's web site.
<https://pa-montgomerycounty2.civicplus.com/561/Groundwater-Monitoring>

- L) We would like some clarification from the DRBC on the status of the New Brunswick Aquifer and recharge rates
- M) The stream bank erosion study is ongoing. New rebar has been placed 11/28/25
- N) New Brunswick Aquifer is exhibiting downward trend due to earlier drought. Please watch water use!!!
- O) The tree give away was a great success, we would like to do it again next year.
- P) "Build a birdhouse" workshop will be planned for Spring. Additional ideas for staining or painting birdhouses to help weatherproof are welcome.
- Q) Some new ideas for the EAB in the coming season are stream and community clean ups, possible tent with table and info about "the goings on" of our board for the Fall Frolic. We could organize a yearly Earth Day event. Let's learn more about water impact studies, how we can get current in our township and county, in what ways can our residents relate and understand how new development affects our water table and why sump pumps are not good for groundwater. Bee hives may be a good idea for our parks and pollination. Is there interest in another rain barrel workshop?

Public Comment – no public comment

Board Announcements – John Moran was able to attend the Boyertown Landfill meeting in December and provided notes and photos of the information that was discussed.

We will vote on a reorganization of the board at our next meeting. We have discussed John Moran taking Ross's place as chair and we will figure out the rest at our next meeting.

A motion was made by Mr. Moran to adjourn the meeting and second was made by Mrs. Wadsworth; motion carried 4-0. The meeting was adjourned at 7:05 pm.



John Canale, Secretary

NEW HANOVER TOWNSHIP

Environmental Advisory Board Meeting

February 9, 2026 – 6:30 PM

MEETING MINUTES

The regular monthly meeting of the New Hanover Township Environmental Advisory Board was held on February 9, 2026, and was called to order at 6:30 pm. The present board members were Jon Moran, Marcella Boettger and John Canale.

After the Pledge of Allegiance, Mr. Moran read the announcements.

Consent items

A motion was made by Mr. Canale to approve the meeting minutes from the January 12, 2026, meeting. This motion was seconded by Marcella Boettger and motion carried 3-0.

Discussion items

- A) Invasive species removal discussion. The board along with 2 attending residents (Sunny Barndt and Ross Snook) discussed the challenges of removing the invasive species and the benefits for native plants when they have the room and soil nutrients needed to survive.
- B) Swamp Creek Meadows project status is that we are waiting for agreeable weather conditions to plant wildflowers. Broadcasting the seeds will be best and there are some questions as to how crucial it is for soil contact and if the ground should be scarified. There are approximately 17 acres to be seeded.
- C) Monarchs and Milkweed topic, we have had discussions about finding a vendor and possibly adopting a Caterpillar campaign. While this could be a neat activity for township residents, we are not sure the habitats at the parks are established and ready to sustain the butterflies. We would like to investigate building the habitats that will nourish and sustain the caterpillars for future successful campaigns.
- D) Moyer Road meadow project is approved and awaiting next steps. Cereal Rye has been planted and Soybeans are next. Similar in size to Swamp Creek the planting area is about 16 acres.
- E) We are always on the lookout for volunteers to help with invasive weed management.
- F) Birdhouse maintenance is ongoing
- G) PSU Master Watershed Steward Program is an 8 week zoom program with a quiz at the end.
- H) Rainfall study is ongoing
- I) PA Department of Health is observing our wells located in Montgomery County and have updated the status as the aquifer is starting to recover. We are advised to conserve our usage.
- J) Stream bank erosion study is ongoing
- K) A build a birdhouse workshop has been tentatively scheduled for 5/21/2026
- L) Some new ideas for the EAB in the coming season are stream and community clean ups, possible tent with table and info about "the goings on" of our board for the Fall Frolic. We could organize a yearly Earth Day event. Let's learn more about water impact studies, how

NEW HANOVER TOWNSHIP

Environmental Advisory Board Meeting

March 9, 2026 – 6:30 PM

MEETING MINUTES

The regular monthly meeting of the New Hanover Township Environmental Advisory Board was held on February 9, 2026, and was called to order at 6:30 pm. The present board members were Jon Moran, Marcella Boettger, John Canale and Wendy Wadsworth.

After the Pledge of Allegiance, Mr. Moran read the announcements.

Consent items

A motion was made by Ms. Wadsworth to approve the meeting minutes from the February 9, 2026, meeting. This motion was seconded by Marcella Boettger and motion carried 4-0.

Discussion items

- A) Basin retrofit presentation by Beth Uhler. Beth is the PA director for the Center for Watershed Protection. A PDF of the presentation will be available through the township for interested parties. Ms. Uhler discussed the process of analyzing and selecting existing (prior to 2003) storm water basins in our township that are deemed worthy of retrofit based on certain criteria. There was discussion about MS4 credit, but it is unclear as to if the township is required by the state to earn credit. We could possibly circle back to a better understanding of the MS4 program. The analysis process took about 6 months last year and they have narrowed it down to 5 of 29 basins that they will present to the BOS.
- B) Bee and Butterfly Foundation Projects
 - Swamp Creek Meadows – waiting for good weather to plant and a decision on whether to disc lightly and broadcast then roll seed. Farmer Mike Connor will let us know.
 - Moyer Road – next step is to take off the cereal rye and put in soybeans (possibly May)
 - Next project will be Hunter's Run
- C) Birdhouses - maintenance is ongoing and we are working on firming up the date of May 21 for the Bluebird building workshop at Community Park.
- D) Invasive weed and species – we continued discussions about the pond at the NHT Police Department.
 - Management at Swamp Creek Park – PSU MWS, community schools/teachers as volunteers. We are working on our volunteer outreach. Mr. Canale has reached out to Mr. Maoury the principal at MSE in NHT. Mr. Maoury connected us with a couple of teachers to get in touch with regarding volunteer participation for the school and township with projects like trail clean up, Bluebird box building and repair and Trout rodeos.
- E) Water topics – Rainfall study is ongoing. Mr. Canale is in touch with Mr. Knight from the BASH who has students helping with the study and a presentation for the BOS.

Water topics continued...


Stream bank erosion study plan is due for an update and is expected to be checked this weekend by Mr. Snook.

The New Brunswick Aquifer status is that it is starting to rebound.

Public Comment – Shawn Smolsky asked about solar power and Mr. Moran said he would email some information.

Board Announcements – Mr. Canale asked if it was possible for the township to help promote the trash clean up effort mentioned by Sunni Barndt for the Moyer Rd township property. Also, it should be considered as an Earth Day event because we are the EAB it would be great to have an event each year in honor of Earth Day. Ms. Boettger suggested that we could possibly take a field trip to the Perkiomen Township Park to see and talk about the rain garden and postings they have done. Mr. Moran mentioned a grant that he was asked to apply for, to Montgomery County for help with costs with the Moyer Rd Meadow project.

A motion was made by Ms. Wadsworth to adjourn the meeting and second was made by Ms. Boettger; motion carried 4-0. The meeting was adjourned at 7:42 pm.



John Canale, Secretary

NEW HANOVER TOWNSHIP

Environmental Advisory Board Meeting

April 13, 2026 – 6:30 PM

MEETING MINUTES

The regular monthly meeting of the New Hanover Township Environmental Advisory Board was held on April 13, 2026, and was called to order at 6:40 pm. The present board members were John Moran, Marcella Boettger, John Canale, Wendy Wadsworth and Sunni Barndt.

After the Pledge of Allegiance, Mr. Moran read the announcements.

Consent items

A motion was made by Ms. Boettger to approve the meeting minutes from the March 9, 2026, meeting. This motion was seconded by Ms. Wadsworth and motion carried 4-0.

Discussion items

- A) Bee and Butterfly Foundation Projects
Swamp Creek Meadows – waiting for good weather to plant, likely in a day or two
Moyer Road – clean up event was a success with a mix of scouts and volunteers', next step is to take off the cereal rye and put in soybeans (possibly early June)
Next project will be Hunter's Run
- B) Birdhouses - maintenance is ongoing, boxes are being moved around at Community Park, so they are not back-to-back. There is discussion about what type of post will work best for new boxes. The Birdhouse building workshop is scheduled for May 21 at the barn at Community Park, 6:30pm. Notice will be posted on FB and possibly Freed's bulletin board.
- C) Invasive weed and species – the dates of 6/26 and 6/27 have been selected for volunteers to gather and work on weed clean up at Swamp Creek Park.
- D) Water topics – Rainfall study is ongoing. We are currently working on the rainfall study for NHT with BASH teacher/student help.
The task we have presented to the students at BASH is to chart or graph 5 years' worth of rainfall totals for NHT that were collected at our water treatment facility. We are looking for amounts of rain that exceeded 1 inch in a 24-hour period. The research we are doing is to study significant amounts of rainfall, when they most commonly occur and how often they occur. The students will present their work to the BOS at chosen time and receive credit from their teacher for participation in the study. We hope to turn this into an annual project and continue to collaborate with the BASH students. The rainfall study can be expanded farther back in time and kept current with the provided data from our township.

Our goal is to have the BASH students present their study at the next EAB meeting and possibly again at the next BOS meeting. We discussed contacting Carl Stewart from the BOS for rainfall data to be used in the next study.

Stream bank erosion study plan is due for an update.
The New Brunswick Aquifer status is that it is starting to rebound.

Public Comment – none

Board Announcements – Mr. Canale - I will be volunteering at a field trip for Boyertown MSE for their environmental education and Trailblazer Team Day 5/29. This is an event at Camelot Park in East Greenville where students will release Trout that they have been raising at the school. The event will also have several group stations where students will learn about:


The Live Cycle of a Trout, Macroinvertebrate Studies, Stream Ecology, Fly-Tying and casting techniques, build your own Blue bird nesting box station (group of 6/7) and additional environmental science activities. The school will be seeking permission to install a few of the nesting boxes at the park.

Again, the work with the schools is to help foster good community relations with our local teachers and students and help familiarize students with the EAB programs and projects. We hope to build a volunteer base for anyone who would like to help and give students a pathway to learning more about their local environment while earning credit for their studies!

Ms. Wadsworth has identified a new Eagle nest in our township and reported it to the PA Game Commission.

Mr. Moran would like to welcome Sunni Barndt to the board and looks forward to her future participation. Sunni is Master Watershed Steward and active in many roles advocating environmental awareness.

A motion was made by Ms. Wadsworth to adjourn the meeting and second was made by Ms. Boettger; motion carried 5-0. The meeting was adjourned at 7:32 pm.



John Canale, Secretary

NEW HANOVER TOWNSHIP

Environmental Advisory Board Meeting

May 11, 2026 – 6:30 PM

MEETING MINUTES

The regular monthly meeting of the New Hanover Township Environmental Advisory Board was held on May 11, 2026, and was called to order at 6:42 pm. The present board members were Jon Moran, Marcella Boettger, John Canale, Wendy Wadsworth and Sunni Barndt.

After the Pledge of Allegiance, Mr. Moran read the announcements.

Consent items

A motion was made by Ms. Boettger to approve the meeting minutes from the April 13, 2026, meeting. This motion was seconded by Ms. Barndt and motion carried 5-0.


Discussion items

- A) Rainfall study presentation from BASH students Maddy Rapp and Cara Romano with assistance from their Environmental Science teacher James Knight. The students were given rainfall data from our township water treatment facility within the dates of 2020 and 2025 and asked to graph all rainfall in a 24-hour period of 1 inch or more. The students' presentation included a slide show with graphs as they explained the components of the study. The presentation lasted about 10 minutes, and the students did a great job with their first appearance. Some comments from the board and a couple of residents in attendance stated that it would be good to get data from one or two other locations within the township and to graph all rainfall, so we have an accurate idea of monthly and annual precipitation.
- B) Bee and Butterfly Foundation Projects
Swamp Creek Meadows – seeds planted, sprouts observed and considering when to mow Moyer Road – Next step is soybean planting
Next project will be Hunter's Run with Pleasant Run and Deep Creek parks as well.
- C) Birdhouses - maintenance is ongoing, boxes are being moved around at Community Park, so they are not back-to-back. There is discussion about what type of post will work best for new boxes. The Birdhouse building workshop is scheduled for May 21 at the barn at Community Park, 6:30pm. Mr. Moran has prepared 40 birdhouse kits for assembly.
- D) Invasive weed and species – the dates of 6/26 and 6/27 have been selected for volunteers to gather and work on weed clean up at Swamp Creek Park.
- E) Water topics – We will expand on rainfall study and look for new students in the fall to help continue the project. New Brunswick Aquifer Status is in a drought according to Aqua at the presentation.

Public Comment – none

Board Announcements – none

A motion was made by Mr. Canale to adjourn the meeting and second was made by Ms. Wadsworth; motion carried 5-0. The meeting was adjourned at 7:33 pm.



John Canale, Secretary



Jessie Kemper
Director of Conservation
1 Skippack Pike, Schwenksville, PA 19473
jkemper@perkiomenwatershed.org
Phone 610.287.9383

New Hanover Township Stormwater Reduction Statistics Package

The chart below shows the statistics for your municipality during the 2026 membership year:

Conservation Project	Site(s)	Number Municipal Volunteers	Municipal Volunteer Hours	Amount
Tree Plantings	0	0	0	0 trees planted
Stream Clean-up	3	26	78	17 bags of trash & 1 tire removed
Water Chestnut Removal	0	0	0	0 bags of EWC removed
Native Garden Installations	0	0	0	0 perennials planted
Community Stormwater Workshops	1	8	8	24 native plants given to residents
TOTALS	4	34	86	42

The chart below shows the statistics for the entire Perkiomen Watershed during the 2026 membership year:

Conservation Project	Site(s)	Number of Volunteers	Volunteer Hours	Total Amount
Tree Plantings	9	160	480	866 trees planted
Stream Clean-up	182	2,052	6,156	1,512 bags of trash removed
Water Chestnut Removal	1	50	1,600	200 bags of EWC removed
Native Garden Installations	1	20	80	500 native plants installed
Community Stormwater Workshops	13	118	118	51 rain barrels made 140 native plants given to residents
TOTALS	206	2,400	8,434	3,269



Jessie Kemper
Director of Conservation
1 Skippack Pike, Schwenksville, PA 19473
jkemper@perkiomenwatershed.org
Phone 610.287.9383

2026 Benefactor Benefits Received

1. **Seasonal Educational Articles** – Access to four seasonal educational flyers to share with municipal staff and residents:
 - Fall Stormwater Solutions
 - Winter Stormwater Solutions
 - Spring Stormwater Solutions
 - Summer Stormwater Solutions
2. **Stormwater Statistics Package** – Municipalities received an annual summary highlighting their participation in Perkiomen Watershed Conservancy conservation projects, volunteer events and the resulting environmental benefits.
3. **Perkiomen Stormwater Symposium** – Municipal staff members were eligible to receive two complimentary tickets to the annual Perkiomen Stormwater Symposium. This full-day training brought together regional experts and partners to discuss innovative stormwater management strategies while covering all six MS4 Minimum Control Measures. Attendees also received educational resources and information about volunteer and community engagement opportunities.
4. **Community Stormwater Workshops** – Municipal residents were given the opportunity to participate in hands-on workshops focused on practical stormwater management techniques, including installing rain gardens, converting sections of their lawns to native gardens, and building rain barrels for use at home.
5. **MS4 Municipal Grant Program** – Municipalities were eligible to apply for grant funding to support the installation of stormwater Best Management Practices, including rain gardens, stormwater basin naturalizations, riparian buffer plantings and other green infrastructure projects.

Please contact Jessie (jkemper@perkiomenwatershed.org) if you need copies any benefits listed above.

**MUNICIPAL SEPERATE STORM SEWER SYSTEM
ANNUAL MS4 STATUS REPORT**



MCM #3 Attachments

**MCM#3
ILLICIT DISCHARGE DETECTION &
ELIMINATION**

- Dry Weather Outfall Field Screening Summary Table
- Dry Weather Priority Outfall Field Screening Reports

New Hanover Township 2026 Priority Area Outfall Dry Weather Outfall Field Screening Summary Table

Outfall Number	Type	Pipe Type	Shape	Pipe Diameter (in)	Flow Present?	Illicit Discharge Determination	Drain Priority Area	2026 Dry Weather Field Screening Notes
203	Outfall	Open Channel	Other	NA	No	Unlikely	Yes	Overland flow through rip-rap next to bridge.
206	Outfall	HDPE	Circular	18	No	Unlikely	Yes	Water ponding in pool beneath outfall-overland flow continues through swale.
329	Outfall	Earthen	Other	36	No	Unlikely	Yes	Overland flow with vegetation growth.
331	Outfall	Earthen	Other	30	No	Unlikely	Yes	Overland flow with vegetation growth.
413	Outfall	WCP	Circular	48	Yes	Unlikely	Yes	Some leaves present around outfall.
416	Outfall	Open Channel	Other	NA	No	Unlikely	Yes	Rip-rap and stone embankment along bridge.
415	Outfall	CMP	Circular	24	No	Unlikely	No	Some staining present in pipe.
330	Outfall	Earthen	Other	30	No	Unlikely	No	Trash present in swale.

MS4 OUTFALL FIELD SCREENING REPORT

BACKGROUND INFORMATION				
Permittee Name: New Hanover Township		NPDES Permit No.: PAG130020		
Date of Inspection: May 6, 2026 10:10 AM		Outfall ID No.: 331		
Land Uses in Outfall Drainage Area (Select All): ☐ Industrial ☐ Urban Residential ☐ Open Space ☐ Urban Residential ☐ Suburban Residential ☐ Other:		Coordinates: -075.34572 +40.17378		
		Dry Weather Inspection? Yes		
		Date of Previous Precipitation: 05/05/2026		
		Amount of Previous Precipitation: 0 in		
Inspector Name(s): JM		Were Photographs Taken? Yes		
		Are Photographs Attached? Yes		
OUTFALL DESCRIPTION				
TYPE	MATERIAL	SHAPE	DIMENSIONS	SUBMERGED
☐ Closed Pipe	☐ RCP ☐ PVC ☐ Steel ☐ CMP ☐ HPDE ☐ Other:	☐ Circular ☐ Elliptical ☐ Box ☐ Singular ☐ Double ☐ Triple ☐ Other:	Diameter: in	In Water: No With Sediment: No

☒ Open Channel	☐ Concrete ☒ Earthen ☐ Rip-Rap ☐ Other:	☐ Trapezoid ☐ Parabolic ☒ Other: Swale	Depth: 8 in Top Width: 16 in Bottom Width: 12 in
--	---	---	--

Dry Weather Flow Present at Outfall During Inspection? ☐ Yes ☒ No *(If No, skip to Certification Section)*

Description of Flow Rate: ☐ Trickle ☐ Moderate ☐ Substantial ☒ N/A

DRY WEATHER FLOW EVALUATION

Does the dry weather flow contain color? ☐ Yes ☒ No If Yes, provide a description:

Does the dry weather flow contain odor? ☐ Yes ☒ No If Yes, provide a description:

Is there an observed change in the receiving waters as a result of the discharge? ☐ Yes ☐ No
If Yes, provide a description below:

Does the dry weather flow contain floating solids, scum, sheen, or substances that result in deposits? ☐ Yes ☒ No
If Yes, provide a description below:

PHYSICAL INDICATORS NOT RELATED TO FLOW

Indicator Type(s): ☐ Outfall Damage ☐ Deposits/Stains ☐ Abnormal Vegetation ☐ Poor Pool Quality ☐ Pipe Benthic Growth	Description: Notes: No concerns Description: Description: Description: Description:
---	--

Were sample(s) collected of the dry weather flow? ☐ Yes ☒ No (If Yes, No. Samples: _____)

FIELD / LABORATORY ANALYSIS

PARAMETER	RESULTS	UNITS	PARAMETER	RESULTS	UNITS
Flow Rate		GPM	Fecal Coliform		No./100 mL
pH		S.U.	COD		mg/L
Total Residual Chlorine (TRC)		mg/L	BOD5		mg/L
Conductivity		µmhos/cm	TSS		mg/L
Ammonia-Nitrogen		mg/L	TDS		mg/L
Other: _____			Oil and Grease		mg/L
Other: _____			Other: _____		

Indicate the parameters above that were analyzed by a DEP-certified laboratory:

ILLICIT DISCHARGES

Is the dry weather flow an illicit discharge? Unlikely

If Yes, describe efforts made to determine the source(s) of the illicit discharge.

Describe corrective actions taken by the permittee in response to the finding of an illicit discharge.

Inspector Comments:



RESPONSIBLE OFFICIAL CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowledge of violations. See 18 Pa. C.S. S 4904 (relating to unsworn falsification).

JM
Responsible Official

A handwritten signature in black ink, appearing to be "JM".

Signature

Telephone Number

05/06/2026

Date

Inspection Photos:



MS4 OUTFALL FIELD SCREENING REPORT

BACKGROUND INFORMATION				
Permittee Name: New Hanover Township		NPDES Permit No.: PAG130020		
Date of Inspection: May 6, 2026 10:16 AM		Outfall ID No.: 329		
Land Uses in Outfall Drainage Area (Select All): ☐ Industrial ☐ Urban Residential ☐ Open Space ☐ Urban Residential ☐ Suburban Residential ☐ Other:		Coordinates: -075.34536 +40.173756		
		Dry Weather Inspection? Yes		
		Date of Previous Precipitation: 05/05/2026		
		Amount of Previous Precipitation: 0 in		
Inspector Name(s): JM		Were Photographs Taken? Yes		
		Are Photographs Attached? Yes		
OUTFALL DESCRIPTION				
TYPE	MATERIAL	SHAPE	DIMENSIONS	SUBMERGED
☐ Closed Pipe	☐ RCP ☐ PVC ☐ Steel ☐ CMP ☐ HPDE ☐ Other:	☐ Circular ☐ Elliptical ☐ Box ☐ Singular ☐ Double ☐ Triple ☐ Other:	Diameter: in	In Water: No With Sediment: No

☒ Open Channel	☐ Concrete ☒ Earthen ☐ Rip-Rap ☐ Other:	☐ Trapezoid ☐ Parabolic ☒ Other: Over land flow	Depth: in Top Width: in Bottom Width: in
--	---	--	--

Dry Weather Flow Present at Outfall During Inspection? ☐ Yes ☒ No *(If No, skip to Certification Section)*

Description of Flow Rate: ☐ Trickle ☐ Moderate ☐ Substantial ☒ N/A

DRY WEATHER FLOW EVALUATION

Does the dry weather flow contain color? ☐ Yes ☒ No If Yes, provide a description:

Does the dry weather flow contain odor? ☐ Yes ☒ No If Yes, provide a description:

Is there an observed change in the receiving waters as a result of the discharge? ☐ Yes ☐ No

If Yes, provide a description below:

Does the dry weather flow contain floating solids, scum, sheen, or substances that result in deposits? ☐ Yes ☒ No

No

If Yes, provide a description below:

PHYSICAL INDICATORS NOT RELATED TO FLOW

Indicator Type(s):

☐ Outfall Damage

Description:

☐ Deposits/Stains

Description:

☐ Abnormal Vegetation

Description:

☐ Poor Pool Quality

Description:

☐ Pipe Benthic Growth

Description:

Were sample(s) collected of the dry weather flow? ☐ Yes ☒ No (If Yes, No. Samples: _____)

FIELD / LABORATORY ANALYSIS

PARAMETER	RESULTS	UNITS	PARAMETER	RESULTS	UNITS
Flow Rate		GPM	Fecal Coliform		No./100 mL
pH		S.U.	COD		mg/L
Total Residual Chlorine (TRC)		mg/L	BOD5		mg/L
Conductivity		µmhos/cm	TSS		mg/L
Ammonia-Nitrogen		mg/L	TDS		mg/L
Other: _____			Oil and Grease		mg/L
Other: _____			Other: _____		

Indicate the parameters above that were analyzed by a DEP-certified laboratory:

ILLICIT DISCHARGES

Is the dry weather flow an illicit discharge? Unlikely

If Yes, describe efforts made to determine the source(s) of the illicit discharge.

Describe corrective actions taken by the permittee in response to the finding of an illicit discharge.

Inspector Comments:




RESPONSIBLE OFFICIAL CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowledge of violations. See 18 Pa. C.S. S 4904 (relating to unsworn falsification).

JM Responsible Official	 Signature
Telephone Number	05/06/2026 Date

Inspection Photos:



MS4 OUTFALL FIELD SCREENING REPORT

BACKGROUND INFORMATION				
Permittee Name: New Hanover Township		NPDES Permit No.: PAG130020		
Date of Inspection: May 6, 2026 10:24 AM		Outfall ID No.: 330		
Land Uses in Outfall Drainage Area (Select All): ☐ Industrial ☐ Urban Residential ☐ Open Space ☐ Urban Residential ☐ Suburban Residential ☐ Other:		Coordinates: -075.34511 +40.173785		
		Dry Weather Inspection? Yes		
		Date of Previous Precipitation: 05/05/2026		
		Amount of Previous Precipitation: 0 in		
Inspector Name(s): KF		Were Photographs Taken? Yes		
		Are Photographs Attached? Yes		
OUTFALL DESCRIPTION				
TYPE	MATERIAL	SHAPE	DIMENSIONS	SUBMERGED
☐ Closed Pipe	☐ RCP ☐ PVC ☐ Steel ☐ CMP ☐ HPDE ☐ Other:	☐ Circular ☐ Elliptical ☐ Box ☐ Singular ☐ Double ☐ Triple ☐ Other:	Diameter: in	In Water: No With Sediment: No

☒ Open Channel	☐ Concrete ☒ Earthen ☐ Rip-Rap ☐ Other:	☐ Trapezoid ☐ Parabolic ☒ Other: Overland flow	Depth: in Top Width: in Bottom Width: in
--	---	---	--

Dry Weather Flow Present at Outfall During Inspection? ☐ Yes ☒ No *(If No, skip to Certification Section)*

Description of Flow Rate: ☐ Trickle ☐ Moderate ☐ Substantial ☒ N/A

DRY WEATHER FLOW EVALUATION

Does the dry weather flow contain color? ☐ Yes ☒ No If Yes, provide a description:

Does the dry weather flow contain odor? ☐ Yes ☒ No If Yes, provide a description:

Is there an observed change in the receiving waters as a result of the discharge? ☐ Yes ☐ No

If Yes, provide a description below:

Does the dry weather flow contain floating solids, scum, sheen, or substances that result in deposits? ☐ Yes ☒ No

No

If Yes, provide a description below:

PHYSICAL INDICATORS NOT RELATED TO FLOW

Indicator Type(s):

☐ Outfall Damage

Description:

☐ Deposits/Stains

Description:

☐ Abnormal Vegetation

Description:

☐ Poor Pool Quality

Description:

☐ Pipe Benthic Growth

Description:

Were sample(s) collected of the dry weather flow? ☐ Yes ☒ No (If Yes, No. Samples: _____)

FIELD / LABORATORY ANALYSIS

PARAMETER	RESULTS	UNITS	PARAMETER	RESULTS	UNITS
Flow Rate		GPM	Fecal Coliform		No./100 mL
pH		S.U.	COD		mg/L
Total Residual Chlorine (TRC)		mg/L	BOD5		mg/L
Conductivity		µmhos/cm	TSS		mg/L
Ammonia-Nitrogen		mg/L	TDS		mg/L
Other: _____			Oil and Grease		mg/L
Other: _____			Other: _____		

Indicate the parameters above that were analyzed by a DEP-certified laboratory:

ILLICIT DISCHARGES

Is the dry weather flow an illicit discharge? Unlikely

If Yes, describe efforts made to determine the source(s) of the illicit discharge.

Describe corrective actions taken by the permittee in response to the finding of an illicit discharge.

Inspector Comments:

Some trash



RESPONSIBLE OFFICIAL CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowledge of violations. See 18 Pa. C.S. S 4904 (relating to unsworn falsification).

KF Responsible Official	 Signature
Telephone Number	05/06/2026 Date

Inspection Photos:



MS4 OUTFALL FIELD SCREENING REPORT

BACKGROUND INFORMATION				
Permittee Name: New Hanover Township		NPDES Permit No.: PAG130020		
Date of Inspection: May 6, 2026 10:32 AM		Outfall ID No.: 415		
Land Uses in Outfall Drainage Area (Select All): ☐ Industrial ☐ Urban Residential ☐ Open Space ☐ Urban Residential ☐ Suburban Residential ☐ Other:		Coordinates: -075.3490 +40.165131		
		Dry Weather Inspection? Yes		
		Date of Previous Precipitation: 05/05/2026		
		Amount of Previous Precipitation: 0 in		
Inspector Name(s): Cv		Were Photographs Taken? Yes		
		Are Photographs Attached? Yes		
OUTFALL DESCRIPTION				
TYPE	MATERIAL	SHAPE	DIMENSIONS	SUBMERGED
☒ Closed Pipe	☐ RCP ☐ PVC ☐ Steel ☒ CMP ☐ HPDE ☐ Other:	☒ Circular ☐ Elliptical ☐ Box ☐ Singular ☐ Double ☐ Triple ☐ Other:	Diameter: 24 in	In Water: No With Sediment: No

☐ Open Channel	☐ Concrete ☐ Earthen ☐ Rip-Rap ☐ Other:	☐ Trapezoid ☐ Parabolic ☐ Other:	Depth: in Top Width: in Bottom Width: in
---------------------------------------	--	---	--

Dry Weather Flow Present at Outfall During Inspection? ☐ Yes ☒ No *(If No, skip to Certification Section)*

Description of Flow Rate: ☐ Trickle ☐ Moderate ☐ Substantial ☒ N/A

DRY WEATHER FLOW EVALUATION

Does the dry weather flow contain color? ☐ Yes ☒ No If Yes, provide a description:

Does the dry weather flow contain odor? ☐ Yes ☒ No If Yes, provide a description:

Is there an observed change in the receiving waters as a result of the discharge? ☐ Yes ☐ No
If Yes, provide a description below:

Does the dry weather flow contain floating solids, scum, sheen, or substances that result in deposits? ☐ Yes ☒ No
If Yes, provide a description below:

PHYSICAL INDICATORS NOT RELATED TO FLOW

Indicator Type(s): ☐ Outfall Damage ☐ Deposits/Stains ☐ Abnormal Vegetation ☐ Poor Pool Quality ☐ Pipe Benthic Growth	Description: Description: Notes: Slightly Description: Description: Description:
---	---

Were sample(s) collected of the dry weather flow? ☐ Yes ☒ No (If Yes, No. Samples: _____)

FIELD / LABORATORY ANALYSIS

PARAMETER	RESULTS	UNITS	PARAMETER	RESULTS	UNITS
Flow Rate		GPM	Fecal Coliform		No./100 mL
pH		S.U.	COD		mg/L
Total Residual Chlorine (TRC)		mg/L	BOD5		mg/L
Conductivity		µmhos/cm	TSS		mg/L
Ammonia-Nitrogen		mg/L	TDS		mg/L
Other: _____			Oil and Grease		mg/L
Other: _____			Other: _____		

Indicate the parameters above that were analyzed by a DEP-certified laboratory:

ILLICIT DISCHARGES

Is the dry weather flow an illicit discharge? Unlikely

If Yes, describe efforts made to determine the source(s) of the illicit discharge.

Describe corrective actions taken by the permittee in response to the finding of an illicit discharge.

Inspector Comments:



RESPONSIBLE OFFICIAL CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowledge of violations. See 18 Pa. C.S. S 4904 (relating to unsworn falsification).

Cv Responsible Official	 Signature
Telephone Number	05/06/2026 Date

Inspection Photos:



MS4 OUTFALL FIELD SCREENING REPORT

BACKGROUND INFORMATION				
Permittee Name: New Hanover Township		NPDES Permit No.: PAG130020		
Date of Inspection: May 6, 2026 10:37 AM		Outfall ID No.: 413		
Land Uses in Outfall Drainage Area (Select All): ☐ Industrial ☐ Urban Residential ☐ Open Space ☐ Urban Residential ☐ Suburban Residential ☐ Other:		Coordinates: -075.3488 +40.165112		
		Dry Weather Inspection? Yes		
		Date of Previous Precipitation: 05/05/2026		
		Amount of Previous Precipitation: 24 in		
Inspector Name(s): Cv		Were Photographs Taken? Yes		
		Are Photographs Attached? Yes		
OUTFALL DESCRIPTION				
TYPE	MATERIAL	SHAPE	DIMENSIONS	SUBMERGED
☒ Closed Pipe	☐ RCP ☐ PVC ☐ Steel ☒ CMP ☐ HPDE ☐ Other:	☒ Circular ☐ Elliptical ☐ Box ☐ Singular ☐ Double ☐ Triple ☐ Other:	Diameter: 24 in	In Water: No With Sediment: No



☐ Open Channel	☐ Concrete ☐ Earthen ☐ Rip-Rap ☐ Other:	☐ Trapezoid ☐ Parabolic ☐ Other:	Depth: in Top Width: in Bottom Width: in
---------------------------------------	--	---	--

Dry Weather Flow Present at Outfall During Inspection? ☒ Yes ☐ No *(If No, skip to Certification Section)*

Description of Flow Rate: ☒ Trickle ☐ Moderate ☐ Substantial

DRY WEATHER FLOW EVALUATION

Does the dry weather flow contain color? ☐ Yes ☒ No If Yes, provide a description:

Does the dry weather flow contain odor? ☐ Yes ☒ No If Yes, provide a description:

Is there an observed change in the receiving waters as a result of the discharge? ☐ Yes ☒ No
If Yes, provide a description below:

Turbidity , Turbidity Severity: Slight Cloudiness

Does the dry weather flow contain floating solids, scum, sheen, or substances that result in deposits? ☐ Yes ☒ No
If Yes, provide a description below:

PHYSICAL INDICATORS NOT RELATED TO FLOW

Indicator Type(s):	
☐ Outfall Damage	Description:
☐ Deposits/Stains	Description:
☐ Abnormal Vegetation	Description:
☐ Poor Pool Quality	Description:
☐ Pipe Benthic Growth	Description:

Were sample(s) collected of the dry weather flow? ☐ Yes ☒ No (If Yes, No. Samples: _____)

FIELD / LABORATORY ANALYSIS

PARAMETER	RESULTS	UNITS	PARAMETER	RESULTS	UNITS
Flow Rate		GPM	Fecal Coliform		No./100 mL
pH	6.2	S.U.	COD		mg/L
Total Residual Chlorine (TRC)	0	mg/L	BOD5		mg/L
Conductivity		µmhos/cm	TSS		mg/L
Ammonia-Nitrogen		mg/L	TDS		mg/L
Other: _____			Oil and Grease		mg/L
Other: _____			Other: _____		

Indicate the parameters above that were analyzed by a DEP-certified laboratory:

ILLICIT DISCHARGES

Is the dry weather flow an illicit discharge? Unlikely

If Yes, describe efforts made to determine the source(s) of the illicit discharge.

Describe corrective actions taken by the permittee in response to the finding of an illicit discharge.

Inspector Comments:



RESPONSIBLE OFFICIAL CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowledge of violations. See 18 Pa. C.S. S 4904 (relating to unsworn falsification).

Cv Responsible Official	 Signature
Telephone Number	05/06/2026 Date

Inspection Photos:



MS4 OUTFALL FIELD SCREENING REPORT

BACKGROUND INFORMATION				
Permittee Name: New Hanover Township		NPDES Permit No.: PAG130020		
Date of Inspection: May 6, 2026 10:42 AM		Outfall ID No.: 203		
Land Uses in Outfall Drainage Area (Select All): ☐ Industrial ☐ Urban Residential ☐ Open Space ☐ Urban Residential ☐ Suburban Residential ☐ Other:		Coordinates: -075.355962 +40.17689		
		Dry Weather Inspection? Yes		
		Date of Previous Precipitation: 04/30/2026		
		Amount of Previous Precipitation: 0 in		
Inspector Name(s): Kevin Fulmer		Were Photographs Taken? Yes		
		Are Photographs Attached? Yes		
OUTFALL DESCRIPTION				
TYPE	MATERIAL	SHAPE	DIMENSIONS	SUBMERGED
☐ Closed Pipe	☐ RCP ☐ PVC ☐ Steel ☐ CMP ☐ HPDE ☐ Other:	☐ Circular ☐ Elliptical ☐ Box ☐ Singular ☐ Double ☐ Triple ☐ Other:	Diameter: in	In Water: No With Sediment: No

☒ Open Channel	☐ Concrete ☐ Earthen ☒ Rip-Rap ☐ Other:	☐ Trapezoid ☐ Parabolic ☒ Other: Earthen swale	Depth: in Top Width: in Bottom Width: in
--	---	---	--

Dry Weather Flow Present at Outfall During Inspection? ☐ Yes ☒ No *(If No, skip to Certification Section)*

Description of Flow Rate: ☐ Trickle ☐ Moderate ☐ Substantial ☒ N/A

DRY WEATHER FLOW EVALUATION

Does the dry weather flow contain color? ☐ Yes ☒ No If Yes, provide a description:

Does the dry weather flow contain odor? ☐ Yes ☒ No If Yes, provide a description:

Is there an observed change in the receiving waters as a result of the discharge? ☐ Yes ☐ No
If Yes, provide a description below:

Does the dry weather flow contain floating solids, scum, sheen, or substances that result in deposits? ☐ Yes ☒ No
If Yes, provide a description below:

PHYSICAL INDICATORS NOT RELATED TO FLOW

Indicator Type(s):	
☐ Outfall Damage	Description:
☐ Deposits/Stains	Description:
☐ Abnormal Vegetation	Description:
☐ Poor Pool Quality	Description:
☐ Pipe Benthic Growth	Description:

Were sample(s) collected of the dry weather flow? ☐ Yes ☒ No (If Yes, No. Samples: _____)

FIELD / LABORATORY ANALYSIS

PARAMETER	RESULTS	UNITS	PARAMETER	RESULTS	UNITS
Flow Rate		GPM	Fecal Coliform		No./100 mL
pH		S.U.	COD		mg/L
Total Residual Chlorine (TRC)		mg/L	BOD5		mg/L
Conductivity		µmhos/cm	TSS		mg/L
Ammonia-Nitrogen		mg/L	TDS		mg/L
Other: _____			Oil and Grease		mg/L
Other: _____			Other: _____		

Indicate the parameters above that were analyzed by a DEP-certified laboratory:

ILLICIT DISCHARGES

Is the dry weather flow an illicit discharge? Unlikely

If Yes, describe efforts made to determine the source(s) of the illicit discharge.

Describe corrective actions taken by the permittee in response to the finding of an illicit discharge.

Inspector Comments:



RESPONSIBLE OFFICIAL CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowledge of violations. See 18 Pa. C.S. S 4904 (relating to unsworn falsification).

Kevin Fulmer Responsible Official	 Signature
Telephone Number	05/06/2026 Date

Inspection Photos:



MS4 OUTFALL FIELD SCREENING REPORT

BACKGROUND INFORMATION				
Permittee Name: New Hanover Township		NPDES Permit No.: PAG130020		
Date of Inspection: May 6, 2026 10:46 AM		Outfall ID No.: 416		
Land Uses in Outfall Drainage Area (Select All): ☐ Industrial ☐ Urban Residential ☐ Open Space ☐ Urban Residential ☐ Suburban Residential ☐ Other:		Coordinates: -075.34836 +40.165135		
		Dry Weather Inspection? Yes		
		Date of Previous Precipitation: 05/05/2026		
		Amount of Previous Precipitation: in		
Inspector Name(s): Cv		Were Photographs Taken? Yes		
		Are Photographs Attached? Yes		
OUTFALL DESCRIPTION				
TYPE	MATERIAL	SHAPE	DIMENSIONS	SUBMERGED
☐ Closed Pipe	☐ RCP ☐ PVC ☐ Steel ☐ CMP ☐ HPDE ☐ Other:	☐ Circular ☐ Elliptical ☐ Box ☐ Singular ☐ Double ☐ Triple ☐ Other:	Diameter: in	In Water: No With Sediment: No

☒ Open Channel	☐ Concrete ☐ Earthen ☒ Rip-Rap ☐ Other:	☐ Trapezoid ☐ Parabolic ☒ Other: Rip rap pile	Depth: in Top Width: in Bottom Width: in
--	---	--	--

Dry Weather Flow Present at Outfall During Inspection? ☐ Yes ☒ No *(If No, skip to Certification Section)*

Description of Flow Rate: ☐ Trickle ☐ Moderate ☐ Substantial ☒ N/A

DRY WEATHER FLOW EVALUATION

Does the dry weather flow contain color? ☐ Yes ☒ No If Yes, provide a description:

Does the dry weather flow contain odor? ☐ Yes ☒ No If Yes, provide a description:

Is there an observed change in the receiving waters as a result of the discharge? ☐ Yes ☐ No

If Yes, provide a description below:

Does the dry weather flow contain floating solids, scum, sheen, or substances that result in deposits? ☐ Yes ☒ No

No

If Yes, provide a description below:

PHYSICAL INDICATORS NOT RELATED TO FLOW

Indicator Type(s):

☐ Outfall Damage

Description:

☐ Deposits/Stains

Description:

☐ Abnormal Vegetation

Description:

☐ Poor Pool Quality

Description:

☐ Pipe Benthic Growth

Description:

Were sample(s) collected of the dry weather flow? ☐ Yes ☒ No (If Yes, No. Samples: _____)

FIELD / LABORATORY ANALYSIS

PARAMETER	RESULTS	UNITS	PARAMETER	RESULTS	UNITS
Flow Rate		GPM	Fecal Coliform		No./100 mL
pH		S.U.	COD		mg/L
Total Residual Chlorine (TRC)		mg/L	BOD5		mg/L
Conductivity		µmhos/cm	TSS		mg/L
Ammonia-Nitrogen		mg/L	TDS		mg/L
Other: _____			Oil and Grease		mg/L
Other: _____			Other: _____		

Indicate the parameters above that were analyzed by a DEP-certified laboratory:

ILLICIT DISCHARGES

Is the dry weather flow an illicit discharge? Unlikely

If Yes, describe efforts made to determine the source(s) of the illicit discharge.

Describe corrective actions taken by the permittee in response to the finding of an illicit discharge.

Inspector Comments:



RESPONSIBLE OFFICIAL CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowledge of violations. See 18 Pa. C.S. S 4904 (relating to unsworn falsification).

Cv Responsible Official	 Signature
Telephone Number	05/06/2026 Date

Inspection Photos:



MS4 OUTFALL FIELD SCREENING REPORT

BACKGROUND INFORMATION				
Permittee Name: New Hanover Township		NPDES Permit No.: PAG130020		
Date of Inspection: May 6, 2026 11:03 AM		Outfall ID No.: 206		
Land Uses in Outfall Drainage Area (Select All): ☐ Industrial ☐ Urban Residential ☐ Open Space ☐ Urban Residential ☐ Suburban Residential ☐ Other:		Coordinates: -075.36041 +40.17684		
		Dry Weather Inspection? Yes		
		Date of Previous Precipitation:		
		Amount of Previous Precipitation: 0 in		
Inspector Name(s): Ram		Were Photographs Taken? Yes		
		Are Photographs Attached? Yes		
OUTFALL DESCRIPTION				
TYPE	MATERIAL	SHAPE	DIMENSIONS	SUBMERGED
☒ Closed Pipe	☐ RCP ☐ PVC ☐ Steel ☐ CMP ☐ HPDE ☐ Other:	☒ Circular ☐ Elliptical ☐ Box ☐ Singular ☐ Double ☐ Triple ☐ Other:	Diameter: 18 in	In Water: No With Sediment: No

☐ Open Channel	☐ Concrete ☐ Earthen ☐ Rip-Rap ☐ Other:	☐ Trapezoid ☐ Parabolic ☐ Other:	Depth: in Top Width: in Bottom Width: in
---------------------------------------	--	---	--

Dry Weather Flow Present at Outfall During Inspection? ☐ Yes ☒ No *(If No, skip to Certification Section)*

Description of Flow Rate: ☐ Trickle ☐ Moderate ☐ Substantial ☒ N/A

DRY WEATHER FLOW EVALUATION

Does the dry weather flow contain color? ☐ Yes ☒ No If Yes, provide a description:

Does the dry weather flow contain odor? ☐ Yes ☒ No If Yes, provide a description:

Is there an observed change in the receiving waters as a result of the discharge? ☐ Yes ☐ No
If Yes, provide a description below:

Does the dry weather flow contain floating solids, scum, sheen, or substances that result in deposits? ☐ Yes ☒ No
If Yes, provide a description below:

PHYSICAL INDICATORS NOT RELATED TO FLOW

Indicator Type(s): ☐ Outfall Damage ☐ Deposits/Stains ☐ Abnormal Vegetation ☐ Poor Pool Quality ☐ Pipe Benthic Growth	Description: Notes: Outfall pool depth increasing with erosion Description: Description: Description: Notes: Erodes, algae present Description:
---	---

Were sample(s) collected of the dry weather flow? ☐ Yes ☒ No (If Yes, No. Samples: _____)

FIELD / LABORATORY ANALYSIS

PARAMETER	RESULTS	UNITS	PARAMETER	RESULTS	UNITS
Flow Rate		GPM	Fecal Coliform		No./100 mL
pH		S.U.	COD		mg/L
Total Residual Chlorine (TRC)		mg/L	BOD5		mg/L
Conductivity		µmhos/cm	TSS		mg/L
Ammonia-Nitrogen		mg/L	TDS		mg/L
Other: _____			Oil and Grease		mg/L
Other: _____			Other: _____		

Indicate the parameters above that were analyzed by a DEP-certified laboratory:

ILLICIT DISCHARGES

Is the dry weather flow an illicit discharge? Unlikely

If Yes, describe efforts made to determine the source(s) of the illicit discharge.

Describe corrective actions taken by the permittee in response to the finding of an illicit discharge.

Inspector Comments:



RESPONSIBLE OFFICIAL CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowledge of violations. See 18 Pa. C.S. S 4904 (relating to unsworn falsification).

Ram
Responsible Official

Signature

Telephone Number

05/06/2026

Date

Inspection Photos:



**MUNICIPAL SEPERATE STORM SEWER SYSTEM
ANNUAL MS4 STATUS REPORT**



**MCM #6
POLLUTION PREVENTION/GOOD
HOUSEKEEPING**

- Clean Water Academy Training, June 16, 2026 Sign-In Sheet

MS4 TRAINING

June 16, 2026

[illegible]